
[CSV May 14, 2022 through May 14, 2024](#) [See all Errata for USP–NF](#) [How to use](#)

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section		Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
PACKAGING	GENERAL	<i>Second</i>	Online	26-Mar-2021	1-Dec-2025	NA	NA	In <i>Light-</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
AND STORAGE REQUIREMENTS	Packaging Definitions	Supplement to USP43–NF38						resistant container: Change ?661.2?, Functionality, Spectral Transmission Requirements for Light-Resistant Components and Systems. to: ?661.2?, Functionality Test Method, Spectral Transmission Requirements for Light-Resistant Components and Systems.
DILUTED ISOSORBIDE MONONITRATE	IMPURITIES	USPNF Online Online		26-Apr-2024	1-May-2024	NA	NA	In Organic Impurities/Standard solution: Change isosorbide related compound A

Monograph TitleSection	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							to: isosorbide mononitrate related compound A AND In System suitability/Suitability requirements/Relative standard deviation: Change isosorbide related compound A, to: isosorbide mononitrate related compound A, AND In four instances in Analysis: Change isosorbide related compound A, to: isosorbide mon

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
								onitrate related compound A, AND In <i>Table 1</i> : Change Isosorbide related compound A to: Isosorbide mononitrate related compound A In <i>Average particle diameter</i> : Change expressed in nanometers. to: expressed in meters. AND In <i>Viscosity</i> : Change in millipascal-seconds (mPa?s). to: in pascal-seconds (Pa?s). Change
PARTICLE SIZE ANALYSIS BY DYNAMIC LIGHT SCATTERING	GLOSSARY	USPNF Online	Online	27-Oct-2023	1-May-2024	NA	NA	
BROMPHENIR	SPECIFIC	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
AMINE MALEATE	TESTS							Optical Rotation ?781? to: Optical Rotation, <i>Angular Rotation</i> ?781A? In <i>Organic Impurities/Procedure 1/Impurity Table 1/footnote d</i> : Change 3-Nitrophenyl et hyl(methyl)carb amate. to: 4-Nitrophenyl et hyl(methyl)carb amate.
RIVASTIGMINE TARTRATE	IMPURITIES	<i>USPNF Online</i>	Online	26-Apr-2024	1-May-2024	NA	NA	In <i>Organic Impurities/Procedure 1/Impurity Table 1/footnote d</i> : Change 3-Nitrophenyl et hyl(methyl)carb amate. to: 4-Nitrophenyl et hyl(methyl)carb amate.
ISOSORBIDE MONONITRAT E TABLETS	IMPURITIES	<i>USPNF Online</i>	Online	26-Apr-2024	1-May-2024	NA	NA	In <i>Organic Impurities/Standard solution</i> : Change isosorbide related compound A to:

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							isosorbide mononitrate related compound A AND In System suitability/Suitability requirements/Relative standard deviation: Change isosorbide related compound A, to: isosorbide mononitrate related compound A, AND In four instances in Analysis: Change isosorbide related compound A, to: isosorbide mononitrate related

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
DAPSONE TABLETS	PERFORMANCE TESTS	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	compound A, AND In <i>Table 1</i>: Change Isosorbide related compound A to: Isosorbide mononitrate related compound A In <i>Dissolution</i> ?711?/<i>Standard solution</i>: Change USP Dapsone RS of a known concentration in <i>Medium</i> to: (L/1000) mg/mL of USP Dapsone RS in <i>Medium</i>, where <i>L</i> is the label claim in mg/Tablet. Transfer a portion of this solution containing 0.2

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
COCOYL CAP SPECIFIC RYLOCAPRAT TESTS E	USPNF Online	Online	23-Feb-2024	1-May-2024	NA	NA	mg of dapson e to a 25-mL volumetric flask, add 5 mL of 1 N sodium hydroxide, and dilute with water to volume. In <i>Fats and Fixed Oils</i> ?401?, <i>Procedures, Hydroxyl Value/Analysis:</i> Change Calculate the acid value as directed in the chapter. to: Calculate the hydroxyl value as directed in the chapter. In <i>USP Reference Standards</i> ?11?: Change USP Rivastigmine Tartrate R-
RIVASTIGMINE TARTRATE	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	Additional R EQUIREMENT S

Monograph TitleSection	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
DOXORUBICIN ASSAY HYDROCHLOR IDE	USPNF Online Online		26-Apr-2024	1-May-2024	NA	NA	Isomer RS to: USP Rivastigmine Tartrate R- Isomer RS (R)-3-[1-(Dimethyl amino)ethyl]phe nyl ethylmethylc arbamate, hydrogen tartrate. $C_{14}H_{22}N_2O_2 \cdot$ $C_4H_6O_6$ 400.42 In Proce dure/System suitability solution: Add link to USP Store for USP Epirubicin Hydrochloride RS
SUCROSE IMPURITIES	USPNF Online Online		29-Mar-2024	1-Apr-2024	NA	NA	In Sulfite/ Analysi s/footnote 1: Change Test kit for sulfite

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							determination may be ordered from the following suppliers: Megazyme Ltd. (Product code: K-ETSULPH); R-Biopharm (Enzytec) (Article No.: E6275); BioSen Tec/Nzytech (Catalogue No.: AK00071). to: Test kit for sulfite determination may be ordered from the following suppliers: Megazyme Ltd. (Product code K-ETSULPH); R-Biopharm (Enzytec) (Article No. E6275); Nzytech

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
LIDOCAINE	ASSAY	USPNF Online	Online	29-Mar-2024	1-Apr-2024	NA	NA	(Catalogue No. AK00071) and BioSenTec (Product reference 040-E). In <i>Procedure</i> : Change Column: 3.9-mm × 30-cm; 4-μm packing L1 to: Column: 3.9-mm × 30-cm; 10-μm packing L1
LIDOCAINE, R ACEPINEPHRI NE AND TETRACAINE HYDROCHLOR IDES COMPOU NDED TOPICAL GEL	DEFINITION	USPNF Online	Online	29-Mar-2024	1-Apr-2024	NA	NA	Change Prepare Lidocaine, Racepinephrine, and Tetracaine Hydrochlorides Compounded Topical Gel containing 40 mg/mL of lidocaine hydrochloride, 1 mg/mL of

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							racepinephrine hydrochloride, and 10 mg/mL of tetracaine hydrochloride as follows (see <i>Pharmaceutical Compounding—Sterile Preparations</i> <797>). to: Prepare Lidocaine, Racepinephrine, and Tetracaine Hydrochlorides Compounded Topical Gel containing 40 mg/mL of lidocaine hydrochloride, 1 mg/mL of racepinephrine hydrochloride, and 10 mg/mL of tetracaine hydrochloride as follows (see

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
IPRATROPIUM IMPURITIES BROMIDE INHALATION SOLUTION	USPNF Online	Online	29-Mar-2024	1-Apr-2024	NA	NA	<i>Pharmaceutical Compounding—Nonsterile Preparations</i> <795>). In <i>Organic Impurities</i> : Change Column: 4.6-mm × 25-μm; 5-μm packing L1 to: Column: 4.6-mm × 25-cm; 5-μm packing L1 In <i>B.</i> : Change The retention time of the major peak of the <i>Sample solution</i> exhibits maxima and minima at the same wavelengths as those of the <i>Standard solution</i> , as
ENSULIZOLE IDENTIFICATION	USPNF Online	Online	29-Mar-2024	1-Apr-2024	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
FLURAZEPAM USP HYDROCHLORIDE	USP REFERENCE STANDARDS ?11?	USPNF Online Online	23-Feb-2024	1-Mar-2024	NA	NA	obtained in the Assay. to: The retention time of the major peak of the <i>Sample solution</i> corresponds to that of the <i>Standard solution</i> , as obtained in the Assay. In USP Flurazepam Related Compound C RS: Change 5-Chloro-2-(2-diethylaminoethyl (amino)-2?-fluorobenzophenone hydrochloride. to: 5-Chloro-2-(2-diethylaminoethyl amino)-2?-fluorobenzophenone hydrochloride. In <i>Procedure</i>
PROPOFOL	ASSAY	USPNF Online Online	23-Feb-2024	1-Mar-2024	NA	NA	

Monograph Title Section		Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
								2/Mobile phase: Change Hexane, acetonitrile, and alcohol (990: 7.5: 1) to: Hexane, acetonitrile, and alcohol, absolute (990: 7.5: 1)
METHYLNALT REXONE BROMIDE	CHEMICAL INFORMATION	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	Correct the chemical structure
IODIXANOL INJECTION	IMPURITIES	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	In <i>Organic Impurities, Procedure 2</i> /footnote 4: Change 5-[[3-[[[3-[[[3-[[3-[[[3,5-Bis-[[[2,3-dihydroxypropyl]amino]carbonyl]-2,4,6-triiodophenyl](acetylimino)]-2-hydroxypropyl](acetylimino)]-5-[[[2,3-dihydroxypropyl]amino]carbonyl]-2,4

Monograph TitleSection	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							,6-triiodophenyl] carbonyl]amino] -2-hydroxypropyl] oxy]-2-hydroxypropyl](acetylamin o)]-N,N '-bis(2,3-dihydroxypropyl)-2,4,6-triiodo-1,3-benzendicarboxamide. to: 5-[[[3-[[[3-[[[3-[[[3-[[[3,5-Bis-[[[2,3-dihydroxypropyl]amino]carbonyl]-2,4,6-triiodophenyl](acetylamin o)]-2-hydroxypropyl](acetylamin o)]-5-[[[2,3-dihydroxypropyl]amino]carbonyl]-2,4,6-triiodophenyl] carbonyl]amino] -2-hydroxypropyl] oxy]-2-hydroxypropyl](acetylamin o)]-N,N '-bis(2,3-dihydroxypropyl)-2,4,6-t

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
THALIDOMIDE ASSAY CAPSULES		USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	riiodo-1,3-benze ndicarboxamide . In <i>Procedure</i> : Change 1000C(R_U/R_S) to: 500C(R_U/R_S)
DRY HEAT DE INTRODUCTION PYROGENATION		USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	Change parental manufacturing to: parenteral manufacturing
METOLAZONE IMPURITIES		USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	In <i>Organic Impuri ties/ Chromatographi c system/Column</i> : Change 4.6-mm × 25-cm; 5-μm packing 1 to: 4.6-mm × 25-cm; 5-μm packing L1
IODIXANOL INJECTION	ADDITIONAL REQUIREMENTS	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	In <i>USP Reference Standards</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							?11?/USP Iodixanol Related Compound E RS: Change 5-[[3-[[3-[(2,3-Dihydroxypropyl)amino]carbonyl]-5- [[amino]carbonyl]-2,4,6-triiodophenyl](acetylimino)]-2-hydroxypropyl]-(acetylimino)]-N,N?-bis(2,3-dihydroxypropyl)-2,4,6-triiodo-1,3-benzenedicarboxamide. to: 5-{N-[3-(N-{3-Carbamoyl-5-[(2,3-dihydroxypropyl)carbamoyl]-2,4,6-triiodophenyl}acetamido)-2-hydroxypropyl]acetamido}-N¹,N³-bis(2,3-dihydroxypropyl)-2,4,6-triiodoisophthala

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
CARVEDILOL TABLETS	PERFORMANCE TESTS	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	mid. In <i>Dissolution</i> <711>/Test 3/<i>Chromatographic system/Column: Change 4.6-mm × 15-mm; 5-?m packing L7 to: 4.6-mm × 15-cm; 5-?m packing L7</i> Change A: The contents of the Capsules respond to <i>Identification</i> tests <i>A</i> and <i>B</i> under <i>Theophylline Tablets</i>. B: The retention time of the major peak in the chromatogram of the Assay
THEOPHYLLIN IDENTIFICATION CAPSULES	IDENTIFICATION	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>preparation corresponds to that in the chromatogram of the <i>Standard preparation</i>, as obtained in the Assay.</i> to: A: Triturate a quantity of the contents of Capsules, equivalent to about 500 mg of theophylline, with 10-mL and 5-mL portions of solvent hexane, and discard the solvent hexane. Triturate the residue with two 10-mL portions of a mixture of equal volumes of 6 N ammonium hydroxide and water, and filter each time.

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							Evaporate the combined filtrates to about 5 mL, neutralize, if necessary, with 6 N acetic acid, using litmus, and then cool to about 15°, with stirring. Collect the precipitate on a filter, wash it with cold water, and dry at 105° for 2 hours: the theophylline so obtained melts between 270° and 274° (see <i>Melting Range or Temperature</i> ?741?, <i>Procedures, Procedure for Class I</i>). Retain the remaining portion of the theophylline for use in

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>Identification</i> test <i>B</i>. B: The IR absorption spectrum of a potassium bromide dispersion of the residue obtained in <i>Identification</i> test <i>A</i> exhibits maxima only at the same wavenumbers as that of a potassium bromide dispersion of USP Theophylline RS. C: The retention time of the major peak in the chromatogram of the Assay <i>preparation</i> corresponds to

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
DICYCLOMINE IDENTIFICATION HYDROCHLORIDE	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	that in the chromatogram of the <i>Standard preparation</i> , as obtained in the Assay. In <i>B. Identification Tests—General</i> ?191?, <i>Chemical Identification Tests, Chloride</i> : Change Meets the requirements when tested as specified in test <i>B.</i> to: Meets the requirements of the test for amine hydrochlorides Change Shake a portion of Oral Suspension with a mixture of acetone and
AMOXICILLIN IDENTIFICATION ORAL SUSPENSION	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of amoxicillin per mL. The solution responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i>. to: Prepare a test solution by shaking a portion of Oral Suspension with a mixture of acetone and 0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of amoxicillin per

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							mL. Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric acid containing 1 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> 7621?). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							consisting of a mixture of methanol, chloroform, water, and pyridine (90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
LINEZOLID TABLETS	PERFORMANCE TESTS	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	obtained from the test solution corresponds to that obtained from the Standard solution. In <i>Dissolution</i> ?711?/Test 1/Analysis: Change Result = $(r_U/r_S) \times C_S \times V \times (1/L) \times 100$ r_U = peak response of linezolid from the <i>Sample solution</i> r_S = peak response of linezolid from the <i>Standard solution</i> C_S = concentration of USP Linezolid RS in the <i>Standard solution</i> (mg/mL)

Monograph TitleSection	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							V = volume of <i>Medium</i>, 900 mL L = label claim (mg/Tablet) to: Result = (r_U/r_S) $\times C_S \times V \times (1/L)$ $\times D \times 100$ r_U = peak response of linezolid from the <i>Sample solution</i> r_S = peak response of linezolid from the <i>Standard solution</i> C_S = concentration of USP Linezolid RS in the <i>Standard solution</i> (mg/mL) V = volume of <i>Medium</i>, 900 mL L = label claim (mg/Tablet)

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
ANTIBIOTICS—APPENDICES MICROBIAL ASSAYS	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	<i>D</i> = dilution factor of the <i>Sample solution</i>, as needed In two instances in <i>Appendix 1</i> equations: Change 14.020 to: 14.022
SECOBARBITAL SODIUM OTHER REQUIREMENTS	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	Change Where the label states that Secobarbital Sodium is sterile, it meets the requirements for <i>Sterility Tests</i> ?71? and for <i>Bacterial endotoxins</i> under <i>Secobarbital Sodium for Injection</i>. Where the label states that Secobarbital Sodium must be

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							subjected to further processing during the preparation of injectable dosage forms, it meets the requirements for <i>Bacterial endotoxins</i> under <i>Secobarbital Sodium for Injection</i>. to: Where the label states that Secobarbital Sodium is sterile, it meets the requirements for <i>Sterility Tests</i> ?71? and the level of bacterial endotoxins is not more than 0.9 USP Endotoxin Units

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
ACARBOSE	IMPURITIES	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	per mg of secobarbital sodium tested per <i>Bacterial Endotoxins Test</i> <85>. Where the label states that Secobarbital Sodium must be subjected to further processing during the preparation of injectable dosage forms, the level of bacterial endotoxins is not more than 0.9 USP Endotoxin Units per mg of secobarbital sodium tested per <i>Bacterial Endotoxins Test</i> <85>. In <i>Chromatographi</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
GLUCAGON	PROCESS-RELATED IMPURITIES AND OTHER COMPONENTS	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	c <i>Purity/Analysis:</i> Change Result = (r_U/r_A) $\times (1/F) \times 100$ to: Result = (r_U/r_A) $\times (1/F)$ <i>In Acetic Acid in Peptides/Analysis:</i> Change C_{SPA} = concentration of potassium acetate in each of the <i>Standard solutions</i> (mg/mL) to: C_{SPA} = concentration of potassium acetate in each of the <i>Standard solutions</i> (µg/mL) AND In <i>Ammonium/</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
								<i>Analysis:</i> Change C_{SAC} = concentration of ammonium chloride in each of the <i>Standard solutions</i> (mg/mL) to: C_{SAC} = concentration of ammonium chloride in each of the <i>Standard solutions</i> (µg/mL)
Strychnine Sulfate	REAGENTS AND REFERENCE TABLES	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	<i>In Reagent Specifications:</i> Change CAS RN®: 60-41-3. to: CAS RN®: 60491-10-3.
MEASUREMENT OF STRUCTURAL STRENGTH OF SEMISOLIDS BY PENETRO	APPARATUS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	<i>In Figure 2:</i> Change 66±0.25 Ø to: 65±0.25 Ø

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
METRY DICLOFENAC SODIUM AND MISOPROSTO L DELAYED- RELEASE TABLETS	PERFORMANC E TESTS	USPNF Online Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Dissolution</i> ?711?: Move Test 2 after Test 1
PANTOPRAZO LE SODIUM DEE LAYED- RELEASE TABLETS	PERFORMANC E TESTS	USPNF Online Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Dissolution</i> ?711?/Test 2/Acid stage: Change Acid stage standard solution: (L/10) mg/mL of USP Pantoprazole Sodium RS from the <i>Standard stock solution</i> in <i>Acid stage medium</i> , where L is the label claim in mg/Tablet to: Acid stage standard solution: (L/10000) mg/mL of USP

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							Pantoprazole Sodium RS from the <i>Standard stock solution</i> in <i>Acid stage medium</i>, where <i>L</i> is the label claim in mg/Tablet AND In <i>Dissolution</i> <711>/Test 2/Buffer stage: Change Buffer stage standard solution: (<i>L</i>/1000) of USP Pantoprazole Sodium RS where <i>L</i> is the label claim in mg/Tablet to: Buffer stage standard solution: (<i>L</i>/1000) mg/mL of USP Pantoprazole

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
CEFDINIR CAPSULES	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	Sodium RS from the <i>Standard stock solution</i> in <i>Buffer stage medium</i>, where <i>L</i> is the label claim in mg/Tablet In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound A RS: Change 413.43 to: 413.42 AND In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound B RS: Change $C_{14}H_{13}N_4O_4S_2$ 365.41 to: C

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN IDENTIFICATION NTRAMAMMA N RY INFUSION	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	$^{14}\text{H}_{14}\text{N}_4\text{O}_4\text{S}_2$ 366.41 Change The solution obtained responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i> . to: Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric acid containing 4 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							gel mixture (see <i>Chromatography</i> <621>). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine (90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard solution.
NORFLURANE IMPURITIES	USPNF Online Online		17-Nov-2023	1-Dec-2023	NA	NA	In <i>Organic Impurities/Table 2</i> : Change Line No. to: Peak Elution Order AND In <i>Halides/Figure 1</i> : Add label Flow Meter In <i>Organic</i>
CEFDINIR	IMPURITIES	USPNF Online Online	17-Nov-2023	1-Dec-2023	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
TOPICAL AND SPECIFIC TRANSDERMA TESTS FOR L DRUG PROD TDS UCTS—PRODU CT QUALITY TESTS	USPNF Online Online		28-Jul-2023	1-Dec-2023	NA	NA	<i>Impurities/</i>Table 2/footnote a: Change 1<i>N</i>-[(<i>Z</i>)-2-(2-Aminothiazol-4-yl)-2-(hydroxyimino)acetyl]glycine. to: <i>N</i>-[(<i>Z</i>)-2-(2-Aminothiazol-4-yl)-2-(hydroxyimino)acetyl]glycine. <i>In Release Liner Peel Test</i>: Change The product fails the test if the mean peel force is outside the acceptable range determined during product development. to: The product fails the test if the overall mean peel force

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
AMIKACIN SULFATE	ASSAY	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	is outside the acceptable range determined during product development. In <i>Procedure/Analysis</i> : Change C_U = concentration of amikacin in the <i>Sample solution</i> (mg/mL) to: C_U = concentration of Amikacin Sulfate in the <i>Sample solution</i> (mg/mL)
DUTASTERIDE AND TAMSULOSIN HYDROCHLORIDE CAPSULES	PERFORMANCE TESTS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Dissolution</i> ?711?/Test for dutasteride/Tier 2/Medium: Change 10 g/L of cetyltrimethylammonium bromide and 750,000 USP

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
								units of activity/mg of pepsin, purified in 0.1 N hydrochloric acid; 900 mL to: Dissolve 10 g of cetyltrimethylammonium bromide and 1.6 g of pepsin, purified in 1000 mL of 0.1 N hydrochloric acid; 900 mL
SODIUM SALICYLATE	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>USP Reference Standards</i> ?11?: Add USP Phenol RS
CEFDINIR FOR ORAL SUSPENSION	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound A RS: Change 413.43 to: 413.42

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
								AND In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound B RS: Change $C_{14}H_{13}N_4O_4S_2$ 365.41 to: $C_{14}H_{14}N_4O_4S_2$ 366.41
COLOR AND ACHROMICITY	METHOD II: INSTRUMENTAL (QUANTITATIVE) ASSESSMENT OF COLOR AND COLOR MATCHES	<i>USPNF Online</i> Online		17-Nov-2023	1-Dec-2023	NA	NA	In <i>Table 5</i> : Change Sum 98.809 100.000 107.307 White point 98.811 100.000 107.304 to: Sum 94.809 100.000 107.307 White point 94.811 100.000 107.304
AZITHROMYCIN	IMPURITIES	<i>USPNF Online</i> Online		17-Nov-2023	1-Dec-2023	NA	NA	In <i>Organic Impurities/Table 2</i> : Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							3'-N -D emet hyl-3'-N -[(4-methylphenyl)sulfonyl]azithromycin ^m to: 3?-'N -{{[4-(Acetylamino)phenyl]sulfonyl}-3?-demethylazithromycin ^m AND In <i>Table</i> 2/footnote m: Change (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-?-L-ribo-hexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3-[N

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							-(4-methylphenylsulfon yl)- <i>N</i> -methylamino]-3,4,6-trideoxy-β-D-xylo -hexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one. to: (2 <i>R</i> ,3 <i>S</i> ,4 <i>R</i> ,5 <i>R</i> ,8 <i>R</i> ,10 <i>R</i> ,11 <i>R</i> ,12 <i>S</i> ,13 <i>S</i> ,14 <i>R</i>)-13-[(2,6-Dideoxy-3- <i>C</i> -meth yl-3- <i>O</i> -methyl-?- <i>L</i> -ribo -hexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3- <i>N</i> -(4-acetamidophenylsulfon yl)- <i>N</i> -methylamino]-3

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
OLMESARTAN PERFORMANC MEDOXOMIL E TESTS TABLETS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	,4,6-trideoxy-?- D-xyl -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. In <i>Dissolution</i> ?711?/Test 5/Apparatus 2: Change 50 rpm. Use peak vessels. to: 50 rpm. Use apex vessels. In <i>USP</i> <i>Reference</i> <i>Standards</i> ?11?/USP Cefdinir Related Compound A RS: Change 413.43 to: 413.42 Change <i>Application</i> <i>volume</i> , <i>Developing</i> <i>solvent system</i> , <i>Proce</i>
CEFDINIR ADDITIONAL R EQUIREMENT S	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	
AMOXICILLIN BOLUSES IDENTIFICATIO N	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>dure</i>—Proceed as directed for the <i>Identification</i> test under <i>Amoxicillin Tablets</i>. to: <i>Application</i> <i>volume</i>—5 µL. <i>Developing solvent system</i>—a mixture of methanol, chloroform, water, and pyridine (90:80:30:10). <i>Proce</i> <i>dure</i>—Proceed as directed in <i>Thin-Layer Chromatographic Identification Test</i> <201>. Dry the plate with the aid of a current of warm air for 10 minutes. Locate

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes.

Pagination

- [Current page 1](#)
- [Page 2](#)
- [Page 3](#)
- [Page 4](#)
- [Page 5](#)
- [Page 6](#)
- [Next page Next >](#)
- [Last page Last »](#)