

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication		Date	Date	Print Publication	Fix Publication	
		Sort descending						

—

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CHROMATOGRAPHY	ADJUSTMENT OF CHROMATOGRAPHIC CONDITIONS	USPNF Online	Online	26-Aug-2022	1-Dec-2022	NA	NA	In <i>Liquid Chromatography: Isocratic Elution/Injection</i> volume: Change L_2 = internal diameter of the column used (mm) dc_1 = particle size indicated in the monograph (μm) dc_2 = particle size of the column used (μm) to: L_2 = new column length (mm) dc_1 = column internal diameter indicated in the monograph (mm) dc_2 = new column internal

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METHYLENE BLUE	ADDITIONAL REQUIREMENTS <i>USP Reference Standards <11></i>	<i>USPNF Online</i>	Online	26-Aug-2022	1-Sep-2022	NA	<i>USPNF 2023 Issue 2</i>	diameter (mm) In USP Azure B RS: Change 3-(Dimethylamino)-7-(methyldiamino)-phenothiazine-5-ium chloride. to: 3-(Dimethylamino)-7-(methyldiamino)phenothiazine-5-ium chloride.
PACKAGING AND STORAGE REQUIREMENTS	GENERAL <i>Packaging Definitions</i>	<i>Second Supplement to USP43–NF38</i>	Online	26-Mar-2021	1-Dec-2025	NA	NA	In <i>Light-resistant container</i> : Change ?661.2?, <i>Functionality, Spectral Transmission Requirements for Light-Resistant Components and Systems.</i> to: ?661.2?, <i>Functionality</i>

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DOXORUBICIN IM HYDROCHLOR PUR IDE INJECTIONITIES/ <i>Organic Impurities</i>	USPNF 2022 <i>Online</i>	Online	28-Oct-2022	1-Nov-2022	NA	NA	<i>Test Method, Spectral Transmission Requirements for Light- Resistant Components and Systems. In Analysis: Change P = potency of doxorubicin in USP Doxorubicin Hydrochloride RS (µg/mg) to: P = potency of doxorubicin hydrochloride in USP Doxorubicin Hydrochloride RS (µg/mg)</i>
ESCITALOPRA PERFORMANC M TABLETS E TESTS/ <i>Dissolution ?711?</i>	USPNF <i>Online</i>	Online	28-Apr-2023	1-May-2023	NA	NA	<i>In Test 1/Medium: Change 0.1 N hydrochloric acid VS; 900</i>

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCI IMPURITIES N FOR INJECTION	USPNF Online Online		28-Jul-2023	1-Aug-2023	NA	USPNF 2024 Issue 2	mL to: 0.1 N hydrochloric acid; 900 mL AND In Test 2/Medium: Change 0.1 N hydrochloric acid VS; 900 mL to: 0.1 N hydrochloric acid; 900 mL In footnote m in Table 2: Change (2R,3S,4R,5R ,8R,10R,11R ,12S,13S,14R)-13-[(2,6-Dideo xy-3-C -meth yl-3-O-methyl-?- L-ribo -hexopyranosyl) oxy]-2-ethyl-3,4,

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3-[N -(4-acetamidop h en ylsulf onyl)-N -methylamino]-3 ,4,6-trideoxy-?- D-xylo -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. to: (2R,3S,4R,5R ,8R,10R,11R ,12S,13S,14R)-13-[(2,6-Dideo xy-3-C -meth yl-3-O-methyl-?- L-ribo -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11-

Monograph Title	Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL-SOLUBLE VITAMINS CAPSULES	STRENGTH	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	[[3-[N-(4-methylphenyl)sulfonyl]-N-methylamino]-3,4,6-trideoxy-β-D-xylo-hexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one. In <i>Vitamin A, Method 3/Analysis</i>: Change $C_S =$ concentration of retinyl acetate ($C_{23}H_{32}O_2$) from USP Vitamin A RS in the <i>Standard solution</i> (?g/mL) to: $C_S =$ concentration of retinyl acetate ($C_{22}H_{32}O_2$) from USP Vitamin A RS in the

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						Standard solution (?g/mL)
FLURAZEPAM HYDROCHLORIDE	USP REFERENCE STANDARDS ?11?	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	In USP Flurazepam Related Compound C RS: Change 5-Chloro-2-(2-diethylaminoethyl (amino)-2?-fluorobenzophenone hydrochloride. to: 5-Chloro-2-(2-diethylaminoethyl amino)-2?-fluorobenzophenone hydrochloride.
HYDROCODONE BITARTRATE AND HOMATROPINE METHYLBROMIDE TABLETS	ASSAY/ Procedure	USPNF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	In Buffer: Change Adjust with phosphoric acid to a pH of 6.4 ± 0.01. to: Adjust with phosphoric acid to a pH of 6.4 ± 0.1.
SODIUM	IM	USPNF Online	Online	30-Sep-2022	1-Oct-2022	NA	NA	In Buffer:

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PICOSULFATE PUR ITIES/ <i>Organic</i> <i>Impurities</i>	—						Change cetylrimethylam monium bromide, to: cetyltrimethylam monium bromide, In test A: Change The retention time of the major peak of the <i>Sample</i> <i>solution</i> corresponds to that of the <i>Standard</i> <i>solution</i> , both relative to the internal standard, as obtained in the Assay. to: The retention time of the major peak of the <i>Sample</i> <i>solution</i>
MOMETASONE IDENTIFICATION FUROATE N TOPICAL SOLUTION	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	

Monograph Title	Section	Source	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		Publication						
		Sort descending						
		—						
MIRTAZAPINE TABLETS	IMPURITIES/ <i>Organic Impurities</i>	USPNF Online	Online	24-Feb-2023	1-Mar-2023	NA	NA	corresponds to that of the <i>Standard solution</i> , as obtained in the Assay. In <i>System suitability/Suitability requirements/Resolution</i> : Change 10-ketomirtazpine to: 10-ketomirtazapine AND In <i>Table 1</i> : Change 1-Ketomirtazpine ^c to: 1-Ketomirtazapine ^c
VIGABATRIN TABLETS	IMPURITIES/ <i>Organic</i>	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	In <i>Analysis</i> : Change

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		<i>Impurities</i>						$C_S =$ concentration of USP Vigabatrin Related Compound A in the <i>Standard</i> <i>solution</i> to: $C_S =$ concentration of USP Vigabatrin Related Compound A RS in the <i>Standard</i> <i>solution</i> In <i>USP</i> <i>Reference</i> <i>Standards</i> ?11?/USP Azae rythromycin A RS: Change 734.96 to: 734.97 AND In USP Azithromycin <i>N</i> -oxide RS: Change
AZITHROMYCIN FOR INJECTION	ADDITIONAL REQUIREMENTS	USPNF Online	Online	28-Jul-2023	1-Aug-2023	NA	USPNF 2024 Issue 2	

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						764.98 to: 765.00 AND In USP N -Demethylazithr omycin RS: Change 734.96 to: 734.97 AND In USP Desosa minylazithromyc in RS: Change 590.79 to: 590.80 Change Prepare a test solution containing the equivalent of 4 mg of amoxicillin per mL by adding 0.1 N hydrochloric acid to Amoxicillin for
AMOXICILLIN FOR INJECTABLE SUSPENSION	Identification	<i>USPNF Online</i> Online	27-Oct-2023	1-Nov-2023	NA	NA	

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						Injectable Suspension. Allow the solution to stand for 5 minutes before use: the solution responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i>. to: Prepare a test solution containing the equivalent of 4 mg of amoxicillin per mL by adding 0.1 N hydrochloric acid to Amoxicillin for Injectable Suspension. Allow the solution to stand for 5

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						minutes before use. Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric acid containing 4 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> <621>). Place the plate in a suitable chromatographic chamber, and develop the chromatogram

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine (90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15

Monograph TitleSection	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard solution.
IODIXANOL INJECTION	IMPURITIES	USPNF Online Online	23-Feb-2024	1-Mar-2024	NA	NA	In <i>Organic Impurities, Procedure 2</i> /footnote 4: Change 5-[[3-[[3-[[[3-[[3-[[3,5-Bis-[[[2,3-dihydroxypropyl]amino]carbonyl]-2,4,6-triiodophenyl](acetylimino)]-2-hydroxypropyl](acetylimino)]-5-[[[2,3-dihydroxypropyl]amino]carbonyl]-2,4,6-triiodophenyl]carbonyl]amino]-2-hydroxypropyl]oxy]-2-hydrox

Monograph TitleSection	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						ypropyl](acetyli mino)]-N,N '-bis(2,3-dihy dr oxypropyl)-2,4,6 -triiodo-1,3-ben zendicarboxami de. to: 5-[[[3-[[[3-[[[3-[[3 -[[[3,5-Bis-[[[2,3- dihydroxypropyl]amino]carbonyl]-2,4,6-triiodoph enyl](acetylamin o)]-2-hydroxypr opyl](acetylamin o)]-5-[[[2,3-dihy droxypropyl]ami no]carbonyl]-2,4 ,6-triiodophenyl] carbonyl]amino] -2-hydroxypropy l]oxy]-2-hydroxy propyl](acetyla mino)]-N,N '-bis(2,3-dihydro xypropyl)-2,4,6-t riiodo-1,3-benze ndicarboxamide .

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROCODONE BITARTRATE AND HOMATROPINE METHYLBROMIDE TABLETS	IM PURITIES/Limit of Homatropine Hydrobromide and Related Substances	USPNF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	In Buffer: Change Adjust with phosphoric acid to a pH of 6.4 ± 0.01. to: Adjust with phosphoric acid to a pH of 6.4 ± 0.1.
TERAZOSIN CAPSULES	ASSAY/ Procedure	USPNF Online	Online	30-Sep-2022	1-Oct-2022	NA	NA	In Hydrochloric acid solution: Change 0.1 N methanolic hydrochloric acid to: 0.01 N methanolic hydrochloric acid
ROCURONIUM BROMIDE	CHEMICAL INFORMATION	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	USPNF 2023 Issue 3	Change 609.68 to: 609.69
LIDOCAINE HYDROCHLORIDE AND	HY Assay for lidocaine hydrochloride	USPNF Online	Online	24-Feb-2023	1-Mar-2023	NA	NA	Change Proceed with Injection as

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DEXTROSE INJECTION	—						directed in the Assay for lidocaine hydrochloride under Lidocaine and Epinephrine Injection. to: Proceed with Injection as directed in the Assay for lidocaine hydrochloride under Lidocaine Hydrochloride and Epinephrine Injection.
FLUVOXAMINE ASSAY/ MALEATE Procedure TABLETS	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	In Solution A: Change 8 g/L of 1-penta nesulfonic acid sodium salt and 1 g/L of monobasic potassium phosphate in water.

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						to: 8 g/L of 1-penta nesulfonic acid sodium salt and 1.1 g/L of monobasic potassium phosphate in water.
REAGENTS AND REFERENCE TABLES	<i>Solutions/Test Solutions and Indicator Solutio ns/Starch TS</i>	<i>USPNF Online</i> Online		25-Aug-2023	1-Sep-2023	NA	NA	Change Prepare this solution by one of the following procedures: to: Prepare this solution by one of the following procedures. Apply the <i>Test for sensitivity</i> to confirm suitability for freshly or previously prepared solutions or commercially bought solutions.

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						AND In <i>Storage</i>: Delete Use the <i>Test for sensitivity</i> to confirm suitability for use. AND In <i>Procedure with No Preservative</i>: Delete Apply the <i>Test for sensitivity</i> to confirm suitability for freshly or previously prepared solutions. AND In <i>Test for sensitivity</i>: Delete Use the <i>Test for sensitivity</i> to confirm suitability for use.

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TELMISARTAN ASSAY TABLETS	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	AND In <i>Procedure with Salicylic Acid as Preservative:</i> Change Mix 1 g of soluble starch with 50 mL of cold water to: Mix 1 g of soluble starch with 5 mL of cold water In <i>Procedure/System suitability/Suitability requirements:</i> Change Resolution: NLT 3 between telmisartan and telmisartan related compound A Tailing factor:

Monograph Title	Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
IODIXANOL INJECTION	ADDITIONAL REQUIREMENTS	USP ¹¹ Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	NMT 2.0 for the telmisartan peak Capacity factor: NLT 1.5 Relative standard deviation: NMT 2.0% to: Resolution: NLT 3 between telmisartan and telmisartan related compound A Tailing factor: NMT 2.0 for telmisartan Relative standard deviation: NMT 2.0% for telmisartan In <i>USP Reference Standards</i> ?11?/USP Iodixanol

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						Related Compound E RS: Change 5-[[3-[[3-[[2,3-Dihydroxypropyl)amino]carbonyl]-5- [[amino]carbonyl]-2,4,6-triiodophenyl](acetylimino)]-2-hydroxypropyl)-(acetylimino)]-N,N?-bis(2,3-dihydroxypropyl)-2,4,6-triiodo-1,3-benzenedicarboxamide. to: 5-{N-[3-(N-{3-Carbamoyl-5-[(2,3-dihydroxypropyl)carbamoyl]-2,4,6-triiodophenyl}acetamido)-2-hydroxypropyl]acetamido}-N¹,N³-bis(2,3-dihydroxypropyl)-2,4,6-triiodoisophthalamide.

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description	
AMMONIUM GLYCRRHIZATE	CHEMICAL INFORMATION	USPNF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	Change 840.08 to: 839.97
N-Benzoyl-L-arginine Ethyl Ester Hydrochloride	REAGENT SPECIFICATIONS	USPNF Online	Online	30-Sep-2022	1-Dec-2022	NA	NA	Change Crystallized Trypsin (USP Monograph). to: Trypsin (USP Monograph).
ROCURONIUM BROMIDE	IMPURITIES/ <i>Organic Impurities</i>	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	USPNF 2023 Issue 3	In footnote b of <i>Table 1</i> : Change 2?-(Morpholin-4-yl)-16?-(pyrrolidin-1-yl)-5?-and rostan-3?,17?-diol. to: 2?-(Morpholin-4-yl)-16?-(pyrrolidin-1-yl)-5?-and rostane-3?,17?-diol.
GLYCYL-L-TYROSINE	IMPURITIES/ <i>Related Compounds</i>	USPNF Online	Online	24-Feb-2023	1-Jun-2023	NA	NA	In <i>Buffer solution</i> : Change Dissolve 6.84 g of potassium

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PSEUDOEPIPHRASE PERFORMANCE TESTS CHLORIDE TABLETS	USP-NF Online	Online	28-Apr-2023	1-May-2023	NA	NA	phosphate in 1000 mL of water. to: Dissolve 6.84 g of monobasic potassium phosphate in 1000 mL of water. Change Uniformity of Dosage Units ?905? Procedure for content uniformity to: Uniformity of Dosage Units ?905? : Meets the requirements Procedure for content uniformity, chewable tablets only AND

Monograph Title	Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
UREA C 13	IMPURITIES	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	In <i>Uniformity of Dosage Units</i> : Delete Acceptance criteria: Meet the requirements for chewable tablets In <i>Isotopic Purity/Chromatographic system</i> : Change Flow rate: Flow rate to: Flow rate: 1 mL/min
TELMISARTAN TABLETS	PERFORMANCE TESTS	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	In <i>Dissolution</i> ?711?/ <i>Test 1/Analysis</i> : Change Determine the percentage of telmisartan (C ₃₃ H ₃₀ N ₄ O ₂) dissolved: Result = (A _U ×

Monograph TitleSection	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						$C_S \times V \times 100)/(A_S \times D \times L)$ to: Calculate the percentage of the labeled amount of telmisartan ($C_{33}H_{30}N_4O_2$) dissolved: Result = $(A_U/A_S) \times C_S \times V \times D \times (1/L) \times 100$ AND Change C_S = concentration of the <i>Standard solution</i> (mg/mL) to: C_S = concentration of USP Telmisartan RS in the <i>Standard solution</i> (mg/mL) AND

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						In <i>Dissolution</i> ?711?/Test 2/Analysis: Change r_U = peak response from the <i>Sample solution</i> r_S = peak response from the <i>Standard solution</i> to: r_U = peak response of telmisartan from the <i>Sample solution</i> r_S = peak response of telmisartan from the <i>Standard solution</i> AND In <i>Dissolution</i> ?711?/Test 3/Analysis: Change C_S = concentration of

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						the <i>Standard solution</i> (mg/mL) to: C_S = concentration of USP Telmisartan RS in the <i>Standard solution</i> (mg/mL) In <i>Analysis</i> : Change $M_{W(Salt)}$ = molecular weight of ammonium glycyrrhizate, 840.08 g/mol $M_{W(Acid)}$ = molecular weight of glycyrrhizic acid, 821.59 g/mol to: $M_{W(Salt)}$ = molecular weight of ammonium
AMMONIUM G LYCYRRHIZATE	ASSAY/Content of Ammonium 18?- and 18?- Glycyrrhizate	USPNF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						glycyrrhizate, 839.97 g/mol $M_{W(Acid)}$ = molecular weight of glycyrrhizic acid, 822.94 g/mol
LANSOPRAZOLE DELAYED- RELEASE CAPSULES	IM PUR ITIES/ <i>Organic</i> <i>Impurities</i>	USPNF Online Online	30-Sep-2022	1-Oct-2022	NA	NA	Delete Blank: Methanol and <i>Diluent</i> (1:9)
MAFENIDE ACETATE FOR TOPICAL SOLUTION	IM PUR ITIES/ <i>Organic</i> <i>Impurities</i>	USPNF Online Online	16-Dec-2022	1-Jan-2023	NA	NA	In <i>System</i> <i>suitability</i> : Change Samples: <i>System</i> <i>suitability</i> <i>solution</i> , <i>Standard</i> <i>solution A</i> , and <i>Standard</i> <i>solution B</i> to: Samples: <i>System</i> <i>suitability</i> <i>solution</i> and <i>Standard</i>

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						<i>solution A</i> AND In Analysis: Change Samples: <i>Mobile phase, Standard solution A, and Sample solution Chromatograph the Standard solution and adjust the integration parameters so that the response is 5%–15% of full-scale deflection. to:</i> Samples: <i>Mobile phase, Standard solution A, Standard solution B, and Sample solution Chromatograph Standard</i>

Monograph Title	Section	Source	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		Publication						
		Sort descending						
		—						
METHYLNALT REXONE BROMIDE	CHEMICAL INFORMATION	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	<i>solution B</i> and adjust the integration parameters so that the response is 5%–15% of full-scale deflection. Correct the chemical structure
ERYTHROMYCIN DELAYED-RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> ?711?	USPNF Online	Online	31-Mar-2023	1-Apr-2023	NA	NA	In <i>Test 1</i> : Change Buffer stage Medium : 0.05 M pH 6.8 phosphate buffer (see <i>Reagents, Indicators, and Solutions—Buffer Solutions</i>) to: Buffer stage Medium : 0.05 M pH 6.8 phosphate buffer (see <i>Reagents,</i>

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						<i>Indicators, and Solutions—Buffer Solutions);</i>
OSELTAMIVIR PHOSPHATE	IM PURITIES/Organic Impurities/Procedure 3: Limit Of Tributyl Phosphine Oxide	USPNF Online	Online	26-May-2023	1-Jun-2023	NA	NA	900 mL In System suitability/Suitability requirements/Relative standard deviation: Change NMT 10.0% for the tributyl phosphine oxide and oseltamivir phosphate peaks to: NMT 10.0% for the tributyl phosphine oxide and oseltamivir phosphate peaks
DEXTROMETHORPHAN HYD	Assay	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	In Chromatographi

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ROBROMIDE ORAL SOLUTION		—						<i>c system and Procedure:</i> Change C is the concentration, in mg per mL, of USP Dextromet horphan Hydrobromide RS, on the anhydrous basis, in the <i>Standard preparation</i> ; to: C is the concentration, in mg per mL, of USP Dextromet horphan Hydrobromide RS in the <i>Standard preparation</i> ;
COLOR AND ACHROMICITY	METHOD II: INSTRUMENTAL (QUANTITATIVE) ASSESSMENT OF COLOR	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	<i>In Table 5:</i> Change Sum 98.809 100.000 107.307 White point

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	AND COLOR MATCHES	—						98.811 100.000 107.304 to: Sum 94.809 100.000 107.307 White point 94.811 100.000 107.304
AMMONIUM G SPECIFIC LYCYRRHIZAT TESTS E		USPNF Online Online		24-Jun-2022	1-Jul-2022	NA	NA	In <i>Optical Rotation, Specific Rotation ?781?</i> : Change ?781? to: ?781S? AND Change Acceptance criteria: +49.0 to +55.0 on the anhydrous basis to: Acceptance criteria: +49.0° to +55.0° on the anhydrous

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						
CEFTIOFUR H ASSAY/ YDROCHLORI Procedure DE	USPNF Online Online		30-Sep-2022	1-Oct-2022	NA	NA	basis In <i>Analysis</i>: Change Calculate the percentage of ceftiofur ($C_{19}H_{17}N_5O_7S_3$) in the portion of Ceftiofur Hydrochloride taken: $\text{Result} = (r_U/r_S) \times (C_S/C_U) \times P \times 100$ to: Calculate the quantity, in $\mu\text{g}/\text{mg}$, of ceftiofur ($C_{19}H_{17}N_5O_7S_3$) in the portion of Ceftiofur Hydrochloride taken: $\text{Result} = (r_U/r_S) \times (C_S/C_U) \times P$ In <i>Limit of Unspecified Impurities</i>: Change
PALONOSETR IMPURITIES ON HYDROCH LORIDE	USPNF Online Online		16-Dec-2022	1-Jan-2023	NA	NA	

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METOLAZONE IMPURITIES	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	Mobile phase and Chromatographic system: Proceed as directed in the Assay. to: Mobile phase, Standard stock solution, and Chromatographic system: Proceed as directed in the Assay. In <i>Organic Impurities/Chromatographic system/Column:</i> Change 4.6-mm × 25-cm; 5-μm packing 1 to: 4.6-mm × 25-cm; 5-μm

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ERYTHROMYCIN ETHYLSUCCINATE FOR ORAL SUSPENSION	USPNF Online	Online	31-Mar-2023	1-Apr-2023	NA	NA	packing L1 Change Proceed as directed in the <i>Identification</i> test under <i>Erythromycin Ethylsuccinate Oral Suspension</i>, beginning with “Prepare a Standard solution.” to: Prepare a Standard solution of USP Erythromycin Ethylsuccinate RS in methanol containing about 3 mg per mL. Apply separately 10 µL each of the test solution and the Standard solution to a

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						suitable thin-layer chromatographic plate (see <i>Chromatography</i> ?621?) coated with a 0.25-mm layer of chromatographic silica gel mixture, and allow to dry. Place the plate in an unlined chromatographic chamber, and develop the chromatograms in a solvent system consisting of a mixture of methanol and chloroform (85:15) until the solvent front has moved about 9 cm. Remove the plate from the chamber, mark

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						the solvent front, and allow the solvent to evaporate. Spray the plate with a mixture of dehydrated alcohol, <i>p</i>-methoxybenzaldehyde, and sulfuric acid (90:5:5). Heat the plate at 100° for 10 minutes, and examine the chromatograms, in which the erythromycin and succinic acid moieties appear as black-to-purple spots: the R_F values of the principal spots obtained from the test solution correspond to those obtained

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						from the Standard solution.
CALCIUM ASCORBATE	IDENTIFICATION	USPNF Online	Online	26-May-2023	1-Aug-2023	NA	NA	Change Characteristic emission lines for calcium at 184.0, 315.9, and 317.9 nm from the <i>Sample solution</i> correspond to those from the <i>Standard solution</i> , as obtained in the Assay. to: Characteristic emission lines for calcium at 184.0, 315.9, and 317.9 nm from the <i>Sample solution</i> correspond to those from the <i>Standard solution</i> , as obtained in the

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						<i>Content of Calcium.</i>
AMANTADINE HYDROCHLORIDE	IDENTIFICATION	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	In A.: Change <i>Spectroscopic Identification Tests</i> ?197?, <i>Infrared Spectroscopy</i> : 197A, 197K, and 197S to: <i>Spectroscopic Identification Tests</i> ?197?, <i>Infrared Spectroscopy</i> : 197A, 197K, or 197S Procedure for 197S
MEASUREMENT OF STRUCTURAL STRENGTH OF SEMISOLIDS BY PENETROMETRY	APPARATUS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Figure 2</i> : Change 66±0.25 Ø to: 65±0.25 Ø
MAGNESIUM OXIDE	IMPURITIES/ <i>Limit of Calcium</i>	USPNF Online	Online	25-Feb-2022	1-Dec-2022	NA	NA	In <i>Analysis</i> : Change C

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NONOXYNOL 9CHEMICAL INFORMATION	USPNF Online Online		24-Jun-2022	1-Jul-2022	NA	NA	$U =$ concentration of Magnesium Hydroxide in the <i>Sample solution</i> (mg/mL) to: $C_U =$ concentration of Magnesium Oxide in the <i>Sample solution</i> (mg/mL) Update the chemical structure AND Change ?-(<i>p</i> -Nonylphenyl)-? -hydroxynona(o xyethylene) CAS RN®: 26027-38-3. to: ?-(4-Nonylphen yl)-?-hydroxyno na(oxyethylene) . In A.
CALCIUM L-5- IDENTIFICATIO	USPNF Online Online		28-Oct-2022	1-Nov-2022	NA	NA	

Monograph TitleSection	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METHYLTETRAHYDROFOLATE	—						<i>Spectroscopic Identification Tests <197>, Infrared Spectroscopy: 197K: Change USP Calcium D L-5-Methyltetrahydrofolate RS to: USP Calcium D, L-5-Methyltetrahydrofolate RS</i>

Pagination

- [Current page 1](#)
- [Page 2](#)
- [Page 3](#)
- [Page 4](#)
- [Page 5](#)
- [Page 6](#)
- [Next page Next >](#)
- [Last page Last »](#)