

## How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
  - For example, a search on Aminosalicylic Acid Tablets will result in anything that contains “Aminosalicylic” OR “Acid” OR “Tablets”
  - A search for “Aminosalicylic Acid Tablets” will result in anything that specifically contains “Aminosalicylic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
  - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	<a href="#">Description</a>
CEFTIOFUR HYDROCHLORIDE	IMPURITIES/ <i>High Molecular Weight Impurities</i>	USP42–NF37	857	31-May-2019	1-Jun-2019	NA	NA	In <i>Analysis</i> : Change $r_C$ = peak response of ceftiofur from the <i>Sample solution</i> (mg/mL) $r_A$ = sum of the responses of all peaks that elute after ceftiofur from the <i>Sample solution</i> (mg/mL) to: $r_C$ = peak response of ceftiofur from the <i>Sample solution</i> $r_A$ = sum of the responses of all peaks that elute after ceftiofur from the <i>Sample solution</i>
BACILLUS COAGULANS CAPSULES	ASSAY/ <i>Enumeration</i>	USP42–NF37	4749	31-May-2019	1-Jun-2019	NA	NA	In <i>Peptone diluent</i> : Change Dispense into sterile containers as needed for preparing samples. Trace mineral solution. Prepare a solution containing to: Dispense into sterile containers as needed for preparing samples. <i>Trace mineral solution</i> : Prepare a solution containing
BACILLUS COAGULANS	ASSAY/ <i>Enumeration</i>	USP42–NF37	4746	31-May-2019	1-Jun-2019	NA	NA	In <i>Peptone diluent</i> : Change Dispense into sterile containers as needed for preparing samples. Trace mineral solution. Prepare a solution containing to: Dispense into sterile containers as needed for preparing samples. <i>Trace mineral solution</i> : Prepare a solution containing
BACILLUS COAGULANS	ASSAY/ <i>Enumeration</i>	USP42–NF37	4746	31-May-2019	1-Jun-2019	NA	NA	In <i>Sample preparation and Analysis</i> : Change peptone water to: <i>Peptone diluent</i>

<u>Monograph Title</u>	<u>Section</u>	<u>Source Publication</u>	<u>Page Number</u>	<u>Errata Post Date Sort ascending</u>	<u>Errata Official Date</u>	<u>Target Errata Print Publication</u>	<u>Target Online Fix Publication</u>	<u>Description</u>
<561> ARTICLES OF BOTANICAL ORIGIN	TEST FOR AFLATOXINS/ <i>Method I</i>	USP42–NF37	6701	31-May-2019	1-Jun-2019	NA	NA	In <i>Aflatoxin standard solution</i> : Change ? = molecular absorptivity to: ? = molar absorptivity AND in paragraph 2 of <i>Aflatoxin standard solution</i> : Change transfer an accurate volume of each aflatoxin standard stock solution to: transfer an accurate volume of each aflatoxin stock solution
REAGENTS AND REFERENCE TABLES	SOLUTIONS/0.01 M <i>Edetate Disodium VS</i>	USP42–NF37	6179	31-May-2019	1-Jun-2019	NA	NA	In <i>Standardization</i> : Change previously dried at 100° to: previously dried at 110°
REAGENTS AND REFERENCE TABLES	SOLUTIONS/0.02 M <i>Edetate Disodium VS</i>	USP42–NF37	6179	31-May-2019	1-Jun-2019	NA	NA	In <i>Standardization</i> : Change previously dried at 100° to: previously dried at 110°
<1160> PHARMACEUTICAL CALCULATIONS IN PHARMACY PRACTICE	10. ALLIGATION ALTERNATE AND ALGEBRA METHODS FOR COMBINING MULTIPLE STRENGTHS OF THE SAME ACTIVE PHARMACEUTICAL INGREDIENT	USP42–NF37	7831	26-Apr-2019	1-May-2019	NA	NA	In 10.2 <i>Algebra Method/10.2.1 Calculating by using the algebra method/Examples—Algebra method</i> : In example 2, in equations 1, 2, 3, and 4 in all instances: Change $C_s$ to: $Q_s$ AND In example 2, in equation 5: Change $C_w$ to: $Q_w$
TRAMADOL HYDROCHLORIDE EXTENDED-RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution &lt;711&gt;/Test 1/ Instrumental conditions</i>	USP42–NF37	4409	26-Apr-2019	1-May-2019	NA	NA	In <i>Cell</i> : Change 5 cm to: 5 mm
THALIDOMIDE	<i>Assay</i>	USP42–NF37	4281	26-Apr-2019	1-May-2019	NA	NA	In <i>Chromatographic system</i> : Change and the relative standard deviation for replicate injections is not more than 1.0%. to: and the relative standard deviation for the response ratio of thalidomide to phenacetin is not more than 1.0%.

<u>Monograph Title</u>	<u>Section</u>	<u>Source Publication</u>	<u>Page Number</u>	<u>Errata Post Date Sort ascending</u>	<u>Errata Official Date</u>	<u>Target Errata Print Publication</u>	<u>Target Online Fix Publication</u>	<u>Description</u>
SODIUM BICARBONATE COMPOUNDED INJECTION	ASSAY/ <i>Procedure for Sodium Bicarbonate</i>	USP42–NF37	4023	26-Apr-2019	1-May-2019	NA	NA	In <i>Analysis</i> : Change Result = $[(V_S \cdot V_B) \times N_A \times F] \times 100$ to: Result = $[(V_S \cdot V_B) \times N_A \times F \times 100]/W$ AND Change $F$ = equivalency factor, 84.01 mg/mL to: $F$ = equivalency factor, 84.01 mg/mEq $W$ = sample weight (mg)
PSEUDOEPHEDRINE HYDROCHLORIDE EXTENDED-RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution &lt;711&gt;</i>	<i>Revision Bulletin (Official March 01, 2019)</i>	Online	26-Apr-2019	1-May-2019	NA	NA	In the <i>Figure 1</i> caption: Change (see <i>Drug Release &lt;724&gt;</i> , <i>Figure 4c</i> ) to: (see <i>Drug Release &lt;724&gt;</i> , <i>Figure 5c</i> )
MORPHINE SULFATE EXTENDED-RELEASE CAPSULES	IMPURITIES/ <i>Organic Impurities</i>	<i>Revision Bulletin (Official November 01, 2018)</i>	Online	26-Apr-2019	1-May-2019	NA	NA	In Row 4 of Column 1 of <i>Table 5</i> : Change Morphine related compound B <sup>b</sup> to: Morphine related compound B (anhydrous) <sup>b</sup>
MORPHINE SULFATE EXTENDED-RELEASE CAPSULES	ADDITIONAL REQUIREMENTS/ <i>USP Reference Standards &lt;11&gt;</i>	<i>Revision Bulletin (Official November 01, 2018)</i>	Online	26-Apr-2019	1-May-2019	NA	NA	In USP Morphine Related Compound B RS: Change 2,2'-Bimorphine. $C_{34}H_{36}N_2O_6$ ?568.66 to: 2,2'-Bimorphine trihydrate. $C_{34}H_{36}N_2O_6 \cdot 3H_2O$ ?622.72
LEVAlBUTEROL HYDROCHLORIDE	ADDITIONAL REQUIREMENTS/ <i>USP Reference Standards &lt;11&gt;</i>	USP42–NF37	2518	26-Apr-2019	1-May-2019	NA	NA	In USP Levalbuterol Related Compound D RS: Change 5-{2-[(1,1-Dimethylethyl)amino]-1-hydroxyethyl}-2-hydroxy-benzaldehyde. $C_{13}H_{19}NO_3$ 237.29 ? [NOTE—This may be available as the sulfate salt (2:1).]? (USP 1-May-2019) to: 5-[2-( <i>tert</i> -Butylamino)-1-hydroxyethyl]-2-hydroxybenzaldehyde sulfate (2:1) (salt); Also known as 5-[2-[(1,1-Dimethylethyl)amino]-1-hydroxyethyl]-2-hydroxy-benzaldehyde sulfate (2:1). $(C_{13}H_{19}NO_3)_2 \cdot H_2SO_4$ 572.67
LEVAlBUTEROL INHALATION SOLUTION	IMPURITIES/ <i>Organic Impurities</i>	USP42–NF37	2520	26-Apr-2019	1-May-2019	NA	NA	In Row 3 of <i>Table 3</i> : Change Levalbuterol?—? —?— to: Levalbuterol?1.0?—?—
LEVAlBUTEROL INHALATION SOLUTION	IMPURITIES/ <i>Limit of S-Albuterol</i>	USP42–NF37	Online	26-Apr-2019	1-May-2019	NA	NA	In <i>Mobile phase</i> : Change ?Acetonitrile, methanol, and acetic acid (50:50). To each liter of the solution add 3 mL of acetic acid and 1 mL of triethylamine.? to: Acetonitrile and methanol (50:50). To each liter of the solution add 3 mL of acetic acid and 1 mL of triethylamine.

<u>Monograph Title</u>	<u>Section</u>	<u>Source Publication</u>	<u>Page Number</u>	<u>Errata Post Date Sort ascending</u>	<u>Errata Official Date</u>	<u>Target Errata Print Publication</u>	<u>Target Online Fix Publication</u>	<u>Description</u>
LEVAlBUTEROL INHALATION SOLUTION	ADDITIONAL REQUIREMENTS/ <i>USP Reference Standards</i> <11>	<i>USP42-NF37</i>	2520	26-Apr-2019	1-May-2019	NA	NA	In USP Levalbuterol Related Compound D RS: Change 5-[2-((1,1-Dimethylethyl)amino)-1-hydroxyethyl]-2-hydroxy-benzaldehyde; Also known as 5-[2-((1,1-Dimethylethyl)amino)methyl]-4-hydroxy-3-(methoxymethyl)-benzenemethanol. $C_{13}H_{19}NO_3$ 237.29 [NOTE: This Reference Standard is available as the benzenesulfonic acid salt.] to: 5-[2-( <i>tert</i> -Butylamino)-1-hydroxyethyl]-2-hydroxybenzaldehyde sulfate (2:1) (salt); Also known as 5-[2-((1,1-Dimethylethyl)amino)-1-hydroxyethyl]-2-hydroxy-benzaldehyde sulfate (2:1). $(C_{13}H_{19}NO_3)_2 \cdot H_2SO_4$ 572.67
INOSITOL	IMPURITIES/ <i>Limit of Lead</i>	<i>USP42-NF37</i>	5776	26-Apr-2019	1-May-2019	NA	NA	In <i>Standard lead solution</i> : Delete A comparison solution prepared on the basis of 100 µL of the <i>Standard lead solution</i> per g of substance being tested contains the equivalent of 1 part of lead per million parts of substance being tested.
IMIPRAMINE PAMOATE CAPSULES	ASSAY/ <i>Procedure</i>	<i>USP42-NF37</i>	Online	26-Apr-2019	1-May-2019	NA	NA	In <i>Solution A</i> and <i>Solution B</i> and <i>Diluent</i> : Change <i>Chromatographic acetonitrile</i> to: Acetonitrile
IMIPRAMINE PAMOATE CAPSULES	IMPURITIES/ <i>Organic Impurities</i>	<i>USP42-NF37</i>	Online	26-Apr-2019	1-May-2019	NA	NA	In <i>Solution A</i> : Change <i>Chromatographic acetonitrile</i> to: Acetonitrile AND In <i>Solution B</i> : Change <i>chromatographic acetonitrile</i> to: acetonitrile
HYPROMELLOSE PHTHALATE	IMPURITIES/ <i>Chloride and Sulfate</i> <221>, <i>Chloride</i>	<i>Harmonization (Official May 01, 2019)</i>	Online	26-Apr-2019	1-May-2019	NA	NA	In <i>Analysis</i> : Change ?Add 1 mL of silver nitrate TS to the <i>Standard solution</i> and then add a 50-mL portion of the <i>Sample solution</i> . Mix and allow to stand for 5 min protected from direct sunlight. Compare the turbidity of the solutions.?(NF 1-May-2019) to: Add 1 mL of silver nitrate TS to the <i>Standard solution</i> . Add 1 mL of silver nitrate TS to a 50-mL portion of the <i>Sample solution</i> . After mixing, allow each solution to stand for 5 min protected from direct sunlight. Compare the turbidity of the solutions.
FELODIPINE EXTENDED-RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711>/ <i>Test 2</i>	<i>USP42-NF37</i>	1787	26-Apr-2019	1-May-2019	NA	NA	In the second variable definition list in <i>Analysis</i> : Change $V_S$ = volume of the <i>Sample solution</i> withdrawn at each time point, <i>i</i> to: $V_S$ = volume of the <i>Sample solution</i> withdrawn at each time point, <i>i</i> (mL)
CLONIDINE TRANSDERMAL SYSTEM	PERFORMANCE TESTS/ <i>Drug Release</i> <724>/ <i>Test 1</i>	<i>USP42-NF37</i>	1084	26-Apr-2019	1-May-2019	NA	NA	<i>Apparatus 7</i> : Change (see <i>Figure 4a</i> ). to: (see <i>Figure 5a</i> ).

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	<a href="#">Description</a>
CANDESARTAN CILEXETIL AND HYDROCHLOROTHIAZIDE TABLETS	ASSAY/Procedure/Chromatographic system	First Supplement to USP42–NF37	Online	26-Apr-2019	1-May-2019	NA	NA	In <i>Column</i> : Change 4.6-mm × 15-cm; 5-µm packing L7. [Note—Conditioning of the <i>Column</i> with <i>Solution A</i> and <i>Solution B</i> <sup>2</sup> (90:10) <sub>γ</sub> (ERR 1-Mar-2019) for about 30 min is recommended prior to use.] to: 4.6-mm × 15-cm; 5-µm packing L7 In Row 2 of Column 3 of <i>Table 4</i> : Change 0.014 <sup>2</sup> /0.028 <sub>γ2S</sub> ( <i>USP41</i> ) to: 0.014 AND In Row 3 of Column 3 of <i>Table 4</i> : Change 0.014 to: 0.014/0.028 AND
CANDESARTAN CILEXETIL AND HYDROCHLOROTHIAZIDE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711>	First Supplement to USP42–NF37	Online	26-Apr-2019	1-May-2019	NA	NA	In <i>Chromatographic system/Column</i> : Change 4.6-mm × 15-cm; 5-µm packing L7. [Note—Conditioning of the <i>Column</i> with <i>Solution A</i> and <i>Solution B</i> (80:20) for NLT 20 min is recommended prior to use.] to: 4.6-mm × 15-cm; 5-µm packing L7 In USP Atorvastatin Related Compound A RS: Change Desfluoro impurity, or (3 <i>R</i> ,5 <i>R</i> )-7-[3-(phenylcarbamoyl)-2-isopropyl-4,5-diphenyl-1 <i>H</i> -pyrrol-1-yl]-3,5-dihydroxyheptanoic acid, calcium salt. to: Calcium (3 <i>R</i> ,5 <i>R</i> )-7-[2-isopropyl-4,5-diphenyl-3-(phenylcarbamoyl)-1 <i>H</i> -pyrrol-1-yl]-3,5-dihydroxyheptanoate (1:2); Also known as Desfluoro impurity, or (3 <i>R</i> ,5 <i>R</i> )-7-[3-(phenylcarbamoyl)-2-isopropyl-4,5-diphenyl-1 <i>H</i> -pyrrol-1-yl]-3,5-dihydroxyheptanoic acid, calcium salt.
ATORVASTATIN CALCIUM	ADDITIONAL REQUIREMENTS/ <i>USP Reference Standards</i> <11>	USP42–NF37	410	26-Apr-2019	1-May-2019	NA	NA	In the variable definition list: Change $T_n$ = value for the total number of storage temperatures recorded during the observation period temperature recorded during the <i>n</i> th time period, e.g., <i>n</i> th week to: $T_n$ = value for the temperature recorded during the <i>n</i> th time period, e.g., <i>n</i> th week
<1160> PHARMACEUTICAL CALCULATIONS IN PHARMACY PRACTICE	19. MEAN KINETIC TEMPERATURE/19.2 <i>MKT Equation</i>	USP42–NF37	7831	26-Apr-2019	1-May-2019	NA	NA	In paragraph 2: Change silicone diodes to: silicon diodes
<855> NEPHELOMETRY AND TURBIDIMETRY	4. INSTRUMENTATION	USP42–NF37	7059	26-Apr-2019	1-May-2019	NA	NA	In paragraph 1: Change <i>IUPAC Compendium of Chemical Technology</i> , to: <i>IUPAC Compendium of Chemical Terminology</i> ,



<u>Monograph Title</u>	<u>Section</u>	<u>Source Publication</u>	<u>Page Number</u>	<u>Errata Post Date Sort ascending</u>	<u>Errata Official Date</u>	<u>Target Errata Print Publication</u>	<u>Target Online Fix Publication</u>	<u>Description</u>
REAGENTS AND REFERENCE TABLES	REAGENT SPECIFICATIONS	USP42–NF37	6104	26-Apr-2019	1-May-2019	NA	NA	In <i>Ferric Nitrate</i> : Change [10421-48-4]. to: [7782-61-8].
REAGENTS AND REFERENCE TABLES	REAGENT SPECIFICATIONS	USP42–NF37	6079	26-Apr-2019	1-May-2019	NA	NA	In <i>Beef Extract/Microbial Content</i> : Change MT to: NMT
SCOPOLAMINE HYDROBROMIDE	IDENTIFICATION/B.	<i>First Supplement to USP41–NF36</i>	8420	29-Mar-2019	1-Apr-2019	NA	NA	In <i>Sample solution</i> : Change 50 mg/mL of alcohol to: 50 mg/mL in water
RUTIN	CHEMICAL INFORMATION	USP41–NF36	4841	29-Mar-2019	1-Apr-2019	NA	NA	Change 3-Rhamnoglucoside of 5,7,3',4'-tetrahydroxyflavonol; 2-(3,4-Dihydroxyphenyl)-5,7-dihydroxy-4 <i>H</i> -chromen-4-one-3-yl 6- <i>O</i> -?-L-rhamnopyranosyl-?-D-glucoside [250249-75-3]. to: 3-Rhamnoglucoside of 5,7,3',4'-tetrahydroxyflavonol trihydrate; 2-(3,4-Dihydroxyphenyl)-5,7-dihydroxy-4 <i>H</i> -chromen-4-one-3-yl 6- <i>O</i> -?-L-rhamnopyranosyl-?-D-glucoside trihydrate [250249-75-3].
PREDNISOLONE SODIUM PHOSPHATE	<i>Related compounds</i>	USP41–NF36	3416	29-Mar-2019	1-Apr-2019	NA	NA	In <i>Table 1</i> : Add Prednisolone sodium phosphate 1.00 — —
METAXALONE	IDENTIFICATION/B.	USP41–NF36	2611	29-Mar-2019	1-Apr-2019	NA	NA	Change The retention time of the major peak of the <i>Sample solution</i> corresponds to that of the <i>Sample solution</i> , as obtained in the <i>Assay</i> . to: The retention time of the major peak of the <i>Sample solution</i> corresponds to that of the <i>Standard solution</i> , as obtained in the <i>Assay</i> . Change <i>Sample solution</i> : 0.12 mg/mL of Mercaptopurine in <i>Solution A</i> . [NOTE—Inject the <i>Sample solution</i> within 1 h of preparation.] to: <i>Sample stock solution</i> : 0.5 mg/mL of mercaptopurine in a mixture of methanol and <i>Solution A</i> (1:9) prepared as follows. Transfer a suitable quantity of Mercaptopurine to an appropriate volumetric flask, add methanol equivalent to 10% of the final volume, and shake to dissolve. Dilute with <i>Solution A</i> to volume. <i>Sample solution</i> : 0.12 mg/mL of mercaptopurine in <i>Solution A</i> from the <i>Sample stock solution</i> . [NOTE—Inject the <i>Sample solution</i> within 1 h of preparation.]
MERCAPTOPURINE	IMPURITIES/ <i>Organic Impurities</i>	USP41–NF36	2587	29-Mar-2019	1-Apr-2019	NA	NA	
ISOPHANE INSULIN HUMAN SUSPENSION	ASSAY/ <i>Procedure</i>	<i>Interim Revision Announcement (Official January 01, 2019)</i>	Online	29-Mar-2019	1-Apr-2019	NA	NA	In <i>Standard solution</i> : Change USP Insulin Beef RS to: USP Insulin Human RS

<u>Monograph Title</u>	<u>Section</u>	<u>Source Publication</u>	<u>Page Number</u>	<u>Errata Post Date Sort ascending</u>	<u>Errata Official Date</u>	<u>Target Errata Print Publication</u>	<u>Target Online Fix Publication</u>	<u>Description</u>
BUMETANIDE TABLETS	ASSAY/Procedure	Second Supplement to USP41–NF36	Online	29-Mar-2019	1-Apr-2019	NA	NA	In <i>Sample solution</i> : Change Nominally 0.05 mg/mL of bumetanide prepared as follows. to: Nominally 125 µg/mL of bumetanide prepared as follows.
PRAZOSIN HYDROCHLORIDE COMPOUNDED ORAL SUSPENSION	ASSAY/Procedure	Second Supplement to USP41–NF36	8945	22-Feb-2019	1-Mar-2019	NA	NA	In the <i>Mobile phase</i> : Change tetramethylammonium hydrochloride to: tetramethylammonium hydroxide
OXANDROLONE	Related compounds	USP41–NF36	3072	22-Feb-2019	1-Mar-2019	NA	NA	In footnote 4 of the second table: Change Methyl-(1,17?-dihydroxy-17?-methyl-1,3-seco-2-nor-5?-androstane-3-oate. to: Methyl 1,17?-dihydroxy-17?-methyl-1,3-seco-2-nor-5?-androstan-3-oate.
METHYLDOPA	SPECIFIC TESTS/Optical Rotation <781S>	USP41–NF36	2666	22-Feb-2019	1-Mar-2019	NA	NA	In the <i>Sample solution</i> : Change aluminum chloride to: aluminum chloride hexahydrate
MESNA TABLETS	ADDITIONAL REQUIREMENTS/ USP Reference Standards <11>	Second Supplement to USP41–NF36	8906	22-Feb-2019	1-Mar-2019	NA	NA	In USP Mesna Related Compound A RS: Change 2-(Acetylthio)ethane-1-sulfonic acid. C <sub>4</sub> H <sub>8</sub> O <sub>4</sub> S <sub>2</sub> 184.22 to: 2-(Acetylthio)ethane-1-sulfonic acid, potassium salt, crystal adduct with potassium chloride. C <sub>4</sub> H <sub>7</sub> KO <sub>4</sub> S <sub>2</sub> ? KCl 296.86 AND In USP Mesna Related Compound B RS: Change 2,2?-Disulfanediybis(ethane-1-sulfonic acid). C <sub>4</sub> H <sub>10</sub> O <sub>6</sub> S <sub>4</sub> 282.36 to: 2,2?-Disulfanediybis(ethane-1-sulfonic acid), dipotassium salt, crystal adduct with sodium chloride. C <sub>4</sub> H <sub>8</sub> K <sub>2</sub> O <sub>6</sub> S <sub>4</sub> ? NaCl 416.98
MESNA	ADDITIONAL REQUIREMENTS/ USP Reference Standards <11>	Second Supplement to USP41–NF36	8904	22-Feb-2019	1-Mar-2019	NA	NA	In USP Mesna Related Compound A RS: Change 2-(Acetylthio)ethane-1-sulfonic acid. C <sub>4</sub> H <sub>8</sub> O <sub>4</sub> S <sub>2</sub> 184.22 to: 2-(Acetylthio)ethane-1-sulfonic acid, potassium salt, crystal adduct with potassium chloride. C <sub>4</sub> H <sub>7</sub> KO <sub>4</sub> S <sub>2</sub> ? KCl 296.86 AND In USP Mesna Related Compound B RS: Change 2,2?-Disulfanediybis(ethane-1-sulfonic acid). C <sub>4</sub> H <sub>10</sub> O <sub>6</sub> S <sub>4</sub> 282.36 to: 2,2?-Disulfanediybis(ethane-1-sulfonic acid), dipotassium salt, crystal adduct with sodium chloride. C <sub>4</sub> H <sub>8</sub> K <sub>2</sub> O <sub>6</sub> S <sub>4</sub> ? NaCl 416.98

<u>Monograph Title</u>	<u>Section</u>	<u>Source Publication</u>	<u>Page Number</u>	<u>Errata Post Date Sort ascending</u>	<u>Errata Official Date</u>	<u>Target Errata Print Publication</u>	<u>Target Online Fix Publication</u>	<u>Description</u>
FLUDROCORTISONE ACETATE TABLETS	IMPURITIES/ <i>Organic Impurities/</i> Table 1	<i>Second Supplement to USP41–NF36</i>	8843	22-Feb-2019	1-Mar-2019	NA	NA	In footnote a: Change 9-Fluoro-11 $\beta$ ,17,21-trihydroxypregn-4-ene-3,20-dione 21-acetate. to: 9-Fluoro-11 $\beta$ ,17,21-trihydroxypregn-4-ene-3,20-dione.
DIVALPROEX SODIUM EXTENDED-RELEASE TABLETS	ASSAY/ <i>Procedure</i>	<i>USP41–NF36</i>	1358	22-Feb-2019	1-Mar-2019	NA	NA	In <i>Buffer</i> : Change 0.5 g/L of citric acid and 0.4 g/L of dibasic sodium phosphate in water to: 0.5 g/L of anhydrous citric acid and 0.4 g/L of anhydrous dibasic sodium phosphate in water
DEXMEDETOMIDINE HYDROCHLORIDE	CHEMICAL INFORMATION	<i>USP41–NF36</i>	Online	22-Feb-2019	1-Mar-2019	NA	NA	This erratum applies to the <i>USP-NF</i> ONLINE platform only. See <a href="https://www.uspnf.com/sites/default/files/usp_pdf/EN/february_2019_errata_image1.pdf">https://www.uspnf.com/sites/default/files/usp_pdf/EN/february_2019_errata_image1.pdf</a> for correction
CARBINOXAMINE MALEATE TABLETS	IMPURITIES/ <i>Organic Impurities</i>	<i>Second Supplement to USP41–NF36</i>	8788	22-Feb-2019	1-Mar-2019	NA	NA	In the <i>Standard stock solution</i> : Change USP Carbinoxamine Maleate RS free base) to: carbinoxamine) AND In the <i>Standard solution</i> : Change USP Carbinoxamine Maleate RS free base) to: carbinoxamine) AND In the <i>Analysis</i> : Change $C_S$ = concentration of USP Carbinoxamine Maleate RS free base to: $C_S$ = concentration of USP Carbinoxamine Maleate RS (as the free base)



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	<a href="#">Description</a>
CARBINOXAMINE MALEATE	IMPURITIES/ <i>Organic Impurities</i>	<i>Second Supplement to USP41–NF36</i>	8786	22-Feb-2019	1-Mar-2019	NA	NA	<p>In <i>Standard stock solution</i>: Change (equivalent to 0.05 mg/mL of USP Carbinoxamine Maleate RS free base) and 0.05 mg/mL each of USP Carbinoxamine Related Compound A RS, USP Carbinoxamine Related Compound B RS, and USP Carbinoxamine Related Compound C RS free base to: (equivalent to 0.05 mg/mL of carbinoxamine) and 0.05 mg/mL each of USP Carbinoxamine Related Compound A RS, USP Carbinoxamine Related Compound B RS, and USP Carbinoxamine Related Compound C RS (as the free base) AND</p> <p>In the <i>Standard solution</i>: Change (equivalent to 0.001 mg/mL of USP Carbinoxamine Maleate RS free base) and 0.001 mg/mL each of USP Carbinoxamine Related Compound A RS, USP Carbinoxamine Related Compound B RS, and USP Carbinoxamine Related Compound C RS free base to: (equivalent to 0.001 mg/mL of carbinoxamine) and 0.001 mg/mL each of USP Carbinoxamine Related Compound A RS, USP Carbinoxamine Related Compound B RS, and USP Carbinoxamine Related Compound C RS (as the free base) AND</p> <p>In the <i>Analysis</i>: Change <math>C_S</math> = concentration of USP Carbinoxamine Maleate RS free base to: <math>C_S</math> = concentration of USP Carbinoxamine Maleate RS (as the free base)</p>
CANDESARTAN CILEXETIL AND HYDROCHLOROTHIAZIDE TABLETS	ASSAY/ <i>Procedure/Chromatographic system</i>	<i>Second Supplement to USP41–NF36</i>	8781	22-Feb-2019	1-Mar-2019	NA	NA	<p>In <i>Column</i>: Change [Note—Conditioning of the <i>Column</i> with <i>Solution A</i> and <i>Solution B</i> (80:20) to: [Note—Conditioning of the <i>Column</i> with <i>Solution A</i> and <i>Solution B</i> (90:10)</p>

#### Pagination

- [First page](#) « [First](#)
- [Previous page](#) < [Previous](#)
- [Page 1](#)
- [Page 2](#)
- [Current page 3](#)
- [Page 4](#)
- [Page 5](#)
- [Page 6](#)
- [Page 7](#)
- [Page 8](#)
- [Next page](#) [Next](#) >
- [Last page](#) [Last](#) »