
[CSV May 19, 2022 through May 19, 2024](#) [See all Errata for USP–NF](#) [How to use](#)

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
---	---	-----------------------------	---	---	--	--	-------------

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						Sort descending		
CEFDINIR	IMPURITIES	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In Organic Impurities/Table 2/footnote a: Change 1N-[(Z)-2-(2-Aminothiazol-4-yl)-2-(hydroxyimino)acetyl] glycine. to: N-[(Z)-2-(2-Aminothiazol-4-yl)-2-(hydroxyimino)acetyl] glycine.
DOXYCYCLINE HYCLATE	CHEMICAL INFORMATION	USPNF Online	Online	27-May-2022	1-Jun-2022	NA	NA	Change 1025.87 to: 1025.88
DOFETILIDE	CHEMICAL INFORMATION	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	Change ?-[(p-Methanesulfonamidophenethyl)methylamino]methane sulfono- <i>p</i> -phenetidine to: N-{4-[2-(Methyl{2-

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DOXYCYCLINE HYCLATE TABLETS	ADDITIONAL R EQUIREMENT S/USP Reference Standards <11>	USPNF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	[4-(methylsulfonamido)phenoxy]ethyl}amino)ethyl]phenyl}methanesulfonamide In USP Doxycycline Related Compound A RS: Change 444.43 to: 444.44 AND Change (4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacene-9-carboxamide, monohydrate. C ₂₂ H ₂₄ N ₂ O ₈ · HCl 480.13

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
								Sort descending to: (4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacene-9-carboxamide hydrochloride. C ₂₂ H ₂₄ N ₂ O ₈ · HCl 480.90 In <i>Table 2</i> : Change Pimelic acid 1.21 0.91 Valeric acid 1.21 0.91 to: Pimelic acid 1.21 0.91 Valeric acid 1.46 0.88 Change A. The UV-Vis spectrum of the
ADIPIC ACID	IMPURITIES/Related Substances	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	
DILTIAZEM HYDROCHLORIDE EXTENDED-	IDENTIFICATION	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						Sort descending		
RELEASE CAPSULES								major peak of the <i>Sample solution</i> corresponds to that of the <i>Standard solution</i> , as obtained in the Assay. to: A. The UV spectrum of the major peak of the <i>Sample solution</i> corresponds to that of the <i>Standard solution</i> , as obtained in the Assay.
UREA	SPECIFIC TESTS	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	In <i>Alcohol-Insoluble Matter/Sample solution</i> : Change 100 mg/mL of Urea dissolved in warm alcohol to:

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		Dissolve 5.0 g of Urea in 50 mL of warm alcohol. AND In <i>Alcohol-Insoluble Matter/Analysis:</i> Change If any insoluble residue remains, pass the <i>Sample solution</i> through a tared filter, wash the residue and the filter with 20 mL of warm alcohol per 50 mL of <i>Sample solution</i>, and dry at 105° for 1 h. to: If any insoluble residue remains, pass the <i>Sample solution</i> through

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RESIDUAL SOLVENTS	USP REFERENCE STANDARDS <11>	USPNF Online	Online	26-Aug-2022	1-Sep-2022	NA	NA	a tared filter, wash the residue and the filter with 20 mL of warm alcohol, and dry at 105° for 1 h. Change USP Residual Solvent Class 2—Mixture C RS to: USP Residual Solvents Class 2—Mixture C RS
SOTALOL HYD IM ROCHLORIDE PUR	ITIES/ <i>Organic Impurities</i>	USPNF Online	Online	24-Feb-2023	1-Mar-2023	NA	NA	In <i>Analysis</i> : Change Calculate the percentage of any unspecified impurities in the portion of Sotalol Hydrochloride taken: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$ r_U = sum of all the peak responses of all

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication _Sort descending_	Target Online Fix Publication	Description
							unspecified impurities from the <i>Sample solution</i> to: Calculate the percentage of any unspecified impurity in the portion of Sotalol Hydrochloride taken: $\text{Result} = (r_U/r_S) \times (C_S/C_U) \times 100$ r_U = peak response of each unspecified impurity from the <i>Sample solution</i> AND In <i>Table 1</i>: Change Any unspecified impurities to: Any unspecified impurity

Monograph Title Section		Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication Sort descending	Target Online Fix Publication	Description
CLOMIPHENE CITRATE TABLETS	IMPURITIES/ <i>Organic Impurities</i>	USPNF Online	Online	28-Jul-2023	1-Aug-2023	NA	NA	In <i>Table 2</i> : Change Clomiphene related compound A 0.87 – 2.0 to: Clomiphene related compound A 0.87 1.0 2.0
LINEZOLID TABLETS	PERFORMANCE TESTS	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	In <i>Dissolution ?711?/Test 1/Analysis</i> : Change Result = $(r_U/r_S) \times C_S \times V \times (1/L) \times 100$ r_U = peak response of linezolid from the <i>Sample solution</i> r_S = peak response of linezolid from the <i>Standard solution</i> C_S = concentration of

Monograph TitleSection	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		USP Linezolid RS in the <i>Standard solution</i> (mg/mL) V = volume of <i>Medium</i>, 900 mL L = label claim (mg/Tablet) to: Result = $(r_U/r_S) \times C_S \times V \times (1/L) \times D \times 100$ r_U = peak response of linezolid from the <i>Sample solution</i> r_S = peak response of linezolid from the <i>Standard solution</i> C_S = concentration of USP Linezolid RS in the <i>Standard solution</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description Sort descending
							(mg/mL) V = volume of <i>Medium</i> , 900 mL L = label claim (mg/Tablet) D = dilution factor of the <i>Sample solution</i> , as needed
MELENGESTROL ACETATE	CHEMICAL INFORMATION	USPNF Online Online	24-Jun-2022	1-Jul-2022	NA	NA	Change 396.52 to: 396.53
LYSINE ACETATE	IMPURITIES/Related Compounds	USPNF Online Online	16-Dec-2022	1-Jun-2023	NA	NA	In <i>Chromatographic system/Spray reagent</i> : Change 0.2 g of ninhydrin in a mixture of butyl alcohol and 2 N acetic acid (95:5) to: 2 mg/mL of ninhydrin in a mixture of butyl

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MILBEMYCIN OXIME	CHEMICAL INFORMATION	USPNF Online	Online	26-May-2023	1-Jun-2023	NA	NA	alcohol and 2 N acetic acid (95:5) Change 541.68 Milbemycin B, 5-O -demethyl-28-deoxy-25-methyl-6,28-epoxy-23-hydroxyimino-, [6R,23S,25S(E)]; (2?E,4E,5?S,6R,6?S,8E,11R,13R,15S,17?R,20?R,20?S)-3?,4?,5?,6,6?,7,10,11,14,15,17?,20,20?,20?-tetradehydro-20?-hydroxy-5?,6?,6,8,19-penta methylspiro[11,15-methano-2H,13H,17H

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		-furo[4,3,2- <i>pq</i>][2,6]benzodiox acyclooctadecin -13,2?- [2 <i>H</i>]pyran]-17-one 20-oxime. to: 541.69 Milbemycin B, 5 -demethoxy-28- deoxy-6,28-epo xy-5-(hydroxya mino)-25-methyl -, (6 <i>R</i> ,25 <i>R</i>)-; (2 <i>R</i> ,2 <i>a</i> ? <i>E</i> ,2 <i>a</i> 1? <i>S</i> ,4? <i>E</i> ,5 <i>S</i> ,6 <i>R</i> ,6? <i>R</i> ,8? <i>E</i> ,11? <i>R</i> ,15? <i>S</i> ,17 <i>a</i> ? <i>R</i> ,20? <i>Z</i> ,20 <i>a</i> ? <i>R</i>)-2 <i>a</i> 1?-Hydroxy- 20?-(hydroxyimi no)-5,6,6?,8?,19 ?-pentamethyl-2 <i>a</i> 1?,3,4,5,6,6?,7 ?,10?,11?,14?,1 5?,17 <i>a</i> ?,20?,20 <i>a</i> ?-tetradecahyd

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		ro-2?H,17?H -spiro[pyran-2,1 3?-[11,15]metha no[1,5]dioxacycl ooctadecino[9,8 ,7-<i>cd</i>]benzofuran]-17 ?-one. AND Change 555.70 Milbemycin B, 5-O -demethyl-28-d eoxy-25-ethyl-6, 28-epoxy-23-hy droxyimino-, [6<i>R</i>,23<i>S</i>,25<i>S</i>(<i>E</i>)]-; (2?E,4E,5?S ,6<i>R</i>,6?S,8E ,11<i>R</i>,13<i>R</i>,15<i>S</i> ,17?R,20?R,20? S)-6?-ethyl-3?,4?, 5?,6,6?,7,10,11, 14,15,17?,20,20 ?,20?-tetradeca hydro-20?-hydr oxy-5?,6,8,19-te

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		tramethylspiro[1
							<i>H</i> ,13 <i>H</i> ,17 <i>H</i> -furo[4,3,2- <i>pq</i>][2,6]benzodiox acyclooctadecin -13,2?- [2 <i>H</i>]pyran]-17-one 20-oxime. to: 555.71 Milbemycin B, 5 -demethoxy-28- deoxy-6,28-epo xy-25-ethyl-5-(h ydroxyamino)-, [6 <i>R</i> ,25 <i>R</i>]-; (2 <i>R</i> ,2a? <i>E</i> ,2a1? <i>S</i> ,4? <i>E</i> ,5 <i>S</i> ,6 <i>R</i> ,6? <i>R</i> ,8? <i>E</i> ,11? <i>R</i> ,15? <i>S</i> ,17a? <i>R</i> ,20? <i>Z</i> ,20a? <i>R</i>)-6-Ethyl-2a1?-h ydroxy-20?-(hyd roxyimino)-5,6?,

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						Sort descending	
AMOXICILLIN IDENTIFICATION	USP-NF Online		17-Nov-2023	1-Dec-2023	NA	NA	8?,19?-tetramethylethanolamine trihydrate Change The solution obtained responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i> to: Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		acid containing 4 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> <621>). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		pyridine (90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACYCLOVIR	ASSAY/ Procedure	USPNF Online	Online	29-Apr-2022	1-May-2023	NA	NA	from the Standard solution. In the <i>Sample solution</i> : Change 0.1 N sodium hydroxide to: 0.01 N sodium hydroxide
CALCIUM L-5-METHYLTETRAHYDROFOLATE	IM PURITIES/ <i>Related Compounds</i>	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	In <i>Analysis</i> : Change C_S = concentration of USP Calcium D,L-5-Methyltetrahydrofolate RS in the <i>Standard solution</i> (mg/mL) to: C_S = concentration of USP Calcium D,L-5-Methyltetrahydrofolate RS in the <i>Standard solution</i> (mg/mL)

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						Sort descending		
THYROID TABLETS	ASSAY/ Procedure	USPNF Online	Online	31-Mar-2023	1-Apr-2023	NA	NA	In <i>Chromatographic system</i> : Change Column : 4.6-cm × 25-cm; packing L1 to: Column : 4.6-mm × 25-cm; packing L1
BLACK CUMIN SEED THYMO QUINONE OIL	SPECIFIC TESTS	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	In <i>Fats and Fixed Oils</i> ?401?, <i>Procedures, Fatty Acid Composition/Tables</i> : 2: Change Linoleic to: Linoleic acid In <i>Procedure</i> : Change Column : 3.9-mm × 30-cm; 4-μm packing L1
LIDOCAINE	ASSAY	USPNF Online	Online	29-Mar-2024	1-Apr-2024	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
								Sort descending to: Column: 3.9-mm × 30-cm; 10-μm packing L1 In <i>Sample solution</i> : Change Before injection, pass through a membrane filter of 0.45-μL or finer pore size, to: Before injection, pass through a membrane filter of 0.45-μm or finer pore size, In <i>Organic Impurities/Solution B</i> : Change Acetonitrile, methanol, and <i>Buffer</i> (55:5:40). Adjust with potassium hydroxide TS to a pH of 6.0.
ROSEMARY	COMPOSITION <i>/Content of Phenolic Diterpenes</i>	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	
ZIPRASIDONE HYDROCHLORIDE	IMPURITIES	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description Sort descending
DOXORUBICIN ASSAY HYDROCHLOR IDE	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	to: Acetonitrile, methanol, and <i>Buffer</i> (55:5:40). Adjust with potassium hydroxide solution to a pH of 6.0. AND In both equations in <i>Organic Impuri ties/Analysis</i> : Change 449.40 to: 449.39 In <i>Proce dure/System suitability solution</i> : Add link to USP Store for USP Epirubicin Hydrochloride RS
METHSUXIMID IM	USPNF Online	Online	26-Aug-2022	1-Sep-2022	NA	NA	In <i>System</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						Sort descending		
E	PURITIES/ <i>Organic Impurities</i>							<i>suitability/Column efficiency:</i> Change NTL 5800 theoretical plates to: NLT 5800 theoretical plates
POTASSIUM GLUCONATE ORAL SOLUTION	SPECIFIC TESTS	<i>USPNF Online</i>	Online	27-Jan-2023	1-Feb-2023	NA	NA	Change Alcohol Determination ?611?, <i>Method II—Distillation Method:</i> to: Alcohol Determination ?611?, <i>Method I—Distillation Method:</i>
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER	ADDITIONAL REQUIREMENT <i>S/USP Reference Standards</i> ?11?	<i>USPNF Online</i>	Online	30-Jun-2023	1-Jul-2023	NA	NA	Change USP Methacrylic Acid and Ethyl Acrylate Copolymer (1:1)

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
								Sort descending RS (USP Methacrylic Acid Copolymer, Type C RS) to: USP Methacrylic Acid and Ethyl Acrylate Copolymer (1:1) RS (USP Methacrylic Acid Copolymer Type C RS) In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound A RS: Change 413.43 to: 413.42 In <i>Table 2</i> , footnote b: Change (4S,4aR,5S,5aR,6R
CEFDINIR	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	
DOXYCYCLINE HYCLATE	IMPURITIES/Organic Impurities	USPNF Online	Online	27-May-2022	1-Jun-2022	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						Sort descending		,12aS)-2-Acetyl-4-(di methylamino)-4 a,5a,6,12a-tetra hydro-3,5,10,12 ,12a-pentahydr oxy-6-methyl-tet racene-1,11-dio xo-2-naphthace necarboxamide. to: (4S,4aR,5S ,5aR,6R ,12aS)-2-Acetyl-4-(di methylamino)-3, 5,10,12,12a-pe ntahydroxy-6-m ethyl-4a,5a,6,12 a-tetrahydrotetr ac ene- 1,11(4H,5H)-dione. In <i>Sample solution</i> : Change 0.05 mg/mL of primidone from the <i>Standard</i>
PRIMIDONE TABLETS	ASSAY/ <i>Procedure</i>	USPNF Online	Online	28-Oct-2022	1-Dec-2022	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
								Sort descending <i>stock solution in Diluent</i> to: 0.05 mg/mL of primidone from the <i>Sample</i> <i>stock solution in Diluent</i> In <i>Chromatographi</i> <i>c</i> <i>system/Column:</i> Change 150-cm × 6-mm; packing L39 to: 15-cm × 6-mm; packing L39 In <i>Test 6:</i> Change Times: 0.5, 1, and 4 h—for strengths 540 and 1080 mg as potassium citrate monohydrate; 0.5, 1, and 6 h—for strength
ASCORBIC ACID INJECTION	ASSAY/ <i>Procedure</i>	USPNF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	
POTASSIUM CITRATE EXTENDED- RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711>	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication Sort descending	Target Online Fix Publication	Description
FLUTICASONE OTHER COMP PROPIONATE ONE NASAL SPRAY NTS/ <i>Content of Phenylethyl Alcohol</i>	USPNF Online Online		28-Apr-2023	1-May-2023	NA	NA	1620 mg as potassium citrate monohydrate. to: Times: 0.5, 1, and 4 h—for strength 540 mg as potassium citrate monohydrate; 0.5, 1, and 6 h—for strengths 1080 and 1620 mg as potassium citrate monohydrate. In <i>Sample solution</i> : Change Transfer 1.0 g of the Nasal Spray to a 50-mL volumetric flask. Add about 40 mL of <i>Diluent</i> , and sonicate for 10 min until the

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication Sort descending	Target Online Fix Publication	Description
PANTOPRAZO ASSAY LE SODIUM DE LAYED- RELEASE TABLETS	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	supernatant is clear. Use the clear supernatant for analysis. to: Transfer 1.0 g of the Nasal Spray to a 50-mL volumetric flask. Add about 40 mL of <i>Diluent</i>, and sonicate for 10 min. Dilute with <i>Diluent</i> to volume, and shake. Allow to stand for 10 min until the supernatant is clear. Use the clear supernatant for analysis. In <i>Procedure/System suitability/Tailing</i>

Monograph Title Section		Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication Sort descending	Target Online Fix Publication	Description
METHYLENE BLUE	IM PURITIES/ <i>Organic Impurities</i>	USPNF Online	Online	26-Aug-2022	1-Sep-2022	NA	USPNF 2023 Issue 2	<i>factor</i>: Change NMT 2.0, <i>System suitability solution</i> to: NMT 2.0 for pantoprazole, <i>System suitability solution</i> In footnote a in <i>Table 2</i>: Change 3-(Dimethylamino)-7-(methyldiamino)-phenothiazine-5-ium chloride. to: 3-(Dimethylamino)-7-(methyldiamino)phenothiazine-5-ium chloride. Change Proceed as directed in <i>Identification</i> test A under
METAPROTER ENOL SULFATE TABLETS	<i>Identification</i> /A.	USPNF Online	Online	24-Feb-2023	1-Mar-2023	NA	NA	Change Proceed as directed in <i>Identification</i> test A under

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		<i>Metaproterenol Sulfate Inhalation Solution, beginning with “Allow the spots to dry”:</i> to: Allow the spots to dry, and develop the chromatogram in a solvent system consisting of the upper layer of a freshly prepared mixture of butyl alcohol, water, and formic acid (50:25:7) until the solvent front has moved about three-fourths of the length of the plate. Remove the plate from the developing chamber, mark

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
								the solvent front, and allow the solvent to evaporate. Locate the spots on the plate by examination under short-wavelength UV light:
POLYVINYL ALCOHOL	IMPURITIES	USPNF Online	Online	28-Jul-2023	1-Aug-2023	NA	NA	In <i>Limit of Methanol (Methyl Alcohol) and Methyl Acetate/ Analysis:</i> Change C_U = concentration of methanol (methyl alcohol) or methyl acetate in the <i>Sample solution</i> (mg/mL) to: C_U = concentration of Polyvinyl

Monograph TitleSection	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		
THEOPHYLLIN IDENTIFICATION CAPSULES N	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	Alcohol in the <i>Sample solution</i> (mg/mL) Change A: The contents of the Capsules respond to <i>Identification</i> tests A and B under <i>Theophylline Tablets</i> . B: The retention time of the major peak in the chromatogram of the <i>Assay preparation</i> corresponds to that in the chromatogram of the <i>Standard preparation</i> , as obtained in the Assay. to: A: Triturate a quantity of the

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		contents of Capsules, equivalent to about 500 mg of theophylline, with 10-mL and 5-mL portions of solvent hexane, and discard the solvent hexane. Triturate the residue with two 10-mL portions of a mixture of equal volumes of 6 N ammonium hydroxide and water, and filter each time. Evaporate the combined filtrates to about 5 mL, neutralize, if necessary, with 6 N acetic acid, using litmus, and then cool to about 15°, with

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		stirring. Collect the precipitate on a filter, wash it with cold water, and dry at 105° for 2 hours: the theophylline so obtained melts between 270° and 274° (see <i>Melting Range or Temperature</i> ?741?, <i>Procedures, Procedure for Class I</i>). Retain the remaining portion of the theophylline for use in <i>Identification</i> test <i>B</i>. B: The IR absorption spectrum of a potassium bromide dispersion of the residue

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						Sort descending	obtained in <i>Identification</i> test A exhibits maxima only at the same wavenumbers as that of a potassium bromide dispersion of USP Theophylline RS. C: The retention time of the major peak in the chromatogram of the Assay <i>preparation</i> corresponds to that in the chromatogram of the <i>Standard preparation</i>, as obtained in the Assay. In USP Melengestrol Acetate Related
MELENGESTR OL ACETATE	USP Reference standards ?11?	USPNF Online Online	24-Jun-2022	1-Jul-2022	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						Sort descending		Compound A RS: Change 16-Methylene-17β-hydroxy-4-pregnene-3,20-dione 17-acetate. to: 16-Methylene-3,20-dioxopregn-4-en-17-yl acetate. AND In USP Melengestrol Acetate Related Compound B RS: Change 17β-Hydroxy-6,16-dimethylene progest-4-ene-3,20-dione 17-acetate. to: 6,16-Dimethylene-3,20-dioxopregn-4-en-17-yl acetate. Change (3R,3'S-meso
MESO-ZEAXANTHIN PREPARATION	IDENTIFICATION	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication Sort descending	Target Online Fix Publication	Description
METHYLPHENIDATE HYDROCHLORIDE	ADDITIONAL REQUIREMENT <i>S/USP Reference Standards ?11?</i>	USPNF Online	26-May-2023	1-Jun-2023	NA	NA	)-zeaxanthin to: (3R,3'S)-zeaxanthin In USP Methylphenidate Related Compound A RS: Change ?-Phenyl-2-piperidineacetic acid hydrochloride. to: (RS)-2-Phenyl-2-[(RS)-piperidin-2-yl]acetic acid hydrochloride. In <i>Organic Impurities/</i> Table 2: Change 3'-N-Demet hyl-3'-N-[(4-methylphenyl)sulfonyl]azithr
AZITHROMYCIN	IMPURITIES	USPNF Online	17-Nov-2023	1-Dec-2023	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication Sort descending	Target Online Fix Publication	Description
							omycin ^m to: 3? -N -[[4-(Acetylamin o)phenyl]sulfon yl]-3?-demethyl azithromycin ^m AND In <i>Table</i> 2/footnote m: Change (2R,3S,4R,5R ,8R,10R,11R ,12S,13S,14R)-13-[(2,6-Dideo xy-3-C -meth yl-3-O-methyl-?- L-ribo -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3-[N -(4-methylpheny lsulfon yl)-N -methylamino]-3 ,4,6-trideoxy-β-

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		D-xylo -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. to: (2 <i>R</i> ,3 <i>S</i> ,4 <i>R</i> ,5 <i>R</i> ,8 <i>R</i> ,10 <i>R</i> ,11 <i>R</i> ,12 <i>S</i> ,13 <i>S</i> ,14 <i>R</i>)-13-[(2,6-Dideo xy-3- <i>C</i> -meth yl-3- <i>O</i> -methyl-?- <i>L-ribo</i> -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3- <i>N</i> -(4-acetamidop h en ylsulf onyl)- <i>N</i> -methylamino]-3 ,4,6-trideoxy-?- D-xylo -hexopyranosyl] oxy]-1-oxa-6-az

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						Sort descending		
CHROMATOGRAPHY	ADJUSTMENT OF CHROMATOGRAPHIC CONDITIONS	USPNF Online	Online	29-Apr-2022	1-Dec-2022	NA	NA	acyclopentadecan-15-one. In <i>Liquid Chromatography: Isocratic Elution/Injection</i> volume: Change $\text{Result} = (V_{inj2} = V_{inj1} (L_2 d_{c2}^2) / (L_1 d_{c1}^2))$ to: $V_{inj2} = V_{inj1} (L_2 d_{c2}^2) / (L_1 d_{c1}^2)$ AND In <i>Liquid Chromatography: Gradient Elution/Column parameters and flow rate</i>: Change $F_2 = F_2 \times [(dc_2^2 \times dp_1) / (dc_1^2 \times dp_2)]$ to: $F_2 = F_1 \times [(dc_2^2 \times dp_1) / (dc_1^2 \times dp_2)]$
CALCIUM L-5-	IM	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	In <i>Standard</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication Sort descending	Target Online Fix Publication	Description
METHYLTETRAHYDROFOLATE PURITIES/ <i>Enantiomeric Purity</i>							<i>solution:</i> Change USP Calcium D L-5-Methyltetrahydrofolate RS to: USP Calcium D, L-5-Methyltetrahydrofolate RS
CELL BANKING PRACTICES FOR RECOMBINANT BIOLOGICS	5. CELL BANK CHARACTERIZATION	USPNF Online Online	31-Mar-2023	1-May-2023	NA	NA	In <i>Table 4:</i> Change In vitro assay ^{d,e} + + + ^f to: In vitro assay ^{d,e} + ? ^f +
SODIUM ALGINATE ASSAY		USPNF Online Online	25-Aug-2023	1-Sep-2023	NA	NA	In <i>Procedure/Analysis:</i> Change Result = $(V_2 \times N \times W_E)/(W \times D)$ to: Result = $(V_2 \times N \times W_E \times 10)/(W \times D)$
LIDOCAINE, RACEPINEPHRINE AND TETRACAINE	DEFINITION	USPNF Online Online	29-Mar-2024	1-Apr-2024	NA	NA	Change Prepare Lidocaine, Racepinephrine, and

Monograph TitleSection	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROCHLORIDES COMPOUNDED TOPICAL GEL						Sort descending	Tetracaine Hydrochlorides Compounded Topical Gel containing 40 mg/mL of lidocaine hydrochloride, 1 mg/mL of racepinephrine hydrochloride, and 10 mg/mL of tetracaine hydrochloride as follows (see <i>Pharmaceutical Compounding—Sterile Preparations</i> <797>). to: Prepare Lidocaine, Racepinephrine, and Tetracaine Hydrochlorides Compounded Topical Gel containing 40

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						Sort descending	
ENZACAMENE ASSAY/ Procedure	USPNF Online	Online	28-Oct-2022	1-Dec-2022	NA	NA	mg/mL of lidocaine hydrochloride, 1 mg/mL of racepinephrine hydrochloride, and 10 mg/mL of tetracaine hydrochloride as follows (see <i>Pharmaceutical Compounding—Nonsterile Preparations</i> <795>). In Analysis: Change C_U = concentration of enzacamene in the <i>Sample solution</i> (mg/mL) to: C_U = concentration of Enzacamene in the <i>Sample solution</i> (mg/mL)

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						Sort descending		
POWDERED ROSEMARY	COMPOSITION <i>/Content of Phenolic Diterpenes</i>	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	In <i>Sample solution</i> : Change Before injection, pass through a membrane filter of 0.45-µL or finer pore size, to: Before injection, pass through a membrane filter of 0.45-µm or finer pore size, to: Change 748.98 to: 749.00 AND Change 767.00 to: 767.01 AND Change 785.02 to: 785.03
AZITHROMYCIN	CHEMICAL INFORMATION	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	Change 748.98 to: 749.00 AND Change 767.00 to: 767.01 AND Change 785.02 to: 785.03
CHROMATOGRAPHY	ADJUSTMENT OF CHROMAT	USPNF Online	Online	26-Aug-2022	1-Dec-2022	NA	NA	In <i>Liquid Chromatography</i> :

Monograph TitleSection	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
					Sort descending		<i>Isocratic Elution/Injection volume:</i> Change L_2 = internal diameter of the column used (mm) dc_1 = particle size indicated in the monograph (μm) dc_2 = particle size of the column used (μm) to: L_2 = new column length (mm) dc_1 = column internal diameter indicated in the monograph (mm) dc_2 = new column internal diameter (mm)

Pagination

- [_First page « First](#)
- [_Previous page ‹ Previous](#)
- [_Page 1](#)
- [_Page 2](#)
- [_Current page 3](#)
- [_Page 4](#)
- [_Page 5](#)
- [_Page 6](#)
- [_Next page Next ›](#)
- [_Last page Last »](#)