
[CSV May 16, 2022 through May 16, 2024](#) [See all Errata for USP–NF](#) [How to use](#)

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
ERYTHROMYC Assay	USPNF Online	Online	31-Mar-2023	1-Apr-2023	NA	NA	Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
IN ETHYLSUC CINATE FOR ORAL SUSPENSION							Constitute Erythromycin Ethylsuccinate for Oral Suspension as directed in the labeling, and proceed as directed in the Assay under <i>Erythromycin Ethylsuccinate Oral Suspension</i> . to: Constitute Erythromycin Ethylsuccinate for Oral Suspension as directed in the labeling, and proceed as directed for erythromycin under <i>Antibiotics—Microbial Assays</i> ?81?, using an accurately measured

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							volume of the reconstituted suspension, freshly mixed and free from air bubbles, blended for 4 ± 1 minutes in a high-speed glass blender jar with sufficient methanol to give a stock solution containing the equivalent of about 1 mg of erythromycin per mL. Dilute this stock solution quantitatively with <i>Buffer B.3</i> to obtain a <i>Test Dilution</i> having a concentration assumed to be equal to the median dose level of the

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
NORETHINDRONE ACETATE AND ETHINYL ESTRADIOL TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> ?711?	USPNF Online	Online	31-Mar-2023	1-Apr-2023	NA	NA	Standard. In <i>Test 2/Analysis:</i> Change C_S = concentration of USP Norethindrone Acetate RS (mg/mL) or USP Ethinyl Estradiol RS (ug/mL) in the <i>Standard solution</i> to: C_S = concentration of USP Norethindrone Acetate RS (mg/mL) or USP Ethinyl Estradiol RS (ug/mL) in the <i>Standard solution</i>
ERYTHROMYCIN DELAYED-RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> ?711?	USPNF Online	Online	31-Mar-2023	1-Apr-2023	NA	NA	In <i>Test 1:</i> Change Buffer stage Medium: 0.05 M pH 6.8

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							phosphate buffer (see <i>Reagents, Indicators, and Solutions—Buffer Solutions</i>) to: Buffer stage Medium: 0.05 M pH 6.8 phosphate buffer (see <i>Reagents, Indicators, and Solutions—Buffer Solutions</i>); 900 mL Change Calcium lactate (1:2) hydrate to: Calcium lactate hydrate AND Change Calcium lactate (1:2) pentahydrate to: Calcium lactate
CALCIUM LACTATE	CHEMICAL INFORMATION	<i>USPNF Online</i> Online	31-Mar-2023	1-Apr-2023	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
THYROID	ASSAY/ Procedure	USPNF Online	Online	31-Mar-2023	1-Apr-2023	NA	NA	pentahydrate In <i>Chromatographic system:</i> Change Column: 4.6-cm × 25-cm; packing L1 to: Column: 4.6-mm × 25-cm; packing L1
PRAZOSIN HY DROCHLORIDE CAPSULES	ASSAY/ Procedure	USPNF Online	Online	31-Mar-2023	1-Apr-2023	NA	NA	In <i>Analysis:</i> Change C_S = concentration of USP Prazosin Hydrochloride RS in the <i>Standard solution</i> (µg/mL) C_U = nominal concentration of prazosin in the <i>Sample solution</i> (µg/mL) M_{r1} = molecular weight of prazosin,

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							383.41 M_{r2} = molecular weight of prazosin hydrochloride, 419.86 to: C_S = concentration of USP Prazosin Hydrochloride RS in the <i>Standard solution</i> (mg/mL) C_U = nominal concentration of prazosin in the <i>Sample solution</i> (mg/mL) M_{r1} = molecular weight of prazosin, 383.41 M_{r2} = molecular weight of prazosin hydrochloride, 419.87 Change Proceed as
METAPROTER <i>Identification</i> /A. ENOL	USPNF Online Online		24-Feb-2023	1-Mar-2023	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
SULFATE TABLETS							directed in <i>Identification</i> test A under <i>Metaproterenol Sulfate Inhalation Solution</i>, beginning with “Allow the spots to dry”: to: Allow the spots to dry, and develop the chromatogram in a solvent system consisting of the upper layer of a freshly prepared mixture of butyl alcohol, water, and formic acid (50:25:7) until the solvent front has moved about three-fourths of the length of the plate. Remove the plate from

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
MIRTAZAPINE TABLETS	IMPURITIES/ <i>Organic Impurities</i>	USPNF Online	Online	24-Feb-2023	1-Mar-2023	NA	NA	the developing chamber, mark the solvent front, and allow the solvent to evaporate. Locate the spots on the plate by examination under short-wavelength UV light: In <i>System suitability/Suitability requirements/Resolution</i> : Change 10-ketomirtazpine to: 10-ketomirtazapine AND In <i>Table 1</i> : Change 1-Ketomirtazpine ^c

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
METAPROTERENOL SULFATE ORAL SOLUTION	<i>Identification</i> /A. <i>USPNF Online</i> Online		24-Feb-2023	1-Mar-2023	NA	NA	to: 1-Ketomirtazapine^c Change Proceed as directed in <i>Identification</i> test A under <i>Metaproterenol Sulfate Inhalation Solution</i>, beginning with “Allow the spots to dry”: to: Allow the spots to dry, and develop the chromatogram in a solvent system consisting of the upper layer of a freshly prepared mixture of butyl alcohol, water, and formic acid (50:25:7) until the solvent front has moved

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
SOTALOL HYD IM ROCHLORIDE PUR ITIES/ <i>Organic Impurities</i>	USPNF Online	Online	24-Feb-2023	1-Mar-2023	NA	NA	about three-fourths of the length of the plate. Remove the plate from the developing chamber, mark the solvent front, and allow the solvent to evaporate. Locate the spots on the plate by examination under short-wavelength UV light: <i>In Analysis:</i> Change Calculate the percentage of any unspecified impurities in the portion of Sotalol Hydrochloride taken: $\text{Result} = (r_U/r_S) \times (C_S/C_U) \times 100$ <i>r</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							U= sum of all the peak responses of all unspecified impurities from the <i>Sample solution</i> to: Calculate the percentage of any unspecified impurity in the portion of Sotalol Hydrochloride taken: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$ r_U = peak response of each unspecified impurity from the <i>Sample solution</i> AND In <i>Table 1</i>: Change Any unspecified impurities to:

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
LIDOCAINE HY Assay for DROCHLORID <i>lidocaine</i> E AND <i>hydrochloride</i> DEXTROSE INJECTION	USPNF Online Online		24-Feb-2023	1-Mar-2023	NA	NA	Any unspecified impurity Change Proceed with Injection as directed in the Assay for <i>lidocaine hydrochloride</i> under <i>Lidocaine and Epinephrine Injection</i> . to: Proceed with Injection as directed in the Assay for <i>lidocaine hydrochloride</i> under <i>Lidocaine Hydrochloride and Epinephrine Injection</i> .
AZTEC MARIGOLD ZEAXANTHIN EXTRACT COMPOSITION <i>Procedure 4: Stereoisomeric Composition</i>	USPNF Online Online		27-Jan-2023	1-Feb-2023	NA	NA	In System suitability/Suitability requirements/

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>Resolution:</i> Change (3R,3?S <i>meso</i>)-zeaxanthin to: (3R,3?S)-zeaxanthin AND In <i>Analysis:</i> Change (3R,3?S <i>meso</i>)-zeaxanthin to: (3R,3?S)-zeaxanthin AND In <i>Acceptance criteria:</i> Change (3R,3?S <i>meso</i>)-Zeaxanthin to: (3R,3?S)-Zeaxanthin In <i>Analysis:</i> Change r_s = sum of all the peaks except those
ISOBUTYL ALCOHOL	ASSAY/ Procedure	USPNF Online Online	27-Jan-2023	1-Feb-2023	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
FLUTICASONE IM PROPIONATE PUR NASAL SPRAY ITIES/ <i>Organic Impurities</i>	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	each of which with an area less than 0.1 times the area of the major peak from the <i>Reference solution</i> to: r_T = sum of all the peaks except those each of which with an area less than 0.1 times the area of the major peak from the <i>Reference solution</i> In Analysis: Change Samples: <i>System suitability solution</i>, <i>Identification solution</i>, and <i>Sample solution</i> to: Samples:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
MESO-ZEAXANTHIN PREPARATION	COMPOSITION <i>/Stereoisomeric Composition</i>	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	<i>Identification solution and Sample solution</i> In System suitability: Change [Note—The approximate relative retention times for (3S,3?S)-zeaxanthin, (3R,3?S-meso)-zeaxanthin, (3R,3?R)-zeaxanthin, and (3R,3?R,6?R)-lutein are 0.94, 1.00, 1.06, and 1.11, respectively.] to: [Note—The approximate relative retention times for (3S,3?S

Monograph TitleSection	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							)-zeaxanthin, (3R,3?S)-zeaxanthin, (3R,3?R)-zeaxanthin, and (3R,3?R,6?R)-lutein are 0.94, 1.00, 1.06, and 1.11, respectively.] AND In System <i>suitabil</i> <i>ity/Suitability</i> <i>re</i> <i>quire</i> <i>ments/</i> <i>Resolution:</i> Change (3R,3?S- <i>meso</i>)-zeaxanthin to: (3R,3?S)-zeaxanthin AND In Analysis: Change (3R,3?S- <i>meso</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							)-zeaxanthin to: (3R,3?S)-zeaxanthin AND In <i>Acceptance criteria</i> : Change (3R,3?S-meso)-Zeaxanthin to: (3R,3?S)-Zeaxanthin In <i>Analysis</i> : Change Result = $\{[(V_S?V_B) \times N \times F]/2 \times W\} \times 100$ to: Result = $\{[(V_S?V_B) \times N \times F]/(2 \times W)\} \times 100$
METARAMINO SPECIFIC L BITARTRATE TESTS/ <i>Content of Tartaric Acid</i>	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	
CHLOROPROCASSAY/ AINE HYDROC <i>Procedure</i> HLORIDE INJECTION	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	In <i>Sample solution</i> : Change Transfer about 100 mg of chloroprocaine hydrochloride to a 100-mL

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
POLYETHYLENE GLYCOL STANDARDS WITH MOLECULAR WEIGHTS OF 1000, 2000, 3000, 4000, AND 6000 DALTONS (G/MOL)	CHEMICAL INFORMATION	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	volumetric flask, dissolve in 40 mL of methanol, and dilute with water to volume. to: Transfer a volume of Injection, equivalent to about 100 mg of chlorprocaine hydrochloride to a 100-mL volumetric flask, add 40 mL of methanol, and dilute with water to volume. Change CAS RN®: 25332-68-3. to: CAS RN®: 25322-68-3.

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
DEXAMETHAS ONE SODIUM PHOSPHATE INJECTION	ASSAY/ <i>Procedure</i>	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	In Analysis: Change Result = $(r_U/r_S) \times (C_S/C_U) \times (M_{r1}/M_{r22}) \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times (M_{r1}/M_{r2}) \times 100$
MESO-ZEAXANTHIN PREPARATIONS	ADDITIONAL REQUIREMENTS/ <i>USP Reference Standards <11></i>	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	In USP <i>meso</i> -Zeaxanthin RS: Change (3 <i>R</i> ,3? <i>S</i> - <i>meso</i>)-Zeaxanthin. to: (3 <i>R</i> ,3? <i>S</i>)-Zeaxanthin.
AZTEC MARIGOLD ZEAXANTHIN EXTRACT	IDENTIFICATION N/C.	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	Change (3 <i>R</i> ,3? <i>S</i> - <i>meso</i>)-zeaxanthin to: (3 <i>R</i> ,3? <i>S</i>)-zeaxanthin
METARAMINOL BITARTRATE	ADDITIONAL REQUIREMENTS/ <i>USP Reference Standards ?11?</i>	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	In USP Metaraminol Enantiomer RS: Change 3-[(1 <i>S</i> ,2 <i>R</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
MESO-ZEAXANTHIN PREPARATION	IDENTIFICATION N/C.	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	)-2-Amino-1-hydroxypropyl]phenol. $C_9H_{13}NO_2$ 167.21 to: 3-[(1S,2R)-2-Amino-1-hydroxypropyl]phenol D-tartrate. $C_9H_{13}NO_2$? $C_4H_6O_6$ 317.29 Change (3R,3'S-meso)-zeaxanthin to: (3R,3'S)-zeaxanthin Change Alcohol Determination ?611?, Method II—Distillation Method: to: Alcohol Determination ?611?, Method I—Distillation
POTASSIUM GLUCONATE ORAL SOLUTION	SPECIFIC TESTS	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	)-zeaxanthin Change Alcohol Determination ?611?, Method II—Distillation Method: to: Alcohol Determination ?611?, Method I—Distillation

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
Methyl Acetate	CHEMICAL INFORMATION	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	<i>Method:</i> Change CAS RN®: 74-20-9. to: CAS RN®: 79-20-9.
PALONOSETRON HYDROCHLORIDE	IMPURITIES	USPNF Online	Online	16-Dec-2022	1-Jan-2023	NA	NA	<i>In Limit of Unspecified Impurities:</i> Change Mobile phase and Chromatographic system: Proceed as directed in the Assay. to: Mobile phase, Standard stock solution, and Chromatographic system: Proceed as directed in the Assay.
METOLAZONE TABLETS	ASSAY/ <i>Procedure</i>	USPNF Online	Online	16-Dec-2022	1-Jan-2023	NA	NA	<i>In Buffer:</i> Change 1.38 g of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
MAFENIDE ACETATE FOR TOPICAL SOLUTION	IM PURITIES/ <i>Organic Impurities</i>	USPNF Online	Online	16-Dec-2022	1-Jan-2023	NA	NA	monobasic potassium phosphate monohydrate in 900 mL of water. to: 1.38 g of monobasic sodium phosphate in 900 mL of water. In <i>System suitability</i>: Change Samples: <i>System suitability solution, Standard solution A, and Standard solution B</i> to: Samples: <i>System suitability solution and Standard</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>solution A</i> AND In Analysis: Change Samples: <i>Mobile phase,</i> <i>Standard</i> <i>solution A,</i> and <i>Sample solution</i> Chromatograph the <i>Standard</i> <i>solution</i> and adjust the integration parameters so that the response is 5%–15% of full- scale deflection. to: Samples: <i>Mobile phase,</i> <i>Standard</i> <i>solution A,</i> <i>Standard</i> <i>solution B,</i> and <i>Sample solution</i> Chromatograph <i>Standard</i> <i>solution B</i> and

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
0.1 M ZINC SULFATE VS	STANDARDIZATION	USPNF Online	Online	26-Aug-2022	1-Dec-2022	NA	NA	adjust the integration parameters so that the response is 5%–15% of full-scale deflection. In <i>Standardization with visual end point</i>: Change $M = \text{mL edetate disodium} \times \text{edetate disodium/mL ZnSO}_4$ to: $M = \text{mL edetate disodium} \times M \text{ edetate disodium/mL ZnSO}_4$ AND In <i>Standardization with potentiometric end point</i>: Change $M = \text{mL edetate disodium} \times$

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
ZINC UNDECY ASSAY/ LENATE Procedure	USPNF Online Online		18-Nov-2022	1-Dec-2022	NA	NA	edetate disodium/mL ZnSO₄ to: M = mL edetate disodium × M edetate disodium/mL ZnSO₄ In <i>Solution A</i>: Change 0.15 N hydrochloric acid in water prepared as follows. Transfer 150 mL of hydrochloric acid to a 500-mL volumetric flask, dilute with water to volume, and mix well. to: 0.15 N hydrochloric acid in water prepared as follows.

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
PENICILLIN G BENZATHINE AND PENICILLIN G PROCAINE INJECTABLE SUSPENSION	IDENTIFICATION	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	Transfer 150 mL of 0.5 N hydrochloric acid to a 500-mL volumetric flask, dilute with water to volume, and mix well. In <i>Test A</i>: Change It responds to the <i>Identification</i> test under <i>Penicillin G Benzathine Oral Suspension</i>: the spot obtained from the test solution, corresponding in R_F value to that obtained from the Standard solution, is completely resolved from a second spot, produced by

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							penicillin G procaine. to: Mix a portion of it with methanol to obtain a solution containing about 3000 Penicillin G Units per mL. Apply 20 µL of this test solution and 20 µL of a Standard solution of USP Penicillin G Benzathine RS in methanol containing 2.5 mg per mL to a suitable thin-layer chromatographic plate (see <i>Chromatography</i> ?621?) coated with a 0.25-mm layer of chromatographic silica gel, and allow

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							the spots to dry. Using an unlined developing chamber, develop the chromatogram in a solvent system consisting of a mixture of methanol, acetonitrile, and ammonium hydroxide (70:30:3) until the solvent front has moved about three-fourths of the length of the plate. Remove the plate from the developing chamber, and allow to air-dry. Spray the plate uniformly with a spray reagent prepared as follows.

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							Dissolve 20 g of tartaric acid and 1.7 g of bismuth subnitrate in 80 mL of water. Add 2.5 mL of this solution, 2.5 mL of potassium iodide solution (4 in 10), and 10 g of tartaric acid to 50 mL of water, and mix. Examine the chromatograms: the principal spot obtained from the test solution corresponds in R_F value to that obtained from the Standard solution. The spot obtained from the test solution, corresponding in R_F value to that obtained

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
CHROMATOGRAPHY	ADJUSTMENT OF CHROMATOGRAPHIC CONDITIONS	USPNF Online	Online	26-Aug-2022	1-Dec-2022	NA	NA	from the Standard solution, is completely resolved from a second spot, produced by penicillin G procaine. In <i>Liquid Chromatography: Isocratic Elution/Injection</i> volume: Change L_2 = internal diameter of the column used (mm) dc_1 = particle size indicated in the monograph (μm) dc_2 = particle size of the column used (μm) to: L_2 = new column length (mm)

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
ENZACAMENE ASSAY/ Procedure	USPNF Online	Online	28-Oct-2022	1-Dec-2022	NA	NA	dc_1 = column internal diameter indicated in the monograph (mm) dc_2 = new column internal diameter (mm) In <i>Analysis</i> : Change C_U = concentration of enzacamene in the <i>Sample solution</i> (mg/mL) to: C_U = concentration of Enzacamene in the <i>Sample solution</i> (mg/mL) In <i>Limit of Naloxone Related Compound D</i> : Delete Sensitivity solution : 1.25
NALOXONE HYIMPURITIES DROCHLORID E	USPNF Online	Online	28-Oct-2022	1-Dec-2022	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
POTASSIUM CITRATE EXTENDED-RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711>	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	µg/mL of USP Naloxone Related Compound D RS in 0.1 N hydrochloric acid AND In System suitability/Samples: Delete Sensitivity solution, AND In System suitability/Suitability requirements: Delete Signal-to-noise ratio: NLT 10, Sensitivity solution In Test 6: Change Times: 0.5, 1, and 4 h—for strengths 540 and 1080 mg as

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							potassium citrate monohydrate; 0.5, 1, and 6 h—for strength 1620 mg as potassium citrate monohydrate. to: Times: 0.5, 1, and 4 h—for strength 540 mg as potassium citrate monohydrate; 0.5, 1, and 6 h—for strengths 1080 and 1620 mg as potassium citrate monohydrate. Change Crystallized Trypsin (USP Monograph). to: Trypsin (USP Monograph).
N-Benzoyl-L-arginine Ethyl Ester Hydrochloride	REAGENT SPECIFICATIONS	USPNF Online	30-Sep-2022	1-Dec-2022	NA	NA	Change Crystallized Trypsin (USP Monograph). to: Trypsin (USP Monograph).
ROCURONIUM IM		USPNF Online	18-Nov-2022	1-Dec-2022	NA	USPNF 2023	In footnote b of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
BROMIDE	PURITIES/ <i>Organic Impurities</i>						Issue 3	Table 1: Change 2?-(Morpholin-4-yl)-16?-(pyrrolidin-1-yl)-5?-and rostan-3?,17?-diol. to: 2?-(Morpholin-4-yl)-16?-(pyrrolidin-1-yl)-5?-and rostane-3?,17?-diol.
LATANOPROST	ASSAY/ T Procedure	USPNF Online	Online	29-Jul-2022	1-Dec-2022	NA	NA	Change Standard solution: Transfer 2.0 mg/mL of USP Latanoprost RS into a suitable volumetric flask, dissolve in dehydrated alcohol equivalent to 20% of the final volume, and dilute with chromatographic hexane to volume.

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							Sample solution: Transfer 2.0 mg/mL of Latanoprost into a suitable volumetric flask, dissolve in dehydrated alcohol equivalent to 20% of the final volume, and dilute with chromatographic hexane to volume. to: Standard solution: 2.0 mg/mL of USP Latanoprost RS prepared as follows. Transfer USP Latanoprost RS into a suitable volumetric flask, dissolve in dehydrated

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
CHLORHEXIDI NE GLUCONATE	IM PURITIES/ <i>Limit</i> <i>of p-</i>	USPNF Online Online	18-Nov-2022	1-Dec-2022	NA	NA	alcohol equivalent to 20% of the final volume, and dilute with chromatographic hexane to volume. Sample solution: 2.0 mg/mL of Latanoprost prepared as follows. Transfer Latanoprost into a suitable volumetric flask, dissolve in dehydrated alcohol equivalent to 20% of the final volume, and dilute with chromatographic hexane to volume. Change Standard solution

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
ORAL RINSE	<i>Chloroaniline</i>							: 1.0 µg/mL of USP <i>p</i> -Chloroaniline RS in <i>Diluent</i> to: Standard solution: 0.001 mg/mL of USP <i>p</i> -Chloroaniline RS in <i>Diluent</i> AND In <i>Analysis</i> : Change Result = (r_U/r_S) × (C_S/C_U) × <i>D</i> × 100 to: Result = (r_U/r_S) × (C_S/C_U) × 100 AND Delete <i>D</i> = dilution factor for the <i>Sample solution</i> , 2.5 In test A: Change The retention time of the major peak of the <i>Sample</i>
MOMETASONE FUROATE TOPICAL SOLUTION	IDENTIFICATION	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
								<i>solution</i> corresponds to that of the <i>Standard solution</i>, both relative to the internal standard, as obtained in the Assay. to: The retention time of the major peak of the <i>Sample solution</i> corresponds to that of the <i>Standard solution</i>, as obtained in the Assay. In <i>Analysis</i>: Change C_U = concentration of Magnesium Hydroxide in the <i>Sample solution</i> (mg/mL) to:
MAGNESIUM OXIDE	IM PURITIES/ <i>Limit of Calcium</i>	USPNF Online	Online	25-Feb-2022	1-Dec-2022	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
FELODIPINE	IM PUR ITIES/ <i>Organic Impurities</i>	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	C_U = concentration of Magnesium Oxide in the <i>Sample solution</i> (mg/mL) Change Buffer, Mobile phase, System suitability solution, Standard solution, Sample solution, and Chromatographic system: Proceed as directed in the Assay. to: Buffer, Mobile phase, System suitability solution, Standard solution, Sample solution, and Chromatographic system

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
PENICILLIN G BENZATHINE INJECTABLE SUSPENSION	IDENTIFICATIO N	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	: Proceed as directed in the Assay, and use 40 µL injection volume for the <i>Sensitivity solution</i>. Change It responds to the <i>Identification test</i> under <i>Penicillin G Benzathine Oral Suspension</i>. to: Mix a portion of it with methanol to obtain a solution containing about 3000 Penicillin G Units per mL. Apply 20 µL of this test solution and 20 µL of a Standard solution of USP Penicillin G

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							Benzathine RS in methanol containing 2.5 mg per mL to a suitable thin-layer chromatographic plate (see <i>Chromatography</i> ?621?) coated with a 0.25-mm layer of chromatographic silica gel, and allow the spots to dry. Using an unlined developing chamber, develop the chromatogram in a solvent system consisting of a mixture of methanol, acetonitrile, and ammonium hydroxide (70:30:3) until the solvent front

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
							has moved about three-fourths of the length of the plate. Remove the plate from the developing chamber, and allow to air-dry. Spray the plate uniformly with a spray reagent prepared as follows. Dissolve 20 g of tartaric acid and 1.7 g of bismuth subnitrate in 80 mL of water. Add 2.5 mL of this solution, 2.5 mL of potassium iodide solution (4 in 10), and 10 g of tartaric acid to 50 mL of water, and mix. Examine the chromatograms: the principal

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
CHROMATOGRAPHY	ADJUSTMENT OF CHROMATOGRAPHIC CONDITIONS	USPNF Online	Online	29-Apr-2022	1-Dec-2022	NA	NA	spot obtained from the test solution corresponds in R_F value to that obtained from the Standard solution. In <i>Liquid Chromatography</i>: <i>Isocratic Elution/Injection volume</i>: Change Result = $(V_{inj2} = V_{inj1} (L_2 d_{c2}^2) / (L_1 d_{c1}^2))$ to: $V_{inj2} = V_{inj1} (L_2 d_{c2}^2) / (L_1 d_{c1}^2)$ AND In <i>Liquid Chromatography</i>: <i>Gradient Elution/Column parameters and flow rate</i>: Change $F_2 = F_1 \times [(dc_2^2 \times dp_1) / (dc_1^2 \times dp_2)]$

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
PRIMIDONE TABLETS	ASSAY/ Procedure	USPNF Online	Online	28-Oct-2022	1-Dec-2022	NA	NA	$F_2 = F_1 \times [(dc_2^2 \times dp_1) / (dc_1^2 \times dp_2)]$ to: In <i>Sample solution</i> : Change 0.05 mg/mL of primidone from the <i>Standard stock solution</i> in <i>Diluent</i> to: 0.05 mg/mL of primidone from the <i>Sample stock solution</i> in <i>Diluent</i>
ADIPIC ACID	IM PUR ITIES/ <i>Related Substances</i>	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	In <i>Table 2</i> : Change Pimelic acid 1.21 0.91 Valeric acid 1.21 0.91 to: Pimelic acid 1.21 0.91 Valeric acid 1.46 0.88
ROCURONIUM CHEMICAL		USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	USPNF 2023	Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
BROMIDE	INFORMATION						Issue 3	609.68 to: 609.69
CHROMATOGRAPHY	SYSTEM SUITABILITY	USPNF Online	Online	25-Mar-2022	1-Dec-2022	NA	NA	Change System Repeatability—Assay of an Active Substance or an Excipient to: System Repeatability
DOXORUBICIN HYDROCHLORIDE INJECTION	IMPURITIES/Organic Impurities	USPNF 2022 Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	In <i>Analysis</i> : Change <i>P</i> = potency of doxorubicin in USP Doxorubicin Hydrochloride RS (µg/mg) to: <i>P</i> = potency of doxorubicin hydrochloride in USP Doxorubicin Hydrochloride RS (µg/mg)
DOXAZOSIN MESYLATE	IMPURITIES/Organic	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	In <i>Analysis</i> : Change

Monograph TitleSection	Source Publication	Page Number	Errata Post Date	Errata Official Date Sort ascending	Target Errata Print Publication	Target Online Fix Publication	Description
Impurities							$C_S =$ concentration of the corresponding USP Doxazosin Related Compound RS or USP Doxazosin Mesylate RS (for calculating unspecified impurities) in the <i>Standard solution</i> (mg/mL) to: $C_S =$ concentration of the corresponding USP Reference Standard or USP Doxazosin Mesylate RS (for calculating unspecified impurities) in the <i>Standard solution</i> (mg/mL)

Pagination

- [_ First page « First](#)
- [_ Previous page < Previous](#)
- [_ Page 1](#)
- [_ Page 2](#)
- [_ Page 3](#)
- [_ Current page 4](#)
- [_ Page 5](#)
- [_ Page 6](#)
- [_ Next page Next >](#)
- [_ Last page Last »](#)