
[CSV May 15, 2022 through May 15, 2024](#) [See all Errata for USP–NF](#) [How to use](#)

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication		Date	Date	Print Publication	Fix Publication	
		Sort descending						

—

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DOXYCYCLINE CAPSULES	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP NF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	In USP Doxycycline Related Compound A RS: Change 444.43 to: 444.44 AND Change (4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacene-9-carboxamide monohydrate chloride. C ₂₂ H ₂₄ N ₂ O ₈ · HCl 480.13 to: (4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacene-9-carboxamide monohydrate chloride. C ₂₂ H ₂₄ N ₂ O ₈ · HCl 480.13

Monograph Title	Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PROCHLORPE RAZINE MALEATE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711>	USPNF Online	Online	26-Aug-2022	1-Sep-2022	NA	NA	ino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphtacenecarboxamide hydrochloride. $C_{22}H_{24}N_2O_8 \cdot HCl$ 480.90 <i>In Analysis:</i> Change Results = $(A_U/A_S) \times C_S \times D \times (1/L) \times V \times 100$ A_U = absorbance of the <i>Sample solution</i> A_S = absorbance of the <i>Standard solution</i> C_S = concentration of USP Prochlorpeazine Maleate RS in the

Monograph TitleSection	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						<i>Standard solution</i> <i>D</i> = dilution factor for <i>Sample solution</i>, if needed <i>L</i> = label claim (mg/Tablet) <i>V</i> = volume of <i>Medium</i>, 500 mL to: Result = $(A_U/A_S) \times C_S \times V \times D \times (M_{r1}/M_{r2}) \times (1/L) \times 100$ <i>A_U</i> = absorbance of the <i>Sample solution</i> <i>A_S</i> = absorbance of the <i>Standard solution</i> <i>C_S</i> = concentration of USP Prochlorperazine Maleate RS in the

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						<i>Standard solution</i> <i>V</i> = volume of <i>Medium</i> , 500 mL <i>D</i> = dilution factor for the <i>Sample solution</i> , if needed M_{r1} = molecular weight of prochl orperazine, 373.94 M_{r2} = molecular weight of prochl orperazine maleate, 606.09 <i>L</i> = label claim (mg/Tablet) Change (<i>E</i>)-1-methyl-4-(1-propenyl) benzene to: (<i>E</i>)-1-methoxy-4-(1-propenyl) benzene
ANETHOLE	DEFINITION	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Methyl Acetate	CHEMICAL INFORMATION	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	Change CAS RN®: 74-20-9. to: CAS RN®: 79-20-9.
ACARBOSE TABLETS	IDENTIFICATION/B.	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	Change The spectrum obtained from the <i>Sample solution</i> shows IR maxima in the regions of 3500–3200, 2950–2890, 1653–1633, and 1070–1000 cm ⁻¹ . to: The spectrum obtained from the sample preparation shows IR maxima in the regions of 3500–3200, 2950–2890, 1653–1633, and 1070–1000

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TOPICAL AND SPECIFIC TRANSDERMA TESTS FOR L DRUG PROD TDS UCTS—PRODU CT QUALITY TESTS	USPNF Online Online		28-Jul-2023	1-Dec-2023	NA	NA	cm ⁻¹ . In Release Liner Peel Test: Change The product fails the test if the mean peel force is outside the acceptable range determined during product development. to: The product fails the test if the overall mean peel force is outside the acceptable range determined during product development.
VALGANCICLO IMPURITIES VIR HYDROCH LORIDE	USPNF Online Online		25-Aug-2023	1-Sep-2023	NA	NA	In Organic Impurities/Table 3/footnote c: Change 2-[(2-Amino-6-o xo-1,6-dihydro-

Monograph Title	Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACARBOSE	IMPURITIES	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	9H -purin-9-yl)methoxy]-2-hydroxypropyl methyl-L-valinate hydrochloride. to: 3-[(2-Amino-6-oxo-1,6-dihydropurin-9-yl)methoxy]-2-hydroxypropyl L-valinate hydrochloride. In <i>Chromatographic Purity/Analysis:</i> Change Result = $(r_U/r_A) \times (1/F) \times 100$ to: Result = $(r_U/r_A) \times (1/F)$ In USP Doxycycline Related Compound A RS: Change 444.43 to:
DOXYCYCLINE FOR INJECTION	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USPNF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	In USP Doxycycline Related Compound A RS: Change 444.43 to:

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						444.44 AND Change (4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacenenecarboxamide, monohydrochloride. $C_{22}H_{24}N_2O_8 \cdot HCl$ 480.13 to: (4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacenenecarboxa

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PROMETHAZINE HYDROCHLORIDE	IMPURITIES/ <i>Organic Impurities</i>	USPNF Online	Online	26-Aug-2022	1-Sep-2022	NA	NA	mide hydrochloride. $C_{22}H_{24}N_2O_8 \cdot HCl$ 480.90 Change System suitability solution: 5 µg/mL each of USP Promethazine Hydrochloride RS and USP Promethazine Related Compound B RS from the <i>Standard stock solution</i> and <i>System suitability stock solution</i>, respectively Standard solution: 5 µg/mL of USP Promethazine Hydrochloride RS from the

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						<i>Standard stock solution</i> Sensitivity solution: 0.25 µg/mL of USP Promethazine Hydrochloride RS from the <i>Standard solution</i> to: System suitability solution: 5 µg/mL each of USP Promethazine Hydrochloride RS and USP Promethazine Related Compound B RS from the <i>Standard stock solution</i> and <i>System suitability stock solution</i>, respectively, in

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NALOXONE HYIMPURITIES DROCHLORID E	USPNF Online Online		28-Oct-2022	1-Dec-2022	NA	NA	<i>Diluent</i> Standard solution: 5 µg/mL of USP Promethazine Hydrochloride RS from the <i>Standard stock solution</i> in <i>Diluent</i> Sensitivity solution: 0.25 µg/mL of USP Promethazine Hydrochloride RS from the <i>Standard solution</i> in <i>Diluent</i> <i>In Limit of Naloxone Related Compound D:</i> Delete Sensitivity solution: 1.25 µg/mL of USP Naloxone Related

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Compound D RS in 0.1 N hydrochloric acid AND In System <i>suitabil</i> <i>ity</i> /Samples: Delete <i>Sensitivity</i> <i>solution</i> , AND In System <i>suitabil</i> <i>ity</i> /Suitability <i>requirements</i> : Delete Signal-to-noise ratio : NLT 10, <i>Sensitivity</i> <i>solution</i> In Analysis: Change Result = $\{[(V_S?V_B) \times N \times F]/2 \times W\} \times 100$ to: Result = $\{[(V_S?V_B) \times N \times F]/(2 \times W)\} \times$
METARAMINO SPECIFIC L BITARTRATE TESTS/ <i>Content of Tartaric Acid</i>	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BISOPROLOL FUMARATE	CHEMICAL INFORMATION	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	100 Change (±)-1-[[?-(2-Isop
								<i>p</i> -tolyl]oxy]-3-(iso propyl amino)-2 -propanol fumarate (2:1) (salt) to: (±)-1-[[?-(2-Isop
PURIFIED SILICEOUS EARTH	IMPURITIES	USPNF Online	Online	28-Jul-2023	1-Aug-2023	NA	NA	<i>p</i> -tolyl]oxy]-3-(iso propylamino)-2- propanol fumarate (2:1) (salt) In <i>Leachable Arsenic/</i> <i>Analysis:</i> Change A 3.0-mL portion of the <i>Sample solution</i>

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DIGOXIN TABLETS	ASSAY	USPNF Online Online	29-Sep-2023	1-Oct-2023	NA	NA	meets the requirements in <i>Arsenic ?211?</i> , <i>Procedures, Procedure</i> . to: A 3.0-mL portion of the <i>Sample solution</i> meets the requirements in <i>Arsenic ?211?</i> , <i>Procedures, Procedure 1</i> . In <i>Proce dure/Analysis</i> : Change C_U = nominal concentration of in the <i>Sample solution</i> (µg/mL) to: C_U = nominal concentration of digoxin in the <i>Sample solution</i> (µg/mL) In <i>Acetic Acid in Peptid</i>
GLUCAGON	PROCESS-RELATED	USPNF Online Online	29-Dec-2023	1-Jan-2024	NA	NA	

Monograph TitleSection	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
IMPURITIES AND OTHER COMPONENTS	—						es/Analysis: Change C_{SPA} = concentration of potassium acetate in each of the <i>Standard solutions</i> (mg/mL) to: C_{SPA} = concentration of potassium acetate in each of the <i>Standard solutions</i> (µg/mL) AND In <i>Am monium/</i> <i>Analysis:</i> Change C_{SAC} = concentration of ammonium chloride in each of the <i>Standard solutions</i> (mg/mL)

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DOXYCYCLINE TABLETS	ADDITIONAL REQUIREMENT <i>S/USP Reference Standards <11></i>	USPNF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	to: C_{SAC} = concentration of ammonium chloride in each of the <i>Standard solutions</i> (µg/mL) In USP Doxycycline Related Compound A RS: Change 444.43 to: 444.44 AND Change (4S,4aR,5S, 5aR,6S, 12aS)-4-(Dimethylamino)-1,4,4a,5,5a, 6,11,12a-octahydro-3,5,10,12, 12a-pentahydroxy-6-methyl-1,1 1-dioxo-2-naphthacene-9-carboxamide, monohydrate

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						ochloride. $C_{22}H_{24}N_2O_8 \cdot HCl$ 480.13 to: (4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacene-9-carboxamide hydrochloride. $C_{22}H_{24}N_2O_8 \cdot HCl$ 480.90 Change System suitability solution: 5 µg/mL each of USP Promethazine Hydrochloride RS and USP Promethazine Related
PROMETHAZINE HYDROCHLORIDE TABLETS	IMPURITIES/Organic Impurities	USPNF Online	Online	26-Aug-2022	1-Sep-2022	NA	NA	

Monograph TitleSection	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						Compound B RS from the <i>Standard stock solution</i> and <i>System suitability stock solution</i>, respectively Standard solution: 5 µg/mL of USP Promethazine Hydrochloride RS from the <i>Standard stock solution</i> Sensitivity solution: 0.25 µg/mL of USP Promethazine Hydrochloride RS from the <i>Standard solution</i> to: System suitability solution: 5 µg/mL each of

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						USP Promethazine Hydrochloride RS and USP Promethazine Related Compound B RS from the <i>Standard stock solution</i> and <i>System suitability stock solution</i> , respectively, in <i>Diluent</i> Standard solution: 5 µg/mL of USP Promethazine Hydrochloride RS from the <i>Standard stock solution</i> in <i>Diluent</i> Sensitivity solution: 0.25 µg/mL of USP Promethazine Hydrochloride

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FELODIPINE	IM PUR ITIES/ <i>Organic Impurities</i>	<i>USPNF Online</i>	Online	18-Nov-2022	1-Dec-2022	NA	NA	RS from the <i>Standard solution</i> in <i>Diluent</i> Change Buffer, Mobile phase, System suitability solution, Standard solution, Sample solution, and Chromatographic system: Proceed as directed in the Assay. to: Buffer, Mobile phase, System suitability solution, Standard solution, Sample solution, and Chromatographic system:

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						Proceed as directed in the Assay, and use 40 µL injection volume for the <i>Sensitivity solution</i> .
METARAMINO L BITARTRATE	ADDITIONAL R EQUIREMENT <i>S/USP</i> <i>Reference</i> <i>Standards ?11?</i>	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	In USP Metaraminol Enantiomer RS: Change 3-[(1S,2R)-2-Amino-1-hydroxypropyl]phenol. C ₉ H ₁₃ NO ₂ 167.21 to: 3-[(1S,2R)-2-Amino-1-hydroxypropyl]phenol D-tartrate. C ₉ H ₁₃ NO ₂ ? C ₄ H ₆ O ₆ 317.29
ISOFLURANE	IM PUR ITIES/ <i>Organic Impurities</i>	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	In <i>Analysis</i> : Change Result = (r_U/r_S) × C _S × (1/F) to: Result = (r

Monograph Title	Section	Source	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		Publication Sort descending						
		—						$\frac{u/r_s}{\times C_F \times (1/F)}$ AND Change C_S = final concentration of USP Isoflurane Related Compound B RS in the <i>Standard solution</i> (%) to: C_F = final concentration of USP Isoflurane Related Compound B RS in the <i>Standard solution</i> (%)
REAGENTS AND REFERENCE TABLES	Reagent Specification of Tosylchloramide Sodium	USPNF Online	Online	28-Jul-2023	1-Aug-2023	NA	NA	Change 127-65-1 to: 7080-50-4
DIVALPROEX SODIUM EXTENDED RELEASE TESTS	PERFORMANCE TESTS	USPNF Online	Online	29-Sep-2023	1-Oct-2023	NA	NA	In <i>Dissolution</i> ?711?/Test

Monograph TitleSection	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NDED- RELEASE TABLETS	—						8/Tolerances: Change The percentage of the labeled amount of valproic acid (C₈H₁₆O₂) dissolved at the times specified conform to <i>Dissolution</i> <711>, <i>Acceptance</i> <i>Table 1.</i> to: The percentage of the labeled amount of valproic acid (C₈H₁₆O₂) dissolved at the times specified conform to <i>Dissolution</i> <711>, <i>Acceptance</i> <i>Table 2.</i> Change Where the label states that Seco
SECOBARBITAL SODIUM OTHER REQUIREMENTS	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						barbital Sodium is sterile, it meets the requirements for <i>Sterility Tests</i> ?71? and for <i>Bacterial endotoxins</i> under <i>Secobarbital Sodium for Injection</i>. Where the label states that Secobarbital Sodium must be subjected to further processing during the preparation of injectable dosage forms, it meets the requirements for <i>Bacterial endotoxins</i> under <i>Secobarbital Sodium for</i>

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						<i>Injection.</i> to: Where the label states that Secobarbital Sodium is sterile, it meets the requirements for <i>Sterility Tests</i> ?71? and the level of bacterial endotoxins is not more than 0.9 USP Endotoxin Units per mg of secobarbital sodium tested per <i>Bacterial Endotoxins Test</i> <85>. Where the label states that Secobarbital Sodium must be subjected to further processing

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DOXYCYCLINE ADDITIONAL REQUIREMENT HYCLATE DELAYED-RELEASE TABLETS	USPNF Online S/USP Reference Standards <11>	Online	24-Jun-2022	1-Jul-2022	NA	NA	during the preparation of injectable dosage forms, the level of bacterial endotoxins is not more than 0.9 USP Endotoxin Units per mg of secobarbital sodium tested per <i>Bacterial Endotoxins Test</i> <85>. In USP Doxycycline Related Compound A RS: Change 444.43 to: 444.44 AND Change (4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylam

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						ino)-1,4,4a,5,5a ,6,11,12a-octah ydro-3,5,10,12, 12a-pentahydro xy-6-methyl-1,1 1-dioxo-2-napht hacenecarboxa mide, monohydr ochloride. $C_{22}H_{24}N_2O_8 \cdot$ HCl 480.13 to: (4S,4aR,5S ,5aR,6S ,12aS)-4-(Dimethylam ino)-1,4,4a,5,5a ,6,11,12a-octah ydro-3,5,10,12, 12a-pentahydro xy-6-methyl-1,1 1-dioxo-2-napht hacenecarboxa mide hydrochloride. $C_{22}H_{24}N_2O_8 \cdot$ HCl 480.90 In <i>Standardization with visual end</i>
0.1 M ZINC SULFATE VS	STANDARDIZA TION	USPNF Online	Online	26-Aug-2022	1-Dec-2022	NA	NA	

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						<i>point</i>: Change M = mL edetate disodium × edetate disodium/mL ZnSO₄ to: M = mL edetate disodium × M edetate disodium/mL ZnSO₄ AND In <i>Standardization with potentiometric end point</i>: Change M = mL edetate disodium × edetate disodium/mL ZnSO₄ to: M = mL edetate disodium × M edetate disodium/mL ZnSO

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
—							

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ZINC UNDECY ASSAY/ LENATE Procedure	— USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	In <i>Solution A</i> : Change 0.15 N hydrochloric acid in water prepared as follows. Transfer 150 mL of hydrochloric acid to a 500-mL volumetric flask, dilute with water to volume, and mix well. to: 0.15 N hydrochloric acid in water prepared as follows. Transfer 150 mL of 0.5 N hydrochloric acid to a 500-mL volumetric flask, dilute with water to volume, and

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLUTICASONE IM PROPIONATE PUR NASAL SPRAY ITIES/ <i>Organic</i> <i>Impurities</i>	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	mix well. In <i>Analysis</i> : Change Samples: <i>System</i> <i>suitability</i> <i>solution</i> , <i>Identification</i> <i>solution</i> , and <i>Sample solution</i> to: Samples: <i>Identification</i> <i>solution</i> and <i>Sample solution</i>
BUPIVACAINE ASSAY/ HYDROCHLORIDE INJECTION <i>Procedure</i>	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	In <i>Chromatographi</i> <i>c</i> <i>system/Column</i> : Change 4-mm × 30-cm; packing L1 to: 3.9-mm × 30-cm; packing L1 AND In <i>System</i> <i>suitability</i> : Change

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						[Note—The relative retention times for bupivacaine hydrochloride and dibutyl phthalate are about 1.0 and 1.2, respectively.] to: [Note—The relative retention times for bupivacaine and dibutyl phthalate are about 1.0 and 1.2, respectively.] AND In System suitability/Suitability requirements: Change Resolution: NLT 2.0 between bupivacaine hydrochloride

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							and dibutyl phthalate Relative standard deviation: NMT 1.0% for the ratio of bupivacaine to the internal standard from three replicate injections to: Resolution: NLT 2.0 between bupivacaine and dibutyl phthalate Relative standard deviation: NMT 1.0% for the peak response ratio of bupivacaine to the internal standard from three replicate

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						
TRIAZOLAM TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> ?711?	USPNF Online	Online	28-Jul-2023	1-Aug-2023	NA	NA	injections In <i>Standard solution</i> : Change Tablet/mg to: mg/Tablet
TAMSULOSIN HYDROCHLORIDE CAPSULES	IMPURITIES	USPNF Online	Online	29-Sep-2023	1-Oct-2023	NA	NA	In <i>Organic Impurities/System suitability</i> : Change Sample: <i>Standard solution</i> [Note—The relative retention times for methoxy tamsulosin, tamsulosin, ethoxyphenoxy ethyl bromide, and desethoxy tamsulosin are 0.73, 1.00, 1.80, and 2.80, respectively.] Suitability requirements

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						Tailing factor: NMT 2.0 Relative standard deviation: NMT 5.0% Signal-to-noise ratio: NLT 10 to: Samples: <i>Standard solution and Sensitivity solution</i> [Note—The relative retention times for methoxy tamsulosin, tamsulosin, ethoxyphenoxy ethyl bromide, and desethoxy tamsulosin are 0.73, 1.00, 1.80, and 2.80, respectively.] Suitability requirements

Monograph Title	Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN ORAL SUSPENSION	IDENTIFICATION	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	Tailing factor: NMT 2.0, <i>Standard solution</i> Relative standard deviation: NMT 5.0%, <i>Standard solution</i> Signal-to-noise ratio: NLT 10, <i>Sensitivity solution</i> Change Shake a portion of Oral Suspension with a mixture of acetone and 0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of amoxicillin per mL. The solution

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i>. to: Prepare a test solution by shaking a portion of Oral Suspension with a mixture of acetone and 0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of amoxicillin per mL. Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric acid containing 1 mg per mL. Use within 10

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> ?621?). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine (90:80:30:10). When the

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard solution.

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DOXYCYCLINE HYCLATE CAPSULES	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USPNF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	In USP Doxycycline Related Compound A RS: Change 444.43 to: 444.44 AND Change (4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacene-9-carboxamide, monohydrate chloride. C ₂₂ H ₂₄ N ₂ O ₈ · HCl 480.13 to: (4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacene-9-carboxamide, monohydrate chloride. C ₂₂ H ₂₄ N ₂ O ₈ · HCl 480.13

Monograph Title	Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
0.1 N Potassium Permanganate VS	STANDARDIZATION	USPNF Online	Online	26-Aug-2022	1-Sep-2022	NA	NA	ino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphtacenecarboxamide hydrochloride. $C_{22}H_{24}N_2O_8 \cdot HCl$ 480.90 In <i>Standardization with potentiometric endpoint:</i> Change $N = \frac{g}{Na_2C_2O_4/mL KMnO_4 solution \times 0.06700}$ to: $N = \frac{g}{Na_2C_2O_4/mL KMnO_4 solution \times 0.06700}$
CHLORHEXIDINE GLUCONATE	IMPURITIES/Limit of p-	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	Change Standard solution: 1.0

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ORAL RINSE	<i>Chloroaniline</i>	—						µg/mL of USP <i>p</i>-Chloroaniline RS in <i>Diluent</i> to: Standard solution: 0.001 mg/mL of USP <i>p</i>-Chloroaniline RS in <i>Diluent</i> AND In <i>Analysis</i>: Change Result = $(r_U/r_S) \times (C_S/C_U) \times D \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$ AND Delete <i>D</i> = dilution factor for the <i>Sample solution</i>, 2.5 In <i>Analysis</i>: Change Result = $(r_U/r_S) \times (C_S/C_U) \times (M_{r1}/M_{r22}) \times 100$ to:
DEXAMETHASONE SODIUM PHOSPHATE INJECTION	ASSAY/ <i>Procedure</i>	USPNF Online	Online	27-Jan-2023	1-Feb-2023	NA	NA	In <i>Analysis</i>: Change Result = $(r_U/r_S) \times (C_S/C_U) \times (M_{r1}/M_{r22}) \times 100$ to:

Monograph Title	Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PINDOLOL	ASSAY/ Procedure	USPNF Online	Online	28-Apr-2023	1-May-2023	NA	NA	Result = $(r_U/r_S) \times (C_S/C_U) \times (M_{r1}/M_{r2}) \times 100$ In <i>Standard stock solution</i>: Change 1 mg/mL of USP Pindolol RS in <i>Mobile phase</i> prepared as follows. To a suitable amount of USP Pindolol RS add <i>Mobile phase</i> to fill about 90% of the total volume, and sonicate for about 5 min to dissolve. to: 1 mg/mL of USP Pindolol RS in <i>Mobile phase</i> prepared as follows. To a suitable amount of USP Pindolol RS add <i>Mobile</i>

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—						<i>phase</i> to fill about 90% of the total volume, and sonicate for about 5 min to dissolve. Dilute with <i>Mobile phase</i> to volume.
CHLORTETRA CYCLINE HYD ROCHLORIDE	CHEMICAL INFORMATION	USPNF Online	Online	28-Jul-2023	1-Aug-2023	NA	NA	Change 7-Chloro-4-(dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,6,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacenecarboxamide monohydrochloride to: (4S,4aS,5aS,6S,12aS)-7-Chloro-4-(dimethylamino)-3,6,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-1,4,4a,5,5a,6,1

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PARTICLE SIZE ANALYSIS BY DYNAMIC LIGHT SCATTERING	GLOSSARY	USPNF Online	Online	27-Oct-2023	1-May-2024	NA	NA	1,12a-octahydro tetracene-2-carboxamide mono hydrochloride In <i>Average particle diameter</i> : Change expressed in nanometers. to: expressed in meters. AND In <i>Viscosity</i> : Change in millipascal-seconds (mPa?s). to: in pascal-seconds (Pa?s). In <i>Dissolution <711>/Test 3/ Chromatographic system/Column</i> : Change 4.6-mm ×
CARVEDILOL TABLETS	PERFORMANCE TESTS	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	

Monograph Title	Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DOXYCYCLINE HYCLATE TABLETS	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USPNF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	15-mm; 5-?m packing L7 to: 4.6-mm × 15-cm; 5-?m packing L7 In USP Doxycycline Related Compound A RS: Change 444.43 to: 444.44 AND Change (4S,4aR,5S,5aR,6S,12aS)-4-(Dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-2-naphthacene-9-carboxamide, monohydrate chloride. C

Monograph Title Section	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							$^{22}\text{H}_{24}\text{N}_2\text{O}_8 \cdot \text{HCl}$ 480.13 to: (4 <i>S</i> ,4 <i>aR</i> ,5 <i>S</i> ,5 <i>aR</i> ,6 <i>S</i> ,12 <i>aS</i>)-4-(Dimethylamino)-1,4,4 <i>a</i> ,5,5 <i>a</i> ,6,11,12 <i>a</i> -octahydro-3,5,10,12,12 <i>a</i> -pentahydroxy-6-methyl-1,11-dioxo-2-naphthacene-9-carboxamide hydrochloride. $\text{C}_{22}\text{H}_{24}\text{N}_2\text{O}_8 \cdot \text{HCl}$ 480.90 Change USP Residual Solvent Class 2—Mixture C RS to: USP Residual Solvents Class 2—Mixture C RS In <i>Table 2</i> : Change Pimelic acid 1.21 0.91
RESIDUAL SOLVENTS	USP REFERENCE STANDARDS <11>	USPNF Online Online	26-Aug-2022	1-Sep-2022	NA	NA	
ADIPIC ACID	IMPURITIES/ <i>Related Substances</i>	USPNF Online Online	18-Nov-2022	1-Dec-2022	NA	NA	

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SOTALOL HYD IM ROCHLORIDE PUR ITIES/ <i>Organic Impurities</i>	USPNF Online	Online	24-Feb-2023	1-Mar-2023	NA	NA	Valeric acid 1.21 0.91 to: Pimelic acid 1.21 0.91 Valeric acid 1.46 0.88 In <i>Analysis</i>: Change Calculate the percentage of any unspecified impurities in the portion of Sotalol Hydrochloride taken: $\text{Result} = (r_U/r_S) \times (C_S/C_U) \times 100$ $r_U = \text{sum of all the peak responses of all unspecified impurities from the Sample solution}$ to: Calculate the percentage of any unspecified

Monograph Title	Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
POLYETHYLENE GLYCOL 12 N CETOSTEARYL ETHER	IDENTIFICATION	USPNF Online	Online	28-Apr-2023	1-Aug-2023	NA	NA	impurity in the portion of Sotalol Hydrochloride taken: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$ r_U = peak response of each unspecified impurity from the <i>Sample solution</i> AND In <i>Table 1</i> : Change Any unspecified impurities to: Any unspecified impurity Change: B. Test for Hydroxyl Group: to: B. Hydroxyl Value:

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PIPERACILLIN SPECIFIC TESTS	USPNF Online	Online	28-Jul-2023	1-Aug-2023	NA	NA	AND In <i>D./Analysis</i>: Change Dissolve or disperse the <i>Sample</i> in alcohol. to: Dissolve or disperse the <i>Sample</i> in 5 mL alcohol. In <i>Sterility Tests</i> ?71?: Change Where the label states that Piperacillin is sterile or that it must be subjected to further processing during the preparation of injectable dosage forms, it meets the requirements when tested as directed in <i>Test</i>

Monograph Title Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METHYLBENZ ETHONIUM CHLORIDE	ASSAY	USPNF Online Online	27-Oct-2023	1-Nov-2023	NA	NA	<i>for Sterility of the Product to Be Examined, Membrane Filtration.</i> to: Where the label states that Piperacillin is sterile, it meets the requirements when tested as directed in <i>Test for Sterility of the Product to Be Examined, Membrane Filtration.</i> In <i>Procedure/Analysis:</i> Change Calculate the percentage of methylbenzethonium chloride ($C_{28}H_{44}ClNO_2 \cdot H_2O$) in the portion of Methy

Monograph TitleSection	Source Publication Sort descending	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	—						lbenzethonium Chloride taken: to: Calculate the percentage of m ethylbenzethoni um chloride (C ₂₈ H ₄₄ CINO ₂) in the portion of Methylbenzetho nium Chloride taken: In <i>B. Identification Tests—General</i> ?191?, <i>Chemical Identification Tests, Chloride:</i> Change Meets the requirements when tested as specified in test <i>B.</i> to: Meets the requirements of the test for amine
DICYCLOMINE IDENTIFICATIO HYDROCHLOR N IDE	USPNF Online Online		26-Jan-2024	1-Feb-2024	NA	NA	

Monograph Title	Section	Source Publication Sort descending —	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ASCORBIC ACID INJECTION	ASSAY/ <i>Procedure</i>	USPNF Online	Online	24-Jun-2022	1-Jul-2022	NA	NA	hydrochlorides In <i>Chromatographi c system/Column: Change 150-cm × 6-mm; packing L39 to: 15-cm × 6-mm; packing L39</i>
METHYLENE BLUE	IM PUR ITIES/ <i>Organic Impurities</i>	USPNF Online	Online	26-Aug-2022	1-Sep-2022	NA	USPNF 2023 <i>Issue 2</i>	In footnote a in <i>Table 2:</i> Change 3-(Dimethylami no)-7-(methyla mino)-phenothia zine-5-ium chloride. to: 3-(Dimethylam ino)-7-(methyla mino)phenothia zin-5-ium chloride.

Pagination

- [First page](#) « [First](#)

-
- [_ Previous page < Previous](#)
 - [_ Page 1](#)
 - [_ Page 2](#)
 - [_ Page 3](#)
 - [_ Page 4](#)
 - [_ Current page 5](#)
 - [_ Page 6](#)
 - [_ Next page Next >](#)
 - [_ Last page Last »](#)