
[CSV May 15, 2022 through May 15, 2024](#) [See all Errata for USP–NF](#) [How to use](#)

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
Sort descending								
TERAZOSIN	ASSAY/	USPNF Online	Online	30-Sep-2022	1-Oct-2022	NA	NA	In Hydrochloric

Monograph Title Sort descending	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CAPSULES	Procedure							acid solution: Change 0.1 N methanolic hydrochloric acid to: 0.01 N methanolic hydrochloric acid
TETRACYCLIN E HYDROCHL ORIDE	SPECIFIC TESTS/ Bacterial Endotoxins Test <85>	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	Change Where the label states tetracycline hydrochloride must be subjected to further processing during the preparation of injectable dosage forms, the level of bacterial endotoxins are such that the requirement under the relevant dosage

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							form monograph(s) in which tetracycline hydrochloride is used can be met. to: Where the label states Tetracycline Hydrochloride must be subjected to further processing during the preparation of injectable dosage forms, the level of bacterial endotoxins are such that the requirement under the relevant dosage form monograph(s) in which Tetracycline

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TETRACYCLIN E HYDROCHL ORIDE	ADDITIONAL R EQUIREMENT <i>S/Labeling</i>	<i>USPNF Online</i> Online	28-Oct-2022	1-Nov-2022	NA	NA	Hydrochloride is used can be met. Change Where tetracycline hydrochloride must be sterile or subjected to further processing during the preparation of injectable dosage forms to ensure acceptable levels of bacterial endotoxins, it is so labeled. to: Where Tetracycline Hydrochloride must be sterile or subjected to further processing during the preparation of

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
THALIDOMIDE ASSAY CAPSULES	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	injectable dosage forms to ensure acceptable levels of bacterial endotoxins, it is so labeled. In <i>Procedure</i> : Change $1000C(R_U/R_S)$ to: $500C(R_U/R_S)$ Change A : The contents of the Capsules respond to <i>Identification</i> tests <i>A</i> and <i>B</i> under <i>Theophylline Tablets</i> . B : The retention time of the major peak in the chromatogram of the Assay <i>preparation</i> corresponds to
THEOPHYLLIN IDENTIFICATION CAPSULES N	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	

Monograph Title Section __Sort descending__	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							that in the chromatogram of the <i>Standard preparation</i>, as obtained in the Assay. to: A: Triturate a quantity of the contents of Capsules, equivalent to about 500 mg of theophylline, with 10-mL and 5-mL portions of solvent hexane, and discard the solvent hexane. Triturate the residue with two 10-mL portions of a mixture of equal volumes of 6 N ammonium hydroxide and water, and filter each time. Evaporate the combined

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							filtrates to about 5 mL, neutralize, if necessary, with 6 N acetic acid, using litmus, and then cool to about 15°, with stirring. Collect the precipitate on a filter, wash it with cold water, and dry at 105° for 2 hours: the theophylline so obtained melts between 270° and 274° (see <i>Melting Range or Temperature</i> ?741?, <i>Procedures, Procedure for Class I</i>). Retain the remaining portion of the theophylline for use in <i>Identification test B</i>.

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							B: The IR absorption spectrum of a potassium bromide dispersion of the residue obtained in <i>Identification</i> test A exhibits maxima only at the same wavenumbers as that of a potassium bromide dispersion of USP Theophylline RS. C: The retention time of the major peak in the chromatogram of the Assay <i>preparation</i> corresponds to that in the chromatogram

Monograph Title Sort descending	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
THYROID	ASSAY/ Procedure	USPNF Online	Online	31-Mar-2023	1-Apr-2023	NA	NA	of the <i>Standard preparation</i> , as obtained in the Assay. In <i>Chromatographic system</i> : Change Column : 4.6-cm × 25-cm; packing L1 to: Column : 4.6-mm × 25-cm; packing L1
THYROID TABLETS	ASSAY/ Procedure	USPNF Online	Online	31-Mar-2023	1-Apr-2023	NA	NA	In <i>Chromatographic system</i> : Change Column : 4.6-cm × 25-cm; packing L1 to: Column : 4.6-mm × 25-cm; packing L1
TIOCONAZOLE	ADDITIONAL REQUIREMENT	USPNF Online	Online	30-Jun-2023	1-Jul-2023	NA	NA	In USP Tioconazole

Monograph Title __Sort descending	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		<i>SIUSP</i> <i>Reference</i> <i>Standards ?11?</i>						Related Compound A RS: Change 389.73 to: 389.72 AND In USP Tioconazole Related Compound B RS: Change 458.62 to: 458.60 AND In USP Tioconazole Related Compound C RS: Change $C_{16}H_{13}BrCl_2N_2$ OS · HCl 468.63 to: $C_{16}H_{12}BrCl_3N_2$ OS · HCl 503.06 In <i>Standard</i> <i>solution</i> : Change
TRIAZOLAM TABLETS	PERFORMANC E TESTS/	USPNF Online Online		28-Jul-2023	1-Aug-2023	NA	NA	

Monograph Title Sort descending	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	<i>Dissolution ?711?</i>							Tablet/mg to: mg/Tablet
TRIETHYL CITRATE	ASSAY/ <i>Procedure</i>	<i>USPNF Online</i>	Online	24-Feb-2023	1-May-2023	NA	NA	In System suitability/Suitability requirements/Tailing factor: Change NMT 1.5 for the triethyl citrate to trimethyl citrate peaks to: NMT 1.5 for the triethyl citrate and trimethyl citrate peaks
TRIMETHOBE NZAMIDE HYDROCHLORIDE	CHEMICAL INFORMATION	<i>USPNF Online</i>	Online	28-Jul-2023	1-Aug-2023	NA	NA	Change <i>N</i> -[p-[2-(Dimethylamino)ethoxy]benzyl]-3,4,5-trimethoxy benzamide monohydrochloride to: <i>N</i> -[4-[2-(Dimethylamino)ethoxy]b

Monograph Title Sort descending	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TRYPTOPHAN	ADDITIONAL REQUIREMENT <i>S/USP Reference Standards ?11?</i>	<i>USPNF Online</i>	Online	24-Jun-2022	1-Jul-2022	NA	NA	enzyl]-3,4,5-trimethoxybenzamide monohydrochloride In USP Tryptophan Related Compound A RS: Change 3,3'-[Ethylidene bis(1 <i>H</i> -indole-1,3-diyl)]bis[2 <i>S</i>)-2-aminopropionic]acid. $C_{24}H_{26}N_4O_4$ 432.49 to: (2 <i>S</i> ,2' <i>S</i>)-3,3'-[Ethane-1,1-diyl bis(1 <i>H</i> -indole-1,3-diyl)]bis(2-aminopropionic acid). $C_{24}H_{26}N_4O_4$ 434.50
UREA	SPECIFIC TESTS	<i>USPNF Online</i>	Online	27-Oct-2023	1-Nov-2023	NA	NA	In <i>Alcohol-Insoluble Matter/Sample solution</i> :

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Change 100 mg/mL of Urea dissolved in warm alcohol to: Dissolve 5.0 g of Urea in 50 mL of warm alcohol. AND In <i>Alcohol- Insoluble Matter/Analysis</i>: Change If any insoluble residue remains, pass the <i>Sample solution</i> through a tared filter, wash the residue and the filter with 20 mL of warm alcohol per 50 mL of <i>Sample solution</i>, and dry at 105° for 1 h. to: If any insoluble

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
UREA C 13	IMPURITIES	USPNF Online Online	25-Aug-2023	1-Sep-2023	NA	NA	residue remains, pass the <i>Sample solution</i> through a tared filter, wash the residue and the filter with 20 mL of warm alcohol, and dry at 105° for 1 h. In <i>Isotopic Purity/Chromatographic system</i> : Change Flow rate : Flow rate to: Flow rate : 1 mL/min
VALGANCICLOVIR HYDROCHLORIDE	IMPURITIES	USPNF Online Online	25-Aug-2023	1-Sep-2023	NA	NA	In <i>Organic Impurities/Table 3/footnote c</i> : Change 2-[(2-Amino-6-oxo-1,6-dihydro-9H-purin-9-yl)methoxy]-2-hydroxyp

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
VIGABATRIN TABLETS	IM PUR ITIES/ <i>Organic Impurities</i>	USPNF Online Online	28-Apr-2023	1-May-2023	NA	NA	ropyl methyl-L- valinate hydrochloride. to: 3-[(2-Amino-6-o xo-1,6-dihydrop urin-9-yl)methox y]-2-hydroxypro pyl L-valinate hydrochloride. In <i>Analysis</i> : Change C_S = concentration of USP Vigabatrin Related Compound A in the <i>Standard solution</i> to: C_S = concentration of USP Vigabatrin Related Compound A RS in the <i>Standard solution</i> In <i>Solution A</i> : Change 0.15 N
ZINC UNDECY LENATE	ASSAY/ <i>Procedure</i>	USPNF Online Online	18-Nov-2022	1-Dec-2022	NA	NA	

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ZIPRASIDONE ASSAY CAPSULES	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	hydrochloric acid in water prepared as follows. Transfer 150 mL of hydrochloric acid to a 500-mL volumetric flask, dilute with water to volume, and mix well. to: 0.15 N hydrochloric acid in water prepared as follows. Transfer 150 mL of 0.5 N hydrochloric acid to a 500-mL volumetric flask, dilute with water to volume, and mix well. In <i>Proce</i> <i>dure/Analysis:</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ZIPRASIDONE CAPSULES	PERFORMANCE TESTS	USPNF Online	25-Aug-2023	1-Sep-2023	NA	NA	Change 449.40 to: 449.39 In <i>Dissolution</i> ?711?/Test 1/Tier 1/Phosphate buffer, pH 7.5: Change sodium hydroxide to: sodium hydroxide solution AND In <i>Dissolution</i> ?711?/Test 1/Tier 1/Analysis: Change 449.40 to: 449.39 AND In <i>Dissolution</i> ?711?/Test 1/Tier 2/Solution A and Solution B:

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ZIPRASIDONE IMPURITIES CAPSULES	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	Change sodium hydroxide to: sodium hydroxide solution AND In <i>Dissolution</i> ?711?/Test 2/Tier 2/Analysis: Change 449.40 to: 449.39 AND In <i>Dissolution</i> ?711?/Test 3/Tier 2/Analysis: Change 449.40 to: 449.39 In <i>Organic Impurities/Solution B</i> : Change potassium hydroxide

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ZIPRASIDONE IMPURITIES HYDROCHLOR IDE	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	to: potassium hydroxide solution AND In <i>Organic</i> <i>Impuri</i> <i>ties/Analysis</i> : Change 449.40 to: 449.39 In <i>Organic</i> <i>Impuri</i> <i>ties/Solution B</i> : Change Acetonitrile, methanol, and <i>Buffer</i> (55:5:40). Adjust with potassium hydroxide TS to a pH of 6.0. to: Acetonitrile, methanol, and <i>Buffer</i> (55:5:40). Adjust with potassium hydroxide solution to a pH

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							of 6.0. AND In both equations in <i>Organic</i> <i>Impuri</i> <i>ties/Analysis:</i> Change 449.40 to: 449.39

Pagination

- [First page](#) « [First](#)
- [Previous page](#) < [Previous](#)
- [Page 1](#)
- [Page 2](#)
- [Page 3](#)
- [Page 4](#)
- [Page 5](#)
- [Current page 6](#)