

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication		Date	Date	Print Publication	Fix Publication	
DICYCLOMINE IDENTIFICATIO		USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	In <i>B</i> .

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROCHLOR N IDE									<i>Identification Tests—General ?191?, Chemical Identification Tests, Chloride: Change Meets the requirements when tested as specified in test B.</i> to: Meets the requirements of the test for amine hydrochlorides
AMOXICILLIN ORAL SUSPENSION	IDENTIFICATIO N	USPNF Online	Online	26-Jan-2024		1-Feb-2024	NA	NA	Change Shake a portion of Oral Suspension with a mixture of acetone and 0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>amoxicillin per mL. The solution responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i>. to: Prepare a test solution by shaking a portion of Oral Suspension with a mixture of acetone and 0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of amoxicillin per mL. Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric acid containing</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>1 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> ?621?). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine (90:80:30:10).</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard solution.

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LINEZOLID TABLETS	PERFORMANC E TESTS	USPNF Online	Online	26-Jan-2024		1-Feb-2024	NA	NA	<p>In <i>Dissolution</i> ?711?/Test 1/Analysis: Change Result = $(r_U/r_S) \times C_S \times V \times (1/L) \times 100$ r_U = peak response of linezolid from the <i>Sample solution</i> r_S = peak response of linezolid from the <i>Standard solution</i> C_S = concentration of USP Linezolid RS in the <i>Standard solution</i> (mg/mL) V = volume of <i>Medium</i>, 900 mL L = label claim (mg/Tablet) to: Result = (r</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description	
CARVEDILOL	PERFORMANC	USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	$\frac{U}{r_S} \times C_S \times V \times (1/L) \times D \times 100$ $r_U = \text{peak response of linezolid from the Sample solution}$ $r_S = \text{peak response of linezolid from the Standard solution}$ $C_S = \text{concentration of USP Linezolid RS in the Standard solution (mg/mL)}$ $V = \text{volume of Medium, 900 mL}$ $L = \text{label claim (mg/Tablet)}$ $D = \text{dilution factor of the Sample solution, as needed}$ In <i>Dissolution</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TABLETS	E TESTS								<711>/Test 3/ Chromatographi c system/Column: Change 4.6-mm x 15-mm; 5-?m packing L7 to: 4.6-mm x 15-cm; 5-?m packing L7 Change
THEOPHYLLIN IDENTIFICATIO E CAPSULES	N	USPNF Online	Online	26-Jan-2024		1-Feb-2024	NA	NA	A: The contents of the Capsules respond to <i>Identification</i> tests <i>A</i> and <i>B</i> under <i>Theophylline Tablets</i> . B: The retention time of the major peak in the chromatogram of the Assay preparation corresponds to

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>that in the chromatogram of the <i>Standard preparation</i>, as obtained in the Assay.</p> <p>to:</p> <p>A: Triturate a quantity of the contents of Capsules, equivalent to about 500 mg of theophylline, with 10-mL and 5-mL portions of solvent hexane, and discard the solvent hexane. Triturate the residue with two 10-mL portions of a mixture of equal volumes of 6 N ammonium hydroxide and water, and filter each time. Evaporate the combined</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>filtrates to about 5 mL, neutralize, if necessary, with 6 N acetic acid, using litmus, and then cool to about 15°, with stirring. Collect the precipitate on a filter, wash it with cold water, and dry at 105° for 2 hours: the theophylline so obtained melts between 270° and 274° (see <i>Melting Range or Temperature</i> ?741?, <i>Procedures, Procedure for Class I</i>). Retain the remaining portion of the theophylline for use in <i>Identification test B</i>.</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>B: The IR absorption spectrum of a potassium bromide dispersion of the residue obtained in <i>Identification</i> test A exhibits maxima only at the same wavenumbers as that of a potassium bromide dispersion of USP Theophylline RS.</p> <p>C: The retention time of the major peak in the chromatogram of the <i>Assay preparation</i> corresponds to that in the chromatogram</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACARBOSE	IMPURITIES	USPNF Online	Online	29-Dec-2023		1-Jan-2024	NA	NA	of the <i>Standard preparation</i> , as obtained in the <i>Assay</i> . In <i>Chromatographic Purity/Analysis</i> : Change Result = $(r_U/r_A) \times (1/F) \times 100$ to: Result = $(r_U/r_A) \times (1/F)$
GLUCAGON	PROCESS-RELATED IMPURITIES AND OTHER COMPONENTS	USPNF Online	Online	29-Dec-2023		1-Jan-2024	NA	NA	In <i>Acetic Acid in Peptides/Analysis</i> : Change C_{SPA} = concentration of potassium acetate in each of the <i>Standard solutions</i> (mg/mL) to: C_{SPA} = concentration of potassium acetate in each of the <i>Standard</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ANTIBIOTICS—APPENDICES MICROBIAL ASSAYS	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	<p><i>solutions</i> ($\mu\text{g/mL}$) AND In <i>Ammonium/</i> <i>Analysis:</i> Change C_{SAC} = concentration of ammonium chloride in each of the <i>Standard</i> <i>solutions</i> (mg/mL) to: C_{SAC} = concentration of ammonium chloride in each of the <i>Standard</i> <i>solutions</i> ($\mu\text{g/mL}$) In two instances in <i>Appendix 1</i> equations: Change 14.020 to: 14.022 Change</p>
SECOBARBITA OTHER REQUI	USPNF Online	Online	29-Dec-2023	1-Jan-2024	NA	NA	Change

Monograph Title	Section	Source	Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
L SODIUM	REMENTS								<p>Where the label states that Secobarbital Sodium is sterile, it meets the requirements for <i>Sterility Tests</i> and for <i>Bacterial endotoxins</i> under <i>Secobarbital Sodium for Injection</i>. Where the label states that Secobarbital Sodium must be subjected to further processing during the preparation of injectable dosage forms, it meets the requirements for <i>Bacterial endotoxins</i> under <i>Secobarbital</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Sodium for Injection.</i></p> <p>to:</p> <p>Where the label states that Secobarbital Sodium is sterile, it meets the requirements for <i>Sterility Tests</i> ?71? and the level of bacterial endotoxins is not more than 0.9 USP Endotoxin Units per mg of secobarbital sodium tested per <i>Bacterial Endotoxins Test</i> <85>. Where the label states that Secobarbital Sodium must be subjected to further processing</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN IDENTIFICATION TEST NTRAMAMMA N RY INFUSION	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	<p>during the preparation of injectable dosage forms, the level of bacterial endotoxins is not more than 0.9 USP Endotoxin Units per mg of secobarbital sodium tested per <i>Bacterial Endotoxins Test</i> <85>.</p> <p>Change The solution obtained responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i>. to: Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>acid containing 4 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> <621>). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							(90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NORFLURANE	IMPURITIES	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	solution. In <i>Organic Impurities/ Table 2</i> : Change Line No. to: Peak Elution Order AND In <i>Halides/ Figure 1</i> : Add label Flow Meter
CEFDINIR	IMPURITIES	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	In <i>Organic Impurities/ Table 2/ footnote a</i> : Change <i>1 N-[(Z)-2-(2-Aminothiazol-4-yl)-2-(hydroxyimino)acetyl] glycine.</i> to: <i>N-[(Z)-2-(2-Aminothiazol-4-yl)-2-(hydroxyimino)acetyl] glycine.</i>
AMIKACIN SULFATE	ASSAY	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	In <i>Procedure/ Analysis</i> :

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DUTASTERIDE PERFORMANCE AND TAMSULOSIN HYDROCHLORIDE CAPSULES	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	<p>Change $C_U =$ concentration of amikacin in the <i>Sample solution</i> (mg/mL) to: $C_U =$ concentration of Amikacin Sulfate in the <i>Sample solution</i> (mg/mL)</p> <p>In <i>Dissolution</i> ?711?/<i>Test for dutasteride/Tier 2/Medium:</i> Change 10 g/L of cetyltrimethylammonium bromide and 750,000 USP units of activity/mg of pepsin, purified in 0.1 N hydrochloric acid; 900 mL to: Dissolve 10 g of cetyltrimethylam</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SODIUM SALICYLATE	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	monium bromide and 1.6 g of pepsin, purified in 1000 mL of 0.1 N hydrochloric acid; 900 mL In <i>USP Reference Standards</i> ?11?: Add USP Phenol RS In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound A RS: Change 413.43 to: 413.42 AND In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound B RS: Change C
CEFDINIR FOR ORAL SUSPENSION	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									$^{14}\text{H}_{13}\text{N}_4\text{O}_4\text{S}_2$ 365.41 to: $\text{C}_{14}\text{H}_{14}\text{N}_4\text{O}_4\text{S}_2$ 366.41
COLOR AND ACHROMICITY	METHOD II: INSTRUMENTAL (QUANTITATIVE) ASSESSMENT OF COLOR AND COLOR MATCHES	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	In <i>Table 5</i> : Change Sum 98.809 100.000 107.307 White point 98.811 100.000 107.304 to: Sum 94.809 100.000 107.307 White point 94.811 100.000 107.304
AZITHROMYCIN	IMPURITIES	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	In <i>Organic Impurities/ Table 2</i> : Change 3'-N -D emet hyl-3'-N -[(4-methylphenyl)sulfonyl]azithromycin ^m to:

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>3?-N -{{4-(Acetylamino)phenyl}sulfonyl}-3?-demethyl azithromycin^m AND In <i>Table</i> 2/footnote m: Change (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-?-L-ribo-hexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3-[N-(4-methylphenyl)sulfonyl)-N-methylamino]-3,4,6-trideoxy-β-D-xyloribose-5-O-hexopyranosyl]oxy]-1-oxa-6-az</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OLMESARTAN PERFORMANC MEDOXOMIL E TESTS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	acyclopentadecan-15-one. to: (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-?-L-ribo-hexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3-[N-(4-acetamidophenylsulfonyl)-N-methylamino]-3,4,6-trideoxy-?-D-xyl-hexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one. In <i>Dissolution</i> ?711?/Test

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TABLETS									<i>5/Apparatus 2: Change 50 rpm. Use peak vessels. to: 50 rpm. Use apex vessels.</i>
CEFDINIR	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	<i>In USP Reference Standards ?11?/USP Cefdinir Related Compound A RS: Change 413.43 to: 413.42</i>
AMOXICILLIN BOLUSES	IDENTIFICATION	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	<i>Change Application volume, Developing solvent system, Procedure—Proceed as directed for the Identification test under Amoxicillin Tablets. to:</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Application volume</i>—5 µL.</p> <p><i>Developing solvent system</i>—a mixture of methanol, chloroform, water, and pyridine (90:80:30:10).</p> <p><i>Procedure</i>—Proceed as directed in <i>Thin-Layer Chromatographic Identification Test <201></i>. Dry the plate with the aid of a current of warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DUTASTERIDE AND TAMSULOSIN HYDROCHLORIDE CAPSULES	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	at 110° for 15 minutes. In <i>USP Reference Standards</i> ?11?/USP Dihydrodutasteride RS: Change <i>N</i> -[2,5-Bis(trifluoromethyl)phenyl]-3-oxo-4-aza-5?-androst-1-ene-17?-carboxamide. to: <i>N</i> -[2,5-Bis(trifluoromethyl)phenyl]-3-oxo-4-aza-5?-androstane-17?-carboxamide.
Strychnine Sulfate	REAGENTS AND REFERENCE TABLES	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	In <i>Reagent Specifications</i> : Change CAS RN®: 60-41-3. to: CAS RN®: 60491-10-3.
MEASUREMENT	APPARATUS	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	In <i>Figure 2</i> :

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NT OF STRUCTURAL STRENGTH OF SEMISOLIDS BY PENETRO METRY							Change 66±0.25 Ø to: 65±0.25 Ø
DICLOFENAC PERFORMANC SODIUM AND E TESTS MISOPROSTO L DELAYED- RELEASE TABLETS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Dissolution</i> ?711?: Move <i>Test 2</i> after <i>Test 1</i>
PANTOPRAZO PERFORMANC LE SODIUM DEE TESTS LAYED- RELEASE TABLETS	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	In <i>Dissolution</i> ?711?/ <i>Test</i> <i>2/Acid stage</i> : Change Acid stage standard solution: (<i>L</i> /10) mg/mL of USP Pantoprazole Sodium RS from the <i>Standard stock solution</i> in <i>Acid stage medium</i> , where <i>L</i> is the label claim in mg/Tablet to: Acid stage

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>standard solution: (L/10000) mg/mL of USP Pantoprazole Sodium RS from the <i>Standard stock solution in Acid stage medium</i>, where <i>L</i> is the label claim in mg/Tablet AND In <i>Dissolution <711>/Test 2/Buffer stage</i>: Change Buffer stage standard solution: (L/1000) of USP Pantoprazole Sodium RS where <i>L</i> is the label claim in mg/Tablet to: Buffer stage standard</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CEFDINIR CAPSULES	ADDITIONAL REQUIREMENTS	USPNF Online	Online	17-Nov-2023		1-Dec-2023	NA	NA	<p>solution: (L/1000) mg/mL of USP Pantoprazole Sodium RS from the <i>Standard stock solution</i> in <i>Buffer stage medium</i>, where L is the label claim in mg/Tablet</p> <p>In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound A RS: Change 413.43 to: 413.42 AND In <i>USP Reference Standards</i> ?11?/USP Cefdinir Related Compound B RS: Change</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TELMISARTAN PERFORMANCE TESTS	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	<p>$C_{14}H_{13}N_4O_4S_2$ 365.41</p> <p>to:</p> <p>$C_{14}H_{14}N_4O_4S_2$ 366.41</p> <p>In <i>Dissolution</i> ?711?/Test 1/Analysis: Change Determine the percentage of telmisartan ($C_{33}H_{30}N_4O_2$) dissolved: Result = $(A_U \times C_S \times V \times 100) / (A_S \times D \times L)$</p> <p>to:</p> <p>Calculate the percentage of the labeled amount of telmisartan ($C_{33}H_{30}N_4O_2$) dissolved: Result = $(A_U / A_S) \times C_S \times V \times D \times (1/L) \times 100$ AND Change</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							$C_S =$ concentration of the <i>Standard solution</i> (mg/mL) to: $C_S =$ concentration of USP Telmisartan RS in the <i>Standard solution</i> (mg/mL) AND In <i>Dissolution</i> ?711?/Test 2/Analysis: Change $r_U =$ peak response from the <i>Sample solution</i> $r_S =$ peak response from the <i>Standard solution</i> to: $r_U =$ peak response of telmisartan from the <i>Sample</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METHYLBENZ ASSAY ETHONIUM CHLORIDE	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	<p><i>solution</i> r_s = peak response of telmisartan from the <i>Standard solution</i> AND In <i>Dissolution</i> ?711?/Test 3/<i>Analysis</i>: Change C_s = concentration of the <i>Standard solution</i> (mg/mL) to: C_s = concentration of USP Telmisartan RS in the <i>Standard solution</i> (mg/mL) In <i>Procedure/Analysis</i>: Change Calculate the percentage of methylbenzethoni</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN FOR INJECTABLE SUSPENSION	Identification	USPNF Online	Online	27-Oct-2023		1-Nov-2023	NA	NA	<p>um chloride (C₂₈H₄₄ClNO₂ · H₂O) in the portion of Methylbenzethonium Chloride taken: to: Calculate the percentage of methylbenzethonium chloride (C₂₈H₄₄ClNO₂) in the portion of Methylbenzethonium Chloride taken: Change Prepare a test solution containing the equivalent of 4 mg of amoxicillin per mL by adding 0.1 N hydrochloric acid to Amoxicillin for Injectable Suspension. Allow the</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>solution to stand for 5 minutes before use: the solution responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i>. to: Prepare a test solution containing the equivalent of 4 mg of amoxicillin per mL by adding 0.1 N hydrochloric acid to Amoxicillin for Injectable Suspension. Allow the solution to stand for 5 minutes before use. Prepare a Standard solution of USP</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Amoxicillin RS in 0.1 N hydrochloric acid containing 4 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> <621>). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol,

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							chloroform, water, and pyridine (90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL- AND WATER-SOLUBLE VITAMINS WITH MINERALS CAPSULES	STRENGTH	USPNF Online	Online	27-Oct-2023		1-Nov-2023	NA	NA	that obtained from the Standard solution. In <i>Vitamin A, Method 3/Analysis:</i> Change $C_S =$ concentration of retinyl acetate ($C_{23}H_{32}O_2$) from USP Vitamin A RS in the <i>Standard solution (?g/mL)</i> to: $C_S =$ concentration of retinyl acetate ($C_{22}H_{32}O_2$) from USP Vitamin A RS in the <i>Standard solution (?g/mL)</i>
UREA	SPECIFIC TESTS	USPNF Online	Online	27-Oct-2023		1-Nov-2023	NA	NA	In <i>Alcohol-Insoluble Matter/Sample solution:</i> Change 100 mg/mL of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Urea dissolved in warm alcohol to: Dissolve 5.0 g of Urea in 50 mL of warm alcohol. AND In <i>Alcohol-Insoluble Matter/Analysis</i>: Change If any insoluble residue remains, pass the <i>Sample solution</i> through a tared filter, wash the residue and the filter with 20 mL of warm alcohol per 50 mL of <i>Sample solution</i>, and dry at 105° for 1 h. to: If any insoluble residue remains, pass</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TELMISARTAN ASSAY TABLETS	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	<p>the <i>Sample solution</i> through a tared filter, wash the residue and the filter with 20 mL of warm alcohol, and dry at 105° for 1 h. In <i>Procedure/System suitability/Suitability requirements:</i> Change Resolution: NLT 3 between telmisartan and telmisartan related compound A Tailing factor: NMT 2.0 for the telmisartan peak Capacity factor: NLT 1.5 Relative standard</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PARTICLE SIZE ANALYSIS BY DYNAMIC LIGHT SCATTERING	GLOSSARY	USPNF Online	Online	27-Oct-2023		1-May-2024	NA	NA	<p>deviation: NMT 2.0% to:</p> <p>Resolution: NLT 3 between telmisartan and telmisartan related compound A</p> <p>Tailing factor: NMT 2.0 for telmisartan</p> <p>Relative standard deviation: NMT 2.0% for telmisartan</p> <p>In <i>Average particle diameter</i>. Change expressed in nanometers. to: expressed in meters.</p> <p>AND</p> <p>In <i>Viscosity</i>. Change in millipascal-</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL-SOLUBLE STRENGTH VITAMINS CAPSULES	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	seconds (mPa?s). to: in pascal-seconds (Pa?s). In <i>Vitamin A, Method 3/Analysis:</i> Change $C_S =$ concentration of retinyl acetate ($C_{23}H_{32}O_2$) from USP Vitamin A RS in the <i>Standard solution (?g/mL)</i> to: $C_S =$ concentration of retinyl acetate ($C_{22}H_{32}O_2$) from USP Vitamin A RS in the <i>Standard solution (?g/mL)</i>
PANTOPRAZOLE SODIUM DE LAYED-RELEASE TABLETS	USPNF Online	Online	27-Oct-2023	1-Nov-2023	NA	NA	In <i>Procedure/System suitability/Tailing</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TAMSULOSIN IMPURITIES HYDROCHLORIDE CAPSULES	USPNF Online	Online	29-Sep-2023	1-Oct-2023	NA	NA	<p><i>factor. Change NMT 2.0, System suitability solution to: NMT 2.0 for pantoprazole, System suitability solution</i></p> <p>In <i>Organic Impurities/System suitability</i>. Change Sample: <i>Standard solution</i></p> <p>[Note—The relative retention times for methoxy tamsulosin, tamsulosin, ethoxyphenoxy ethyl bromide, and desethoxy tamsulosin are 0.73, 1.00, 1.80, and 2.80,</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>respectively.]</p> <p>Suitability requirements</p> <p>Tailing factor: NMT 2.0</p> <p>Relative standard deviation: NMT 5.0%</p> <p>Signal-to-noise ratio: NLT 10 to:</p> <p>Samples: <i>Standard solution and Sensitivity solution</i></p> <p>[Note—The relative retention times for methoxy tamsulosin, tamsulosin, ethoxyphenoxy ethyl bromide, and desethoxy tamsulosin are 0.73, 1.00, 1.80, and 2.80, respectively.]</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									Suitability requirements Tailing factor: NMT 2.0, <i>Standard solution</i> Relative standard deviation: NMT 5.0%, <i>Standard solution</i> Signal-to-noise ratio: NLT 10, <i>Sensitivity solution</i>
DIGOXIN TABLETS	ASSAY	USPNF Online	Online	29-Sep-2023		1-Oct-2023	NA	NA	In <i>Procedure/Analysis:</i> Change C_U = nominal concentration of in the <i>Sample solution</i> ($\mu\text{g/mL}$) to: C_U = nominal concentration of digoxin in the <i>Sample solution</i> ($\mu\text{g/mL}$)
DIVALPROEX	PERFORMANC	USPNF Online	Online	29-Sep-2023		1-Oct-2023	NA	NA	In <i>Dissolution</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SODIUM EXTE	E TESTS								?711?/Test 8/Tolerances: Change The percentage of the labeled amount of valproic acid (C ₈ H ₁₆ O ₂) dissolved at the times specified conform to <i>Dissolution</i> <711>, <i>Acceptance</i> <i>Table 1.</i> to: The percentage of the labeled amount of valproic acid (C ₈ H ₁₆ O ₂) dissolved at the times specified conform to <i>Dissolution</i> <711>, <i>Acceptance</i> <i>Table 2.</i>
UREA C 13	IMPURITIES	USPNF Online	Online	25-Aug-2023		1-Sep-2023	NA	NA	In <i>Isotopic Purity/ Chromatographi</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BLACK CUMIN SEED OIL	SPECIFIC THYMO TESTS	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	<p><i>c system:</i> Change Flow rate: Flow rate to: Flow rate: 1 mL/min In <i>Fats and Fixed Oils</i> ?401?, <i>Procedures, Fatty Acid Co</i> <i>mposition/Table</i> 2: Change Linoleic to: Linoleic acid In <i>USP Reference Standards</i> ?11?: Change USP Procyanidin A₂ RS to: USP Procyanidin A2 RS In <i>Organic</i></p>
CRANBERRY FRUIT DRY JUICE	ADDITIONAL REQUIREMENTS	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	
ZIPRASIDONE	IMPURITIES	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CAPSULES							<i>Impurities/Solution B:</i> Change potassium hydroxide to: potassium hydroxide solution AND <i>In Organic Impurities/Analysis:</i> Change 449.40 to: 449.39
VALGANCICLO IMPURITIES VIR HYDROCHLORIDE	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	<i>In Organic Impurities/ Table 3/footnote c:</i> Change 2-[(2-Amino-6-oxo-1,6-dihydro-9H-purin-9-yl)methoxy]-2-hydroxypropyl methyl-L-valinate hydrochloride. to: 3-[(2-Amino-6-o

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ARIPIRAZOL E TABLETS	PERFORMANC E TESTS	USPNF Online	Online	25-Aug-2023		1-Sep-2023	NA	NA	xo-1,6-dihydro urin-9-yl)methox y]-2-hydroxypro pyl L-valinate hydrochloride. In <i>Dissolution</i> <711>/Test 1/ Proce dure/ Chromatographi c proce dure/Analysis: Change Result = $(R_U/R_S) \times C_S \times$ $V \times (1/L) \times 100$ to: Result = $(R_U/R_S) \times C_S \times$ $V \times D \times (1/L) \times$ 100 AND Add <i>D</i> = dilution factor of the <i>Sample</i> <i>solution</i> , 2 In <i>A./Standard</i> <i>solution B</i> :
CRANBERRY FRUIT DRY	IDENTIFICATIO N	USPNF Online	Online	25-Aug-2023		1-Sep-2023	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
JUICE							Change USP Procyanidin A ₂ RS to: USP Procyanidin A2 RS AND In A./System suitability/Suitability requirements/ Derivatization reagent B/White light. Change Standard solution B exhibits two brown bands in the upper-half section corresponding to procyanidin A ₂ and epicatechin. Standard solution C exhibits two

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>brown bands in the upper-half section corresponding in R_F and color to procyanidin A_2 and epicatechin in <i>Standard solution B</i>. <i>Standard solution C</i> also exhibits a series of faint or indistinct brown bands of differing intensities below procyanidin A_2 in the lower-half section.</p> <p>to: <i>Standard solution B</i> exhibits two brown bands in the upper-half section corresponding to procyanidin</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>A2 and epicatechin. <i>Standard solution C</i> exhibits two brown bands in the upper-half section corresponding in R_F and color to procyanidin A2 and epicatechin in <i>Standard solution B</i>. <i>Standard solution C</i> also exhibits a series of faint or indistinct brown bands of differing intensities below procyanidin A2 in the lower-half section.</p> <p>AND In A./ <i>Acceptance criteria</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Derivatization reagent B/White light. Change The Sample solution exhibits two faint brown bands corresponding in R_F to procyanidin A_2 and epicatechin in Standard solution B. The Sample solution also exhibits a series of faint or indistinct brown bands of differing intensities in the lower-half section, corresponding to the same bands in Standard solution C. No bands corresponding in R_F to epigallocate</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>chin-3-O-gallate, procyanidin B₂, or procyanidin B₁ appear below procyanidin A₂. to:</p> <p>The <i>Sample solution</i> exhibits two faint brown bands corresponding in R_F to procyanidin A₂ and epicatechin in <i>Standard solution B</i>. The <i>Sample solution</i> also exhibits a series of faint or indistinct brown bands of differing intensities in the lower-half section, corresponding to the same bands in <i>Standard</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>solution C. No bands corresponding in R_F to epigallo cate chin-3-O -gallate, procyanidin B2, or procyanidin B1 appear below procyanidin A2. AND In C./ Acceptance criteria/Profile at 520 nm: Change cyani din-3-O -arabinose, to: cyani din-3-O -arabinoside, AND In C./ Acceptance criteria/Profile at 520 nm: Change</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ZIPRASIDONE ASSAY CAPSULES	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	peonidin-3-O-arabinose to: peonidin-3-O-arabinoside In <i>Procedure/Analysis</i> : Change 449.40 to: 449.39
AZITHROMYCI N	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	In <i>Organic Impurities/ Table 2</i> : Change: 3'-N -[4-(Acetylamino)phenyl]sulfonyl}-3'-demethyl azithromycin ^m to: 3'-N -D emet hyl-3'-N -[4-methylphenyl]sulfonyl]azithromycin ^m AND

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							In <i>Organic Impurities/ Table 2/footnote m:</i> Change (2 <i>R</i> ,3 <i>S</i> ,4 <i>R</i> ,5 <i>R</i> ,8 <i>R</i> ,10 <i>R</i> ,11 <i>R</i> ,12 <i>S</i> ,13 <i>S</i> ,14 <i>R</i>)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-?- <i>L</i> -ribo-hexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3- <i>N</i> -(4-acetamidophenylsulfonyl)- <i>N</i> -methylamino]-3,4,6-trideoxy-?- <i>D</i> -xylo-hexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one. to:

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DEXTROMETH Assay ORPHAN HYD ROBROMIDE ORAL SOLUTION	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	(2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-L-ribo-hexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3-[N-(4-methylphenylsulfonamido)-3,4,6-trideoxy-β-D-xyl-hexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one. In <i>Chromatographic system and Procedure:</i> Change C is the concentration,

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SODIUM ALGINATE	ASSAY	USPNF Online	Online	25-Aug-2023		1-Sep-2023	NA	NA	<p>in mg per mL, of USP Dextromet horphan Hydrobromide RS, on the anhydrous basis, in the <i>Standard preparation</i>; to:</p> <p>C is the concentration, in mg per mL, of USP Dextromet horphan Hydrobromide RS in the <i>Standard preparation</i>;</p> <p>In <i>Procedure/Analysis</i>: Change Result = $(V_2 \times N \times W_E)/(W \times D)$ to: Result = $(V_2 \times N \times W_E \times 10)/(W \times D)$</p>

Pagination

-
- [_ First page « First](#)
 - [_ Previous page ‹ Previous](#)
 - [_ Page 1](#)
 - [_ Page 2](#)
 - [_ Page 3](#)
 - [_ Page 4](#)
 - [_ Page 5](#)
 - [_ Page 6](#)
 - [_ Page 7](#)
 - [_ Page 8](#)
 - [_ Page 9](#)
 - ...
 - [_ Next page Next ›](#)
 - [_ Last page Last »](#)