

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication		Date	Date	Print Publication	Fix Publication	
ENOXAPARIN	SPECIFIC	USP40–NF35	3982	29-Sep-2017	1-Oct-2017	USP42–NF37	First	Delete

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SODIUM INJECTION	TESTS/ <i>Anti-Factor IIa Activity</i>							<i>Supplement to USP41–NF36</i>	<i>Standard solutions: Dilute USP Enoxaparin Sodium Solution for Bioassays RS with pH 7.4 buffer to obtain four dilutions having concentrations in the range between 0.015 and 0.075 IU of Anti-Factor IIa activity/mL.</i>
ISOSORBIDE DINITRATE EX TENDED-RELEASE TABLETS	<i>Dissolution <711>/Test 2</i>	<i>USP40–NF35</i>	4710	29-Sep-2017		1-Oct-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 1: Change <i>Buffer solution and Mobile phase</i> —Prepare as directed in the Assay under <i>Diluted Isosorbide Dinitrate</i> . to: <i>Buffer solution and Mobile phase</i> —Prepare as directed in

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							the Assay. AND Line 1 of <i>Chromatographi c system:</i> Change (see <i>Chromatograph y</i> <621>)—Proceed as directed in the Assay under <i>Diluted Isosorbide Dinitrate.</i> to: (see <i>Chromatograph y</i> <621>)—Proceed as directed in the Assay.
MYCOPHENOL ADDITIONAL R ATE SODIUM EQUIREMENT S/USP Reference Standards <11>	USP40–NF35	5256	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Line 2 of USP Mycophenolate Mofetil Related Compound B RS: Change (RS)-7-Hydroxy-5-

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MONOBASIC POTASSIUM PHOSPHATE	IM PUR ITIES/Arsenic, Method I <211>	USP40–NF35	7847	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one. to: (RS)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one. Line 1: Change 3 µg/g to: NMT 3 µg/g
POTASSIUM CITRATE EXTENDED-RELEASE TABLETS	ASSAY/ Procedure	Revision Bulletin (Official April 01, 2017)	Online	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of Chromatographic system/Column: Change 10-µm to: 5-µm AND In the variable

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CALCIPOTRIE IM	USP40–NF35	3114	29-Sep-2017	1-Oct-2017	USP42–NF37	First	<p>definition list in <i>Analysis</i>: Change r_U = citrate peak area from the <i>Sample solution</i> r_S = citrate peak area from the <i>Standard solution</i> to: r_U = citric acid peak area from the <i>Sample solution</i> r_S = citric acid peak area from the <i>Standard solution</i> AND Change M_{r2} = molecular weight of citrate ($C_6H_5O_7$), 189.10 to: M_{r2} = molecular weight of citric acid ($C_6H_8O_7$), 192.13 Footnote a of</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NE OINTMENT PUR ITIES/ <i>Organic</i> <i>Impurities</i>						<i>Supplement to</i> <i>USP41–NF36</i>	<i>Table 1:</i> <i>Change</i> <i>(5Z,7Z,22E</i> <i>,24R</i> <i>)-24-Cyclopropy</i> <i>l-9,10-secochol</i> <i>a-5,7,10(19),22-</i> <i>tetraene-1?,3?,2</i> <i>4-triol.</i> <i>to:</i> <i>(5Z,7Z,22E</i> <i>,24S</i> <i>)-24-Cyclopropy</i> <i>l-9,10-secochol</i> <i>a-5,7,10(19),22-</i> <i>tetraene-1?,3?,2</i> <i>4-triol.</i>
ISOSORBIDE Assay DINITRATE EX TENDED- RELEASE CAPSULES	<i>USP40–NF35</i>	4708	29-Sep-2017	1-Oct-2017	<i>USP42–NF37</i>	<i>First</i> <i>Supplement to</i> <i>USP41–NF36</i>	<i>Change</i> <i>Buffer solution,</i> <i>Mobile phase,</i> <i>Internal</i> <i>standard</i> <i>solution,</i> <i>Standard</i> <i>preparation,</i> <i>and</i> <i>Chromatographi</i> <i>c</i> <i>system—Prepare</i> <i>as directed in</i> <i>the Assay under</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Diluted Isosorbide Dinitrate.</i></p> <p>to:</p> <p><i>Buffer solution</i></p> <p>—Dissolve 15.4 g of ammonium acetate in water, add 11.5 mL of glacial acetic acid, dilute with water to 1000 mL, and mix to obtain a solution having a pH of about 4.7.</p> <p><i>Mobile phase</i>—Mix 350 mL of water, 100 mL of <i>Buffer solution</i>, and 550 mL of methanol. Cool to room temperature, dilute with water to 1000 mL, mix, degas, and filter. Make</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> <621>). <i>Internal standard solution</i></p> <p>—Transfer a quantity of diluted nitroglycerin to a suitable volumetric flask, add about 60% of the flask volume of methanol, sonicate for 5 minutes, and shake for 30 minutes. Dilute with methanol to volume to obtain a solution having a concentration of about 3 mg of nitroglycerin per</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>mL, and mix. Allow any undissolved material to settle, filter, and store the filtrate in an airtight container.</p> <p><i>Standard preparation</i></p> <p>—Transfer about 125 mg of recently mixed USP Diluted Isosorbide Dinitrate RS, accurately weighed, to a 50-mL volumetric flask, add about 30 mL of <i>Mobile phase</i>, shake for 30 minutes, dilute with <i>Mobile phase</i> to volume, and mix. Pipet 10 mL of the resulting</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>solution into a 25-mL volumetric flask, and add 4.0 mL of <i>Internal standard solution</i> and 4 mL of dilute <i>Buffer solution</i> (1 in 10). Cool to room temperature, dilute with <i>Mobile phase</i> to volume, and mix to obtain a solution having a known concentration of about 0.25 mg of isosorbide dinitrate per mL, based on the quantity of USP Diluted Isosorbide Dinitrate RS weighed and the labeled content of isosorbide</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>dinitrate. Pass a portion of this solution through a 0.45-μm filter. AND Change <i>Procedure</i>—Proceed as directed for <i>Procedure</i> in the Assay under <i>Diluted Isosorbide Dinitrate</i>. to: <i>Chromatographic system</i> (see <i>Chromatography <621></i>)—The liquid chromatograph is equipped with a 220-nm detector and a 4-mm \times 25-cm column that contains packing L1. The flow rate is about 1 mL per minute.</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the resolution, <i>R</i>, between isosorbide dinitrate and nitroglycerin is not less than 2.0; and the relative standard deviation for replicate injections determined from the peak response ratios is not more than 2%.</p> <p>[NOTE—The relative retention times are about 0.75 for isosorbide dinitrate and 1.0 for nitroglycerin.</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MYCOPHENOL ADDITIONAL REQUIREMENT FOR INJECTION	USP40–NF35 S/USP Reference Standards <11>	5250	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	The relative retention times for isosorbide mononitrates, if present, are about 0.38.] <i>Procedure</i> —Separately inject equal volumes (about 20 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the chromatograms, and measure the responses for the major peaks. Line 2 of USP Mycophenolate Mofetil Related Compound B RS: Change (RS)-7-Hydroxy-5-

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PEMETREXED ASSAY/ FOR INJECTION	<i>Procedure/Analysis</i>	USP40–NF35 5590	29-Sep-2017	1-Oct-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	<p>methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one.</p> <p>to:</p> <p>(<i>RS</i>)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one.</p> <p>In the variable definition list: Change M_{r2} = molecular weight of pemetrexed disodium, 597.49 to: M_{r2} = molecular weight of pemetrexed disodium (anhydrous),</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLUVOXAMINE IM MALEATE	PUR ITIES/ <i>Organic Impurities/ Table 1</i>	<i>Second Supplement to USP40–NF35</i>	8797	29-Sep-2017		1-Oct-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	473.37 Footnote b: Change 5-Methoxy-1-[4-(trifluoromethyl)phenyl]-1-pentanone (<i>E</i>)-O-[2-[(2-succinyl)amino]ethyl]oxime. to: (<i>E</i>)-5-Methoxy-1-[4-(trifluoromethyl)phenyl]-1-pentanone O-[2-[(2-succinyl)amino]ethyl]oxime. AND Footnotes c– g: Delete the space before oxime Line 1 of <i>Buffer solution</i> : Change Add 150 mg of sodium chloride to:
REAGENTS	REAGENT SPE <i>Bromelain/Activity</i>	<i>USP40–NF35</i>	2339	29-Sep-2017		1-Oct-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		<i>Determination</i>							Add 150 g of sodium chloride
FENOLDOPAM MESYLATE	USP Reference standards <11>	USP40–NF35	4159	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Line 2 of USP Fenoldopam Related Compound A RS: Change 1-Methyl-3-benzazepine-7,8-diol, 6-chloro-2,3,4,5-tetrahydro-1-(4-hydroxyphenyl)-, methanesulfonate (salt). C ₁₇ H ₁₈ ClNO ₃ · CH ₄ SO ₃ 415.89 to: 6-Chloro-1-(4-hydroxyphenyl)-3-methyl-2,3,4,5-tetrahydro-1H-benzo[d]azepine-7,8-diol hydrochloride (N-Methyl-6-chloro-2,3,4,5-tetrahydro-1-(4-hydroxyphenyl)-

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MEBENDAZOL E	IM PUR ITIES/ <i>Organic Impurities/ Table 2</i>	USP40–NF35	4968	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	nyl)-1 <i>H</i> -3-benzazepine- 7,8-diol hydrochloride). C ₁₇ H ₁₉ ClNO ₃ · HCl 356.24 Change footnotes ^d Ethyl 5-benzoyl -1-methylbenzi midazol-2-ylcar bamate. ^e Methyl 5-(4-tol uoyl)-1-methylb enzimidazol-2-yl carbamate. to: ^d Ethyl (5- benzo yl-1 <i>H</i> -benzimidazol-2 -yl)carbamate. ^e Methyl 5- (4-t oluoyl)- 1 <i>H</i> -benzimidazol-2 -ylcarbamate. Footnote a of
MYCOPHENOL IM		USP40–NF35	5256	29-Sep-2017		1-Oct-2017	USP42–NF37	First	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ATE SODIUM	PUR	ITIES/ <i>Organic Impurities</i>						<i>Supplement to USP41–NF36</i>	Table 2: Change (RS)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one. to: (RS)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one.
CANDESARTAN CILEXETIL TABLETS	ADDITIONAL REQUIREMENT S/USP	R <i>Second Supplement to USP40–NF35 Reference Standards <11></i>	8730	29-Sep-2017		1-Oct-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 2 of USP Candesartan Cilexetil Related Compound D RS: Change 1-[[[(Cyclohexyloxy)carbonyloxy]ethyl

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>H</i> -tetrazol-5-yl)biphenyl-4-yl]methyl}-2-oxo-2,3-dihydro-1<i>H</i>-benzimidazole-4-carboxylate. to: 1-{[(Cyclohexyloxy)carbonyl]oxy}ethyl</p>
							<p><i>H</i> -tetrazol-5-yl)-[1,1'-biphenyl]-4-yl]methyl)-2-oxo-2,3-dihydro-1<i>H</i>-benzimidazole-4-carboxylate. Row 3 of Column 3: Change 100 to: 200</p>
ENALAPRIL MALEATE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711>/Table 1	USP40–NF35 3971	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ONDANSETRO USP Reference N INJECTION standards <11>	USP40–NF35	5443	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 2 of USP Ondansetron Related Compound A RS: Change 3[(Dimethylamin o)methyl]-1,2,3, 9-tetrahydro-9- methyl- 4H -carbazol-4-one . to: 3-[(Dimethylam ino)methyl]-1,2, 3,9-tetrahydro-9 -methy l-4H -carbazol-4-one hydrochloride.
ROCURONIUM IM BROMIDE PURITIES/Limit of 2-Pr opanol/Analysis	USP40–NF35	6066	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of the variable definition list: Change r_U = peak response of any impurity from the <i>Sample</i> <i>solution</i> r_S = peak response of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS CAPSULES	USP40–NF35	7290	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	<p>rocuronium bromide from the <i>Dilute standard solution</i> to:</p> <p>r_U = peak response of 2-propanol from the <i>Sample solution</i></p> <p>r_S = peak response of 2-propanol from the <i>Dilute standard solution</i></p> <p>Line 1 of <i>Vitamin A, Method 1/Sample solution</i>: Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 23 of <i>Sample solution</i>:</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Change Dilute a volume of this solution to: <i>Sample solution:</i> Dilute a volume of the <i>Sample stock solution</i> AND Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:</i> Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 1 of <i>Vitamin E, Method 1/Sample solution:</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione/S ample solution</i> :Change in the directions for the <i>Sample solution</i> to: in the directions for the <i>Sample stock solution</i>
MONOSACCH PROCEDURES ARIDE ANALYSIS	<i>First</i> <i>Supplement to</i> <i>USP40–NF35</i> <i>Enzymatic</i> <i>Hydrolysis and</i> <i>Analysis by RP-</i> <i>HPLC of DMB-</i> <i>labeled Sialic</i> <i>Acids</i>	8059	28-Jul-2017	1-Aug-2017	<i>USP42–NF37</i>	<i>First</i> <i>Supplement to</i> <i>USP41–NF36</i>	Line 6 of <i>Analysis</i> : Change (1 M = 1nmol/mL). to: (1 µM = 1nmol/mL).
LEVOTHYROXIIM	<i>First</i>	8328	28-Jul-2017	1-Aug-2017	<i>USP42–NF37</i>	<i>First</i>	Line 4 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NE SODIUM TABLETS	PURITIES/ <i>Limit Supplement to of Liothyronine Sodium</i>	USP40–NF35						<i>Supplement to USP41–NF36</i>	<i>Analysis:</i> Change Calculate the percentage of levothyroxine sodium (C ₁₅ H ₁₁ I ₃ NNaO ₄) to: Calculate the percentage of liothyronine sodium (C ₁₅ H ₁₁ I ₃ NNaO ₄)
DOXAZOSIN MESYLATE	ASSAY/ <i>Procedure/System suitability/Suitability requirements</i>	USP40–NF35	3874	28-Jul-2017		1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	Line 1 of <i>Resolution:</i> Change NLT 4 to: NLT 2
PERPHENAZINE	PURITIES/ <i>Organic Impurities/Chromatographic system</i>	USP40–NF35	5649	28-Jul-2017		1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	Line 1 of <i>Column:</i> Change 4.6-mm to: 4.0-mm
OIL-SOLUBLE VITAMINS WITH	STRENGTH	USP40–NF35	7265	28-Jul-2017		1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	Line 1 of <i>Vitamin A/Sample</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MINERALS CAPSULES							<i>solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 21 of <i>Sample solution:</i> Change Further dilute this solution to: <i>Sample solution:</i> Dilute the <i>Sample stock solution</i> AND Line 2 of <i>Vitamin D/Sample solution:</i> Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>AND</p> <p>Line 2 of <i>Vitamin E/Sample solution</i>: Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 2 of <i>Phytonadione (Vitamin K₁)</i>: Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 2 of <i>Beta Carotene/Sample solution</i>:</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS WITH MINERALS TABLETS	USP40–NF35	7375	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i> Line 1 of <i>Vitamin A, Method 1/Sample solution</i> : Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 16 of <i>Sample solution</i> : Change Dilute a 10-mL volume of this solution to: <i>Sample solution</i> : Dilute a 10-mL volume of the <i>Sample</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>stock solution</i> AND Line 2 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:</i> Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Vitamin E, Method 1/Sample solution:</i> Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACETAMINOPHEN AND CODEINE PHOSPHATE TABLETS	PERFORMANCE TESTS	<i>First Supplement to USP40–NF35</i>	8202	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	<p><i>Sample stock solution AND Line 2 of Phytonadione, Method 1/Sample solution: Change prepared as directed for the Sample solution to: prepared as directed for the Sample stock solution</i></p> <p>Line 1 of <i>Dissolution <711>/Analysis: Change Determine the labeled amount of acetaminophen to: Determine the percentage of the labeled amount of</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TIMOLOL MALEATE	MULTIPLE SECTIONS	<i>Second Supplement to USP40–NF35</i>	Online	28-Jul-2017		1-Aug-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	<p>acetaminophen AND</p> <p>In the second Calculate statement in <i>Uniformity of Dosage Units <905>/ Procedure for content unifor mity/Analysis:</i> Change Calculate the quantity, in mg/mL, of the labeled amount of codeine phosphate to: Calculate the quantity, in mg, of codeine phosphate</p> <p>The version of the Timolol Maleate monograph which appeared in the <i>Second Supplement to</i></p>

<u>Monograph Title</u> <u>Section</u>	<u>Source</u> <u>Publication</u>	<u>Page Number</u>	<u>Errata Post</u> <u>Date</u> <u>Sort</u> <u>ascending</u>	<u>Errata Official</u> <u>Date</u>	<u>Target Errata</u> <u>Print Publication</u>	<u>Target Online</u> <u>Fix Publication</u>	Description
ONDANSETRO USP Reference N ORAL standards <11> SOLUTION	USP40–NF35	5444	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	<p>USP 40–NF 35 did not include the revisions approved in the version appearing in the <i>First Supplement to USP 40–NF 35</i>. The version appearing in the <i>First Supplement</i> should be used. The file as it should have appeared in the <i>Second Supplement</i> is attached to the compendial notice found at http://www.uspnf.com/notices/second-supplement-usp-40-nf-35-online-timolol-maleate.</p> <p>Line 2 of USP Ondansetron Related</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL-SOLUBLE STRENGTH VITAMINS CAPSULES	USP40–NF35	7248	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	<p>Compound A RS: Change 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one</p> <p>to: 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one hydrochloride.</p> <p>Line 1 of <i>Vitamin A, Method 1/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 23 of <i>Sample solution:</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Change Dilute a volume of this solution to:</p> <p><i>Sample solution:</i> Dilute a volume of the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:</i>Change Proceed as directed for the <i>Sample solution</i> to:</p> <p>Proceed as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 1 of <i>Vitamin E, Method 1/Sample solution:</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 1 of <i>Phytonadione/Sample solution</i> : Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i>
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS TABLETS	USP40–NF35	7318	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of <i>Vitamin A, Method 1/Sample solution</i> : Change <i>Sample solution</i> to: <i>Sample stock</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>solution</i> AND Line 16 of <i>Sample solution:</i> Change Dilute a 10-mL volume of this solution to: <i>Sample solution:</i> Dilute a 10-mL volume of the <i>Sample stock solution</i> AND Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:</i> Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>solution</i> AND Line 1 of <i>Vitamin E, Method 1/Sample solution:</i> Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione, Method 1/Sample solution:</i> Change retained as specified in the directions for the <i>Sample solution</i> to: retained as specified in the</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NEOTAME	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>First Supplement to USP40–NF35</i>	8485	28-Jul-2017		1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	directions for the <i>Sample stock solution</i> Line 2 of USP Neotame Related Compound A RS: Change <i>N</i> -[3,3-Dimethylbutyl)-L-?-aspartyl]-L-phenylalanine. to: <i>N</i> -[<i>N</i> -(3,3-Dimethylbutyl)-L-?-aspartyl]-L-phenylalanine.
ONDANSETRON HYDROCHLORIDE	USP Reference standards <11>	USP40–NF35	5441	28-Jul-2017		1-Aug-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	Line 2 of USP Ondansetron Related Compound A RS: Change 3[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4 <i>H</i> -carbazol-4-one

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PROPANTHELINE BROMIDE	IMPURITIES/Organic Impurities/Chromatographic system	USP40–NF35	5882	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	to: 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9H-pyrido[4,3-b]indole hydrochloride. Line 1 of <i>Run time</i> : Change NMT to: NLT
OIL-SOLUBLE VITAMINS WITH MINERALS TABLETS	STRENGTH	USP40–NF35	7280	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of <i>Vitamin A/Sample solution</i> : Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 15 of <i>Sample solution</i> : Change Further dilute this solution

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>to: <i>Sample solution</i>: Dilute the <i>Sample stock solution</i> AND Line 2 of <i>Vitamin D/Sample solution</i>: Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Vitamin E/Sample solution</i>: Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<i>solution</i> AND Line 2 of <i>P</i> <i>hyt</i> <i>onadi</i> <i>one (Vitamin K₁):</i> Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Beta Carotene/Sample solution:</i> Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i> Line 1 of <i>Control solution:</i> Change
SHELLAC	IM	USP40–NF35	7869	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of <i>Control solution:</i> Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ERYTHROMYCIN ASSAY/ OPHTHALMIC OINTMENT	<i>First Supplement to USP40–NF35</i>	8276	28-Jul-2017	1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	0.1 M hydrochloric acid VS, to: 0.01 M hydrochloric acid VS, Line 9 of the third variable definition list: Change <i>P</i> = potency of erythromycin C in USP Erythromycin B RS (mg/mg) to: <i>P</i> = potency of erythromycin C in USP Erythromycin C RS (mg/mg)
VITAMIN D ASSAY	<i>ASSAY/ Chromatographic Method s/Procedure 8</i>	<i>USP40–NF35</i> 462	28-Jul-2017	1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	<i>Clean-up chromatographic system: Add Flow rate: 1.1 mL/min AND Analytical chromatographic system: Add</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ONDANSETRON TABLETS ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP40–NF35	5445	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Flow rate: 1.0 mL/min Line 2 of USP Ondansetron Related Compound A RS: Change 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one . to: 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one hydrochloride.
OIL-SOLUBLE VITAMINS TABLETS STRENGTH	USP40–NF35	7258	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of Vitamin A, Method 1/Sample solution: Change Sample solution to: Sample stock

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>solution</i> AND Line 16 of <i>Sample solution:</i> Change Dilute a 10-mL volume of this solution to: <i>Sample solution:</i> Dilute a 10-mL volume of the <i>Sample stock solution</i> AND Line 2 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:</i> Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>solution</i> AND Line 1 of <i>Vitamin E, Method 1/Sample solution:</i> Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione, Method 1/Sample solution:</i> Change retained as specified in the directions for <i>Sample solution</i> to: retained as specified in the directions for</p>

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS WITH MINERALS CAPSULES	USP40–NF35	7336	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	<p><i>Sample stock solution</i></p> <p>Line 1 of <i>Vitamin A, Method 1/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 23 of <i>Vitamin A, Method 1/Sample solution:</i> Change Dilute a volume of this solution to: <i>Sample solution:</i> Dilute a volume of the <i>Sample stock solution</i> AND Line 2 of <i>Cholecalciferol or Ergocalciferol</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>(Vitamin D), Method 1/Sample solution:Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Vitamin E, Method 1/Sample solution</i>:Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> AND Line 2 of <i>P hyt</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACETAMINOPHEN AND CODEINE PHOSPHATE CAPSULES	PERFORMANCE TESTS	<i>First Supplement to USP40–NF35</i>	8201	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	<p><i>onadio</i></p> <p><i>ne:</i>Change prepared as directed for the <i>Sample solution</i> to:</p> <p>prepared as directed for the <i>Sample stock solution</i></p> <p>Line 1 of <i>Dissolution <711>/</i></p> <p><i>Analysis:</i>Change Determine the labeled amount of acetaminophen to:</p> <p>Determine the percentage of the labeled amount of acetaminophen AND</p> <p>In the Calculate statement of <i>Uniformity of Dosage Units <905>/</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
POTASSIUM CITRATE EXTEONE NDED- RELEASE TABLETS	OTHER COMP NTS/Content of Potassium	<i>Revision Bulletin (Official April 01, 2017)</i>	Online	28-Jul-2017		1-Aug-2017	<i>USP42-NF37</i>	<i>First Supplement to USP41-NF36</i>	<p><i>Procedure for content uniformity/Analysis:</i></p> <p>Change Calculate the quantity, in mg, of the labeled amount of codeine phosphate to: Calculate the quantity, in mg, of codeine phosphate Line 1 of <i>Sample solution:</i> Change Transfer 3.0 mL of the clear filtrate, reserved from the Assay, to a 100-mL volumetric flask. to: <i>Sample stock solution:</i> Dilute the clear filtrate, reserved from</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OLIGOSACCH ARIDE ANALYSIS	USP40–NF35	273	26-May-2017	1-Jun-2017	USP41–NF36	USP41–NF36	<p>the Assay, with water to obtain a solution containing about 160 µg/mL of potassium citrate monohydrate.</p> <p><i>Sample solution:</i> Transfer 3.0 mL of the <i>Sample stock solution</i> to a 100-mL volumetric flask.</p> <p>Line 1 of <i>Normal Phase Chromatography/HILIC/Ammonium formate buffer</i>. Change Add 1.4 M ammonia solution to 1.4 M formic acid solution. to: Add 1.4 M ammonia</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
GLUCONOLAC ASSAY/ TONE	<i>Procedure</i>	USP40–NF35 4412	26-May-2017	1-Jun-2017	USP41–NF36	USP41–NF36	<p><i>solution to 1.4 M formic acid solution until a pH of 4.4 is obtained.</i></p> <p>Line 5 of <i>Analysis:</i> Change Each mL of <i>Back-titrant</i> to: Each milliliter of <i>Titrant</i></p>
POLYETHYLENE GLYCOL 3350	SPECIFIC TESTS/ <i>Apparent Weight-Average Molecular Weight and Polydispersity</i>	USP40–NF35 5745	26-May-2017	1-Jun-2017	USP41–NF36	USP41–NF36	<p>Line 1 of <i>Standard solution:</i> Change <i>Standard solution:</i> 1.0 mg/mL each of five polyethylene glycol standards with molecular weights of 1000,2000, 3000, 4000, and 6000 g/mol (Da) in <i>Mobilephase</i>. Pass a portion of the solution</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>to:</p> <p><i>Standard solutions:</i> Prepare 1.0 mg/mL each of five polyethylene glycol standards with molecular weights of 1000,2000, 3000, 4000, and 6000 g/mol (Da) in <i>Mobilephase</i> separately in five individual flasks. Pass a portion of each solution AND Line 1 of <i>Analysi s/Samples:</i> Change <i>Standard solution</i> and <i>Sample solution</i> to: <i>Standard solutions</i> and <i>Sample solution</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							AND Line 3 of <i>Analysis:</i> Change Separately inject equal volumes of the <i>Standard solution</i> to: Separately inject equal volumes of the <i>Standard solutions</i>
METHYLDOPA ASSAY/ <i>Proce dure/ Chromatographi c system</i>	<i>First Supplement to USP40–NF35</i>	8339	26-May-2017	1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Line 1 of <i>Injection volume:</i> Change 1 mL to: 20 µL
ACETYLCYSTEASSAY/ INE SOLUTION <i>Procedure</i>	<i>USP40–NF35</i>	2586	26-May-2017	1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Line 3 of <i>Sample solution:</i> Change <i>Standard stock solution</i> to: <i>Sample stock solution</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PHENYTOIN ORAL SUSPENSION	IM PUR ITIES/ <i>Organic Impurities</i>	USP40–NF35	5690	26-May-2017		1-Jun-2017	USP41–NF36	USP41–NF36	Line 1 of <i>Sample solution</i> : Change 1 mg/mL of Oral Suspension in <i>Diluent</i> to: Nominally 1 mg/mL of phenytoin prepared as follows. Weigh and transfer a suitable volume of Oral Suspension to an appropriate volumetric flask. Add methanol to about 20% of the final flask volume and dissolve. Dilute with <i>Diluent</i> to volume. Dissolve with the aid of sonication, if necessary.
SUCROSE	SPECIFIC	USP40–NF35	7938	26-May-2017		1-Jun-2017	USP41–NF36	USP41–NF36	Line 6 of the

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		TESTS/ <i>Color Value/Analysis</i>							variable definition list: Change The absolute difference between two results is NMT 3. to: <i>Suitability requirements</i> <i>Repeatability:</i> The absolute difference between two results is NMT 3.
DOCETAXEL	IM PUR ITIES/ <i>Organic Impurities, Procedure 1</i>	<i>Revision Bulletin (Official August 01, 2016)</i>	Online	26-May-2017		1-Jun-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	Footnote c of <i>Table 2:</i> Change (2aR,4R,4aS,9S,11S,12S,12aR,12bS)-1,2a,3,4,4a,6,9,10,11,12,12a,12b-Dodecahydro-4,9,11,12,12b-pentahydroxy-4a,8,13,13-tetramethyl-7,11-methano-5H

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							-cyclodeca[3,4] benz[1,2- <i>b</i>]oxet-5,6-dione 12b-acetate, 12-benzoate, 9-ester with (2 <i>R</i> ,3 <i>S</i>)- <i>N</i> -formyl-3-phenyl isoserine. to: (2 <i>aR</i> ,4 <i>S</i> ,4 <i>aS</i> ,6 <i>R</i> ,9 <i>S</i> ,11 <i>S</i> ,12 <i>S</i> ,12 <i>aR</i> ,12 <i>bS</i>)?12b?Acetoxy?9?(((2 <i>R</i> ,3 <i>S</i>)?3?formamido?2?hydroxy?3?phenylpropanoyl)oxy)?4,6,11?trihydroxy?4 <i>a</i> ,8,13,13?tetramethyl?5?oxo?2 <i>a</i> ,3,4,4 <i>a</i> ,5,6,9,10,11,12,12 <i>a</i> ,12 <i>b</i> ?dodecahydro?1 <i>H</i> ?7,11?methanocyclodeca[3,4]benzo[1,2?b]

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Joxet-12?yl benzoate. AND Footnote d of <i>Table 2</i>: Change (2aR,4R,4aS,6R,9S,11S,12S,12aR,12bS)-6-[[2,2-Dichloroethoxy)carbonyl]oxy}-1,2a,3,4,4a,6,9,10,11,12,12a,12b-dodecahydro-4,9,11,12,12b-pentahydroxy-4a,8,13,13-tetramethyl-7,11-methano-5H-cyclodeca[3,4]benz[1,2-b]oxet-5-one 12b-acetate, 12-benzoate, 9-ester with (2R,3S)-N-tert-butoxycarbonyl-L-phenylisoserine.</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>to: (2aR,4S,4aS ,6R,9S,11S ,12S,12aR ,12bS)?6?{[(2,2?Dichl oroethoxy)carbo nyl]oxy}?1,2a,3, 4,4a,6,9,10,11,1 2,12a,12b?dode cahydro?4,9,11, 12,12b?pentahy droxy?4a,8,13,1 3?tetramethyl?7 , 1 1? meth ano?5H ?cyclodeca[3,4] benz[1,2?<i>b</i>]oxet?5?one 12b?acetate, 12?benzoate, 9?ester with (2R,3S)?N?tert- butoxycarbonyl? 3?phenylisoseri ne.</p>

Pagination

- [_ First page « First](#)
- [_ Previous page ‹ Previous](#)
- ...
- [_ Page 18](#)
- [_ Page 19](#)
- [_ Page 20](#)
- [_ Page 21](#)
- [_ Page 22](#)
- [_ Page 23](#)
- [_ Page 24](#)
- [_ Page 25](#)
- [_ Page 26](#)
- ...
- [_ Next page Next ›](#)
- [_ Last page Last »](#)