

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication	Sort descending	Date	Date	Print Publication	Fix Publication	
LEVALBUTER	ADDITIONAL R	USP37–NF32	3513	25-Jul-2014	1-Aug-2014	USP39–NF34	First	Line 2 of USP

Monograph Title	Section	Source Publication	Page Number	Errata Post Sort descending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OL HYDROCHLORIDE	Requirement S/USP Reference Standards <11>		—				Supplement to USP38–NF33	Levalbuterol Related Compound H RS: Change 4-[2-(tert-Butylamino)-1-methoxyethyl]-2-(hydroxymethyl)phenol. $C_{14}H_{23}NO_3$ 253.34 to: 4-[2-(tert-Butylamino)-1-methoxyethyl]-2-(hydroxymethyl)phenol acetate. $C_{14}H_{23}NO_3 \cdot C_2H_4O_2$ 313.39
DIPHENHYDRAMINE HYDROCHLORIDE INJECTION	ASSAY/Procedure	USP39–NF34	3529	25-Mar-2016	1-Apr-2016	USP40–NF35	USP40–NF35	Line 1 of System suitability solution: Change USP Diphenhydramine Hydrochloride Related Compound A RS to: USP Diphenhydramine Hydrochloride Related Compound A RS

Monograph Title	Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
			—					ramine Related Compound A RS AND Line 4 of <i>System suitability</i> : Change for diphenhydramine hydrochloride related compound A and diphenhydramine hydrochloride are to: for diphenhydramine related compound A and diphenhydramine are
LEVODOPA	IMPURITIES	USP37–NF32	3533	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	Row 6 of Column 1 of <i>Table 1</i> : Change 1-Veratrylglycine to: L-

Monograph Title Section		Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
			—					Veratrylglycine ^a AND Add a footnote: ^a 3-(3,4-Dimethoxyphenyl)-L-alanine. Line 1 of <i>Resolution:</i> Change NMT 2 to: NLT 2
FELBAMATE TABLETS	IMPURITIES/ <i>Organic Impurities/System suitability/Suitability requirements</i>	USP36–NF31	3537	26-Jul-2013	1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Acceptance criteria:</i> Change NMT 2.0% of liothyronine to: NMT 2.0% of liothyronine sodium Change Each mL of 0.1 N perchloric acid is equivalent to 7.953 mg of C
LEVOTHYROXINE SODIUM TABLETS	IMPURITIES/ <i>Organic Impurities/Procedure: Limit of Liothyronine Sodium</i>	USP37–NF32	3548	25-Jul-2014	1-Aug-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	
PIPERAZINE PHOSPHATE	Assay	USP42–NF37	3549	31-May-2019	1-Jun-2019	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Sort descending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
			—					$4\text{H}_{10}\text{N}_2 \cdot 2\text{HCl}$. to: Each mL of 0.1 N perchloric acid is equivalent to 9.207 mg of $\text{C}_4\text{H}_{10}\text{N}_2 \cdot \text{H}_3\text{PO}_4$.
FENTANYL	IM PUR ITIES/ <i>Organic Impurities/Acceptance criteria</i>	USP36–NF31	3554	31-Jan-2014	1-Feb-2014	USP38–NF33	Second Supplement to USP37–NF32	Footnote f of Table 2: Change N-Phenyl-N-[1-(2-phenylethyl)-4-piperidinyl]acetanilide hydrochloride, or acetyl fentanyl. to: N-(1-Phenethylpiperidin-4-yl)-N-phenylacetamide.
CONSTRUCT HUMAN	SPECIFIC TESTS/	USP40–NF35	3561	26-May-2017	1-Jun-2017	USP41–NF36	USP41–NF36	Line 2 of <i>L-Glutamine</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Sort descending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FIBROBLASTS IN BILAYER SYNTHETIC SCAFFOLD	<i>Metabolic Activity Assessment</i>		—					<i>solution:</i> Change 29.2 g to: 2.92 g
LINDANE CREAM	ASSAY/ <i>Procedure/Chromatographic system/ Temperatures</i>	USP37–NF32	3561	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	After the <i>Injection port</i> subsection: Add a new subsection <i>Detector: 250°</i>
DOBUTAMINE INJECTION	IDENTIFICATION N/A.	USP39–NF34	3561	31-Mar-2017	1-Apr-2017	USP41–NF36	USP41–NF36	Line 1 of <i>Sample solution:</i> Change 10 mg/mL of dobutamine hydrochloride in methanol, clarified by centrifugation to: Use the neat Injection.
RACEPINEPHRINE	USP Reference standards <11>	USP41–NF36	3564	27-Jul-2018	1-Aug-2018	USP43–NF38	Second Supplement to USP41–NF36	Add USP Epinephrine Bitartrate RS
RACEPINEPHRINE	ADDITIONAL REQUIREMENT	USP41–NF36	3564	27-Jul-2018	1-Aug-2018	USP43–NF38	Second Supplement to	Add USP Reference

Monograph Title	Section	Source Publication	Page Number	Errata Post Sort descending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INHALATION SOLUTION	S		—				USP41–NF36	Standards <11> USP Epinephrine Bitartrate RS
RACEPINEPHRINE HYDROCHLORIDE	USP Reference standards <11>	USP41–NF36	3565	27-Jul-2018	1-Aug-2018	USP43–NF38	Second Supplement to USP41–NF36	Add USP Epinephrine Bitartrate RS
POLYVINYL ALCOHOL	IDENTIFICATION	USP42–NF37	3566	28-Jun-2019	1-Jul-2019	NA	NA	In B: Change It meets the requirements in the test Viscosity—Capillary Methods <911>, Viscosity—Rotational Methods <912>, and Viscosity—Rolling Ball Method <913>. to: It meets the requirements in the test Viscosity—Capillary Methods <911>, Viscosity—Rotational Methods <912>, or

Monograph Title	Section	Source Publication	Page Number	Errata Post Sort descending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
			—					Viscosity—Rolling Ball Method <913>.
FERUMOXSILO ORAL SUSPENSION	Viscosity—Capillary Viscometer Methods <911> and Rotational Rheometer Methods <912>	USP36–NF31	3572	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1: Change and to: or
FEXOFENADINE HYDROCHLORIDE TABLETS	ASSAY/ Procedure	USP36–NF31	3576	26-Jul-2013	1-Aug-2013	USP38–NF33	First Supplement to USP37–NF32	Line 6 of Sample stock solution: Change (equivalent to 80% of the total flask volume) to: (sufficient to fill the flask to 80% of its volume)
POLYVINYLO ALCOHOL	IDENTIFICATION N/A.	USP43–NF38	3593	24-Apr-2020	1-May-2020	NA	NA	Change Infrared Absorption <197K> to: Spectroscopic Identification Tests <197>, Infrared Spectroscopy: 197K

Monograph Title Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLUOCINONID <i>Alcohol content</i> E TOPICAL SOLUTION	USP36–NF31	3618	22-Nov-2013	1-Dec-2013	USP38–NF33	<i>Second Supplement to USP37–NF32</i>	Line 1 of <i>Standard solution</i> : Change Dilute 20.0 mL of USP Alcohol to: Dilute 20.0 mL of alcohol
FLUPHENAZIN Assay E DECANOATE INJECTION	USP36–NF31	3639	26-Jul-2013	1-Aug-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 11 of <i>Standard preparation</i> : Delete (1:5) AND Line 8 of Assay <i>preparation</i> : Delete (1:5)
PRAVASTATIN ADDITIONAL R SODIUM EQUIREMENT S	USP43–NF38	3645	29-May-2020	1-Jun-2020	NA	NA	In USP <i>Reference Standards</i> <11>/USP <i>Pravastatin Related Compound A RS</i> : Change 446.51 to: 446.52
GALANTAMINE IM	USP38–NF33	3646	29-Jan-2016	1-Feb-2016	USP40–NF35	<i>Second</i>	Line 8 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Sort descending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROBROMIDE	PURITIES/ <i>Organic Impurities</i>		—				<i>Supplement to USP39–NF34</i>	Analysis: Change Result = $(r_U/r_S) \times (C_S/C_U) \times (1/F) \times (100/100 ? L)$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times (1/F) \times (100/[100 ? L])$
GALANTAMINE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i>	<i>USP38–NF33</i>	3649	29-Jan-2016	1-Feb-2016	<i>USP40–NF35</i>	<i>Second Supplement to USP39–NF34</i>	Line 6 of Analysis in Test 1: Change Result = $(A_U/A_S) \times (C_S/L) \times (M_{r1}/M_{r2}) \times 100$ to: Result = $(A_U/A_S) \times (C_S/L) \times (M_{r1}/M_{r2}) \times V \times 100$ AND Add to the variable definition list in Test 1 V = volume of Medium, 500 mL AND

Monograph Title Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—					Equation in <i>Test 3</i> : Change Result = $(r_U/r_S) \times (C_S/L) \times (M_{r1}/M_{r2}) \times 100$ to: Result = $(r_U/r_S) \times (C_S/L) \times (M_{r1}/M_{r2}) \times V \times 100$ AND Add to the variable definition list in <i>Test 3</i> <i>V</i> = volume of <i>Medium</i> , 500 mL <i>In For products for veterinary use/Apparatus 2</i> : Change peak vessels to: apex vessels Change: <i>Mobile phase, Resolution solution, and Chromatographic</i>
PRAZIQUANTE PERFORMANC L TABLETS E TESTS/ <i>Dissolution</i> <711>	USP43–NF38	3650	30-Oct-2020	1-Nov-2020	NA	NA	
MANNITOL INJECTION	Assay	USP37–NF32 3653	21-Nov-2014	1-Dec-2014	USP39–NF34	Second Supplement to USP38–NF33	

Monograph Title Section	Source Publication	Page Number Errata Post Sort descending Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—				<i>system</i> —Proceed as directed in the Assay under <i>Mannitol</i>. to: <i>Mobile phase</i>—Use degassed water. <i>Resolution solution</i> —Dissolve sorbitol and USP Mannitol RS in water to obtain a solution having concentrations of about 4.8 mg per mL of each. <i>Chromatographic system</i> (see <i>Chromatography <621></i>)—The liquid chromatograph is equipped with a refractive index detector that is

Monograph Title Section	Source Publication	Page Number Errata Post Sort descending Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—				maintained at a constant temperature and a 4-mm × 25-cm column that contains packing L19. The column temperature is maintained at a temperature between 30° and 85° controlled within ±2° of the selected temperature, and the flow rate is about 0.5 mL per minute. Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the relative standard deviation for replicate

Monograph Title Section	Source Publication	Page Number Errata Post Sort descending Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—				injections is not more than 2.0%. In a similar manner, chromatograph the <i>Resolution solution</i>: the resolution, <i>R</i>, between the sorbitol and mannitol peaks is not less than 2.0. AND Line 1 of <i>Procedure</i>: Change Proceed as directed for <i>Procedure</i> in the Assay under Mannitol. to: Separately inject equal volumes (about 20 µL) of the Assay <i>preparation</i> and the <i>Standard preparation</i> into

Monograph Title	Section	Source Publication	Page Number	Errata Post Sort descending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
			—					the chromatograph, record the chromatograms, and measure the responses for the major peaks.
MAPROTILINE HYDROCHLORIDE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711>	USP37–NF32	3655	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	Line 3 of <i>Analysis</i> : Change Determine the labeled amount of maprotiline hydrochloride to: Determine the percentage of the labeled amount of maprotiline hydrochloride
EFAVIRENZ	IMPURITIES/ <i>Organic Impurities</i>	USP39–NF34	3656	27-Jan-2017	1-Feb-2017	USP41–NF36	<i>Second Supplement to USP40–NF35</i>	Row 4 of Column 1 of <i>Procedure 1/Impurity Table 1</i> : Change Efavirenz pent-3-ene-1-yne (<i>cis</i>) ^c to:

Monograph Title Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—					Efavirenz pent-3-ene-1-yne (<i>trans</i>)^c AND Row 5 of Column 1 of <i>Procedure 1/Impurity Table 1</i>:Change Efavirenz pent-3-ene-1-yne (<i>trans</i>)^d to: Efavirenz pent-3-ene-1-yne (<i>cis</i>)^d AND Row 3 of Column 1 of <i>Procedure 2/Impurity Table 2</i>:Change Efavirenz pent-3-ene-1-yne (<i>cis</i>)^a to: Efavirenz pent-3-ene-1-yne (<i>trans</i>)^a AND

Monograph Title	Section	Source Publication	Page Number	Errata Post Sort descending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
			—					Row 4 of Column 1 of <i>Procedure 2/Impurity Table 2</i> : Change Efavirenz pent-3-ene-1-yne (<i>trans</i>) ^b to: Efavirenz pent-3-ene-1-yne (<i>cis</i>) ^b
LEVETIRACETAM	ADDITIONAL REQUIREMENTS	USP35–NF30	3659	29-Mar-2013	1-Apr-2013	USP37–NF32	USP37–NF32	Line 9 of <i>USP Reference Standards <11></i> : Change C ₈ H ₁₄ ClNO ₃ 207.65 to: C ₈ H ₁₅ ClN ₂ O ₂ 206.67
RIZATRIPTAN BENZOATE	ADDITIONAL REQUIREMENTS <i>USP Reference Standards <11></i>	USP41–NF36	3662	26-Oct-2018	1-Nov-2018	USP43–NF38	<i>Second Supplement to USP41–NF36</i>	Line 6 of <i>USP Rizatriptan Benzoate System Suitability Mixture RS</i> : Change 269.34) to: 269.35)

Monograph Title Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FOSPHENYTOIN SODIUM USP Reference standards <11>	USP36–NF31	3679	31-May-2013	1-Jun-2013	USP37–NF32	USP37–NF32	Line 6: Change $C_{14}H_{15}NO_2$ to: $C_{14}H_{13}NO_2$
FOSPHENYTOIN SODIUM INJECTION USP Reference standards <11>	USP36–NF31	3680	31-May-2013	1-Jun-2013	USP37–NF32	USP37–NF32	Line 6: Change $C_{14}H_{15}NO_2$ to: $C_{14}H_{13}NO_2$
FOSPHENYTOIN SODIUM INJECTION Assay	USP36–NF31	3680	31-May-2013	1-Jun-2013	USP37–NF32	USP37–NF32	Line 1 of Assay preparation: Change Transfer an accurately measured volume of the Injection, equivalent to about 300 mg of fosphenytoin, to: Transfer an accurately measured volume of the Injection, equivalent to about 300 mg of fosphenytoin sodium,
DEXCHLORPHENIRAMINE ADDITIONAL REQUIREMENT	USP40–NF35	3685	17-Nov-2017	1-Dec-2017	USP42–NF37	Second Supplement to	Line 2 of USP Chlorpheniramine

Monograph Title	Section	Source Publication	Page Number	Errata Post Sort descending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MALEATE	<i>SIUSP Reference Standards <11></i>		—				USP41–NF36	Related Compound C RS: Change 3-(4-Chlorophenyl)- <i>N</i> -methyl-3-(pyridin-2-yl)propan-1-amine. C ₁₅ H ₁₇ ClN ₂ 260.76 to: 3-(4-Chlorophenyl)- <i>N</i> -methyl-3-(pyridin-2-yl)propan-1-amine maleate. C ₁₅ H ₁₇ ClN ₂ · C ₄ H ₄ O ₄ 376.83
GADOTERIDOL INJECTION	<i>Bacterial endotoxins <85></i>	USP36–NF31	3701	22-Nov-2013	1-Dec-2013	USP38–NF33	Second Supplement to USP37–NF32	Line 2: Change gadoteridol. to: Gadoteridol Injection.
ENTECAVIR	<i>ASSAY/ Procedure</i>	USP39–NF34	3704	27-Jan-2017	1-Feb-2017	USP41–NF36	Second Supplement to USP40–NF35	Line 5 of Analysis: Change Result = $(r_U/r_S) \times (C_S/C_U) \times (M_{r1}/M_{r2}) \times 100$ to: Result = $(r$

Monograph Title	Section	Source Publication	Page Number	Errata Post Sort descending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
			—					$\frac{U}{r_s}) \times (C_s/C_U) \times 100$ AND Line 14 of <i>Analysis</i> : Delete M_{r1} =molecular weight of anhydrous entecavir, 277.28 M_{r2} =molecular weight of entecavir, 295.29 Line 4 of <i>USP Reference Standards</i> : Change 8-Chloro-6,11-dihydro-11-(4-piperidylidene)-5H-benzo[5,6]cyclohepta[1,2-b]pyridine. to: 8-Chloro-5,6-dihydro-11-(piperidylidene)-5H-benzo[5,6]cyclohepta[1,2-b]pyridine.
LORATADINE ORALLY-DISINTEGRATING TABLETS	ADDITIONAL REQUIREMENT <i>S/USP Reference Standards</i>	<i>USP35–NF30</i>	3714	31-Jan-2013	1-Feb-2013	<i>USP37–NF32</i>	<i>Second Supplement to USP36–NF31</i>	

Monograph Title Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—					<i>H</i> -benzo[5,6]cyclohepta[1,2-<i>b</i>]pyridine. AND Line 6: Change 310.83 to: 310.82 AND Line 8: Change 8-Chloro-6,11-dihydro-11-(<i>N</i>-methyl-4-piperidylidene)-5<i>H</i>-benzo[5,6]cyclohepta[1,2-<i>b</i>]pyridine. to: 8-Chloro-5,6-dihydro-11-(<i>N</i>-methylpiperidin-4

Monograph Title Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—					-ylid ene)-11 <i>H</i> -benzo[5,6]cycl ohe pta[1,2- <i>b</i>]pyridine. AND Line 10: Change 324.88 to: 324.85 Equation in <i>Test 1</i> : Change Result = $[(A_U/A_S) \times C_S \times (V ? V_S) + (C_{60} \times V_S) + (C_{180} \times V_S) \times 100]/L$ to: Result = $[(A_U/A_S) \times C_S \times (V ? V_S) + (C_{60} \times V_S) + (C_{180} \times V_S)] \times (100/L)$ AND Equation 3 in <i>Test 2</i> : Change Result = $[C_2 \times (V ? SV_1) + C_1 \times SV$
METFORMIN H PERFORMANC YDROCHLORI E DE EXTENDED-TESTS/ RELEASE TABLETS	USP37–NF32	3732	21-Nov-2014	1-Dec-2014	USP39–NF34	<i>Second Supplement to USP38–NF33</i>	<i>Dissolution</i> <711>

Monograph Title	Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
			—					$\frac{1 \times 100}{L}$ to: $\text{Result} = [C_2 \times (V \div SV_1) + C_1 \times SV_1] \times (100/L)$ AND Equation 4 in <i>Test 2: Change</i> $\text{Result} = \{C_n \times [V \div (n \div 1)V_S] + (C_1 + C_2 + \dots + C_{n-1}) \times V_S \times 100\}/L$ to: $\text{Result} = \{C_n \times [V \div (n \div 1)V_S] + (C_1 + C_2 + \dots + C_{n-1}) \times V_S\} \times (100/L)$
PROPOFOL	IMPURITIES/ <i>Organic Impurities, Procedure 2</i>	USP43–NF38	3739	24-Apr-2020	1-May-2020	NA	NA	In <i>Table 3</i> : Delete Propofol related compound B ^b 0.8 1.0 0.05 AND Change Propofol related compound A ^c to: Propofol related compound A ^b

Monograph Title Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PROPRANOLOL HYDROCHLORIDE IMITIES/Organic Impurities	USP43–NF38	3746	24-Apr-2020	1-May-2020	NA	NA	procedure to: gas chromatographic procedure In System suitability/Suitability requirements/Relative standard deviation: Change NMT 5.0, to: NMT 5.0%,
POWDERED DIGITALIS IDENTIFICATION N/B. Thin-Layer Chromatographic Identification Test	USP40–NF35	3762	26-Jan-2018	1-Feb-2018	USP42–NF37	Second Supplement to USP41–NF36	Line 3 of Standard solution A: Change lead acetate, to: lead acetate TS, AND Line 11 of Analysis: Change Locate the two prominent

Monograph Title Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—					bands from <i>Standard solution A</i> corresponding in R_F value to the two bands from <i>Standard solution B</i> . to: Locate the prominent bands from <i>Standard solution A</i> corresponding in R_F value to the band from <i>Standard solution B</i> .
METHOTREXATE IM PURITIES/Organic Impurities/Procedure 1: Related Compounds	USP37–NF32	3762	30-Jan-2015	1-Feb-2015	USP39–NF34	Second Supplement to USP38–NF33	Line 1 of <i>Standard solution A</i> : Change 0.1 ?g/mL of USP Methotrexate RS in <i>Solution A</i> , from the <i>Standard stock solution</i> to:

Monograph Title Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
		—					0.1 µg/mL of USP Methotrexate RS in <i>Solution A</i> , from <i>Standard stock solution A</i>
HYDROCHLORIC ACID INJECTION <i>Assay Procedure</i>	USP38–NF33	3770	29-Jan-2016	1-Feb-2016	USP40–NF35	<i>Second Supplement to USP39–NF34</i>	Line 8 of <i>Analysis</i> : Change F = equivalency factor, 18.23 mg/mEq to: F = equivalency factor, 36.46 mg/mEq
GRANISETRON HYDROCHLORIDE INJECTION <i>Assay</i>	USP36–NF31	3772	22-Nov-2013	1-Dec-2013	USP38–NF33	<i>Second Supplement to USP37–NF32</i>	Line 10 of <i>Procedure</i> : Change $100(312.41 / 348.87)(C/L)(r_U / r_S)$ to: $100(312.41 / 348.87)(C/C_U)(r_U / r_S)$ AND Line of 14 of <i>Procedure</i> :

Monograph Title	Section	Source Publication	Page Number	Errata Post Sort descending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
			—					Change <i>L</i> is as defined above; to: <i>C_U</i> is the nominal concentration, in mg per mL, of granisetron in the Assay preparation; In USP Quazepam Related Compound A RS: Change 7-Chloro-1-(2,2,2-trifluoroethyl)-5-(2-Fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepine-2-one. to: 7-Chloro-5-(2-fluorophenyl)-1,3-dihydro-1-(2,2,2-trifluoroethyl)-2H-1,4-benzodiazepine-2-one. In USP
QUAZEPAM	ADDITIONAL REQUIREMENT S/USP Reference standards <11>	USP43–NF38	3790	30-Jul-2021	1-Aug-2021	NA	NA	
QUAZEPAM	ADDITIONAL REQUIREMENT	USP43–NF38	3791	30-Jul-2021	1-Aug-2021	NA	NA	

Monograph Title Section		Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TABLETS	EQUIREMENT S/USP Reference standards <11>		—					Quazepam Related Compound A RS: Change 7-Chloro-1-(2,2, 2 trifluoroethyl)- 5-(2-Fluorophen yl)-1,3-dihydro- 2H-1,4-benzodi azepine-2-one. to: 7-Chloro-5-(2-f luorophenyl)-1,3 -dihydro-1-(2,2, 2-trifluoroethyl)- 2H -1,4-benzodiaze pine-2-one.
	HYDROXYZINE PAMOATE ORAL SUSPENSION	ADDITIONAL R EQUIREMENT S/USP Reference Standards <11>	USP38–NF33 3817	25-Sep-2015	1-Oct-2015	USP40–NF35	First Supplement to USP39–NF34	Delete USP Hydroxyzine Hydrochloride RS
	METFORMIN H YDROCHLORI DE TABLETS	Dissolution <711>/Test 3	USP35–NF30 3830	28-Sep-2012	1-Oct-2012	USP37–NF32	First Supplement to USP36–NF31	Lines 6 and 7 of Procedure: Change $r_U \times C_S \times 900 \times 100/r_S \times D \times LC$ to: $r_U \times C_S \times 1000 \times 100/r$

Monograph Title	Section	Source Publication	Page Number Sort descending	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MICONAZOLE INJECTION	IDENTIFICATION N/A./ <i>Chromatographic system</i>	USP37–NF32	3831	30-May-2014	1-Jun-2014	USP38–NF33	USP38–NF33	Line 11 of <i>Procedure</i> : Change 900 is the volume to: 1000 is the volume
RALTEGRAVIR TABLETS	DEFINITION	USP43–NF38	3834	24-Apr-2020	1-May-2020	NA	NA	Line 1 of <i>Spray reagent</i> : Change (Dragendorff's reagent) to: (Dragendorff's TS) Change (C ₂₀ H ₂₀ FN ₆ O ₅) to: (C ₂₀ H ₂₁ FN ₆ O ₅)

-
- [Page 21](#)
 - [Page 22](#)
 - [Current page 23](#)
 - [Page 24](#)
 - [Page 25](#)
 - [Page 26](#)
 - [Page 27](#)
 - ...
 - [Next page Next ›](#)
 - [Last page Last »](#)