

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication		Date	Date	Print Publication	Fix Publication	
PROPOFOL	ADDITIONAL R	USP39–NF34	5575	30-Sep-2016	1-Oct-2016	USP41–NF36	First	Line 2 of USP

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INJECTABLE EMULSION	EQUIREMENT S/USP Reference Standards <11>							<i>Supplement to USP40–NF35</i>	Propofol Related Compound B RS: Change 2,6-Diisopropylbenzoquinone. to: 2,6-Diisopropyl-1,4-benzoquinone.
HAZARDOUS DRUGS—HANDLING IN HEALTHCARE SETTINGS	Appendix 3: Types of Biological Safety Cabinets/Class II	<i>First Supplement to USP39–NF34</i>	7721	30-Sep-2016		1-Oct-2016	<i>USP41–NF36</i>	<i>First Supplement to USP40–NF35</i>	Line 5 of <i>Type A1 (formerly, Type A)</i> : Change radionucleotides to: radionuclides AND Line 5 of <i>Type A2 (formerly, Type B3)</i> : Change radionucleotides to: radionuclides AND Line 5 of <i>Type B1</i> : Change radionucleotide

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PERINDOPRIL ERBUMINE	ADDITIONAL R EQUIREMENT	<i>First Supplement to S/USP Reference Standards <11></i>	8127	30-Sep-2016		1-Oct-2016	<i>USP41–NF36</i>	<i>First Supplement to USP40–NF35</i>	s to: radionuclides AND Line 5 of <i>Type B2 (total exhaust):</i> Change radionucleotide s to: radionuclides Line 2 of USP Perindopril Related Compound A RS: Change (2S,3aS,7aS)-Octahydro-1H-indole-2-carboxylic acid hydrochloride. $C_{17}H_{28}N_2O_5 \cdot HCl$ 205.68 to: (2S,3aS,7aS)-Oct

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CALCIUM GLUCONATE INJECTION	DEFINITION	USP39–NF34	2879	30-Sep-2016		1-Oct-2016	USP41–NF36	First Supplement to USP40–NF35	ahydro -1H -indole-2-carbox ylic acid. $C_9H_{15}NO_2$ 169.22 Line 8: Change It may contain sodium hydroxide added for adjustment of the pH. to: It may contain sodium hydroxide or hydrochloric acid added for adjustment of the pH.
POTASSIUM CITRATE EXTE ONE NDED- RELEASE TABLETS	OTHER COMP NTS/ <i>Content of Potassium</i>	USP39–NF34	5465	30-Sep-2016		1-Oct-2016	USP41–NF36	First Supplement to USP40–NF35	Line 10 of <i>Analysis:</i> Change $Result = (C/C_U)$ $\times [M_r/(3 \times A_r)] \times$ 100 to: $Result = C \times$ $100/C_U$ AND

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Line 13 of <i>Analysis</i>: Change C_U = nominal concentration, based on the Assay value, of potassium citrate monohydrate in the <i>Sample solution</i> ($\mu\text{g/mL}$) M_r = molecular weight of potassium citrate monohydrate, 324.41 A_r = atomic weight of potassium, 39.10 to: C_U = concentration of potassium citrate anhydrous ($\text{C}_6\text{H}_5\text{K}_3\text{O}_7$) in the <i>Sample solution</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ST. JOHN'S WORT	SPECIFIC TESTS	USP39–NF34	6817	30-Sep-2016		1-Oct-2016	USP41–NF36	First Supplement to USP40–NF35	calculated from the Assay value of potassium citrate monohydrate (C ₆ H ₅ K ₃ O ₇ · H ₂ O) (µg/mL) Insert missing test: <i>Articles of Botanical Origin <561>, Methods of Analysis, Total Ash: NMT 5.0%</i>
OXYMETAZOLINE HYDROCHLORIDE	IMPURITIES/Organic Impurities/ Table 2	First Supplement to USP39–NF34	8116	30-Sep-2016		1-Oct-2016	USP41–NF36	First Supplement to USP40–NF35	Row 2 of Column 1: Change Oxymetazoline related compound A to: Oxymetazoline related compound A ^a AND Add footnote a: <i>N</i> -(2-Aminoethyl)-2-[4-(<i>tert</i> -butyl)-3-hydrox

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ANALYTICAL DATA—INTERRETATION AND TREATMENT	APPENDIX C: OUTLIER TESTS FOR ANALYTICAL DATA/ <i>Hampel's Rule</i>	USP39–NF34	767	30-Sep-2016		1-Oct-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	y-2,6-dimethylphenyl]acetamide. Row 13 of Column 4 of Table 5. Test Results of Re-Applied <i>Hampel's Rule</i> : Change 0.14 to: 0.15
PARICALCITOLIM INJECTION	PURITIES/ <i>Organic Impurities/Chromatographic system/Columns</i>	USP39–NF34	5279	30-Sep-2016		1-Oct-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Line 1 of <i>Guard</i> : Change 4.6-mm x 7.5-mm; packing L1 to: 4.6-mm x 7.5-mm or 4.6-mm x 10-mm; packing L1
TRAVOPROST OPHTHALMIC SOLUTION	ADDITIONAL REQUIREMENT S/ <i>USP Reference Standards <11></i>	USP39–NF34	6226	30-Sep-2016		1-Oct-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Line 2 of USP Travoprost Related Compound A RS: Change (5Z,13E)-(9S,11R,15R

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DANTROLENE IDENTIFICATIO	<i>First</i>	8035	30-Sep-2016	1-Oct-2016	<i>USP41–NF36</i>	<i>First</i>	<p>)-9,11,15-Trihydroxy-1 6-(<i>m</i> -trifluoromethylphenoxy)-17,18,19,20-tetranor-5,13-prostadienoic acid.</p> <p>to: (5<i>Z</i>,13<i>E</i>)-(9<i>S</i>,11<i>R</i>,15<i>R</i>)-9,11,15-Trihydroxy-1 6-(<i>m</i> -trifluoromethylphenoxy)-17,18,19,20-tetranor-5,13-prostadienoic acid</p> <p>or (<i>Z</i>)-7-((1<i>R</i>,2<i>R</i>,3<i>R</i>,5<i>S</i>)-3,5-Dihydroxy-2-((<i>R</i>,<i>E</i>)-3-hydroxy-4-[3-(trifluoromethylphenoxy)]but-1-enyl)cyclopentyl)hept-5-enoic acid.</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SODIUM	N/D.	<i>Supplement to USP39–NF34</i>						<i>Supplement to USP40–NF35</i>	<i>Solution A: Change tetramethylammonium hydroxide solution to: tetramethylammonium hydroxide TS</i>
PERINDOPRIL IM ERBUMINE PUR	ITIES/ <i>Organic Impurities/ Table 2</i>	<i>First Supplement to USP39–NF34</i>	8127	30-Sep-2016		1-Oct-2016	<i>USP41–NF36</i>	<i>First Supplement to USP40–NF35</i>	Line 2 of footnote g: Change octahydro to: octahydro
FLUORESCEIN ASSAY/ SODIUM	<i>Procedure</i>	<i>USP39–NF34</i>	3960	30-Sep-2016		1-Oct-2016	<i>USP41–NF36</i>	<i>First Supplement to USP40–NF35</i>	Line 3 of <i>Standard stock solution:</i> Change 1.0 mg/mL of fluorescein sodium in <i>Diluent</i> is prepared as follows. to: 1.0 mg/mL of fluorescein sodium is prepared as

<u>Monograph Title</u>	<u>Section</u>	<u>Source Publication</u>	<u>Page Number</u>	<u>Errata Post Date</u>	<u>Sort ascending</u>	<u>Errata Official Date</u>	<u>Target Errata Print Publication</u>	<u>Target Online Fix Publication</u>	Description
PROPOFOL	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP39–NF34	5573	30-Sep-2016		1-Oct-2016	USP41–NF36	First Supplement to USP40–NF35	follows. Line 2 of USP Propofol Related Compound B RS: Change 2,6-Diisopropylbenzoquinone. to: 2,6-Diisopropyl-1,4-benzoquinone.
HAZARDOUS DRUGS—HANDLING IN HEALTHCARE SETTINGS	REFERENCES	First Supplement to USP39–NF34	7721	30-Sep-2016		1-Oct-2016	USP41–NF36	First Supplement to USP40–NF35	Line 2 of first reference: Delete http://www.aceem.org/Reproductive_Developmental_Hazard_Management.aspx . AND Line 2 of second reference: Delete http://www.asco.org/advocacy/worker-safety-when-handling-hazardous-drugs-fo

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PERINDOPRIL ERBUMINE	CHEMICAL INFORMATION	<i>First Supplement to USP39–NF34</i>	8127	30-Sep-2016		1-Oct-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	cus-statement-oncology-societies. Line 9: Delete (2S,3aS,7aS)-1-[(S)-2-[(R)-1-Ethoxy-1-oxopentan-2-ylamino]propanoyl]octahydro-1H-indole-2-carboxylic acid
CALCIUM GLUCONATE	CHEMICAL INFORMATION	<i>USP39–NF34</i>	2877	30-Sep-2016		1-Oct-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Line 5: Change [18016-24-5]. to: [66905-23-5].
PHENYTOIN SODIUM	IDENTIFICATION N/B.	<i>USP39–NF34 Identification Tests—General, Sodium <191></i>	5388	30-Sep-2016		1-Oct-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Line 2: Change tetramethylammonium hydroxide solution, to: tetramethylammonium hydroxide TS,
VITAMIN A ORAL LIQUID PREPARATION	ASSAY/Vitamin A	<i>USP39–NF34</i>	6374	30-Sep-2016		1-Oct-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Line 7 of Analysis: Change Result = $(r_U/r_S) \times (C/W) \times (V/D)$

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OXYMETAZOLINE HYDROCHLORIDE ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>First Supplement to USP39–NF34</i>	8116	30-Sep-2016	1-Oct-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	<p> $\times U \times (100/L)$ to: Result = (r_U/r_S) $\times (C/W) \times D \times U$ $\times (100/L)$ AND Line 16 of the <i>Analysis</i>: Delete V = volume of the <i>Sample solution</i> (mL) USP Oxymetazoline Related Compound A RS: Change N -(2-Aminoethyl)-2-[4-(<i>tert</i>-butyl)-3-hydroxy-2,6-dimethylphenyl]acetamide. $C_{16}H_{26}N_2O_2$ 278.39 to: N -(2-Aminoethyl)-2-[4-(<i>tert</i>-butyl)-3-hydroxy-2,6-dimethylp </p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DESLORATADINE ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>Second Supplement to USP39–NF34</i>	8607	30-Sep-2016	1-Oct-2016	<i>USP41–NF36</i>	<i>First Supplement to USP40–NF35</i>	henyl]acetamide hydrochloride. C ₁₆ H ₂₆ N ₂ O ₂ · HCl 314.85 Line 2 of USP Desloratadine Related Compound B RS: Change 8-Chloro-11-(1, 2,3,6-tetrahydro pyridin-4-yl)-6,1 1-di hydro-5H -benzo[5,6]cyclohepta[1,2-b]pyridine. C ₁₉ H ₁₉ ClN ₂ 310.82 to: 8-Chloro-11-(1, 2,3,6-tetrahydro pyridin-4-yl)-6,1 1-di hydro-5H -benzo[5,6]cyclohepta[1,2-b]pyridine hydrochloride.

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
EXTRACTABLE REFERENCES ASSOCIATED WITH PHARMACEUTICAL PACKAGING SYSTEMS	USP39–NF34	1835	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	C ₁₉ H ₂₀ Cl ₂ N ₂ 347.28 Delete references 5, 7, 9, and 12.
FLUORESCENCE SODIUM PURITIES/Organic Impurities	USP39–NF34	3960	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Row 7 of column 1 of Table 2: Change Total impurities to: Total unspecified impurities
HALOPERIDOL DECANOATE PURITIES/Organic Impurities/ Table 2	USP39–NF34	4184	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Footnote k: Change 4-(4-Chlorobiphenyl-4-yl)-1-[4-(4-fluorophenyl)-4-oxobutyl]piperidin-4-yl decanoate. to: 4-(3-Chlorobiphenyl-4-yl)-1-[4-(4-fluorophenyl)-4-oxobutyl]piperidin-4-yl decanoate.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RIZATRIPTAN BENZOATE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711> <i>Chromatographic procedure</i>	USP39–NF34 5750	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	ridin-4-yl decanoate. AND Footnote I: Change 4-(3?-Chlorobiphenyl-4-yl)-1-[4-(4-fluorophenyl)-4-oxobutyl]piperidin-4-yl decanoate. to: 4-(4?-Chlorobiphenyl-4-yl)-1-[4-(4-fluorophenyl)-4-oxobutyl]piperidin-4-yl decanoate. Add Buffer: 1.36 g/L of monobasic potassium phosphate. Adjust the pH of the solution with phosphoric acid to 2.5.
TRIHEXYPHEN IDYL HYDROCHLORIDE ORAL	Assay	USP39–NF34 6266	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 1 of <i>Mobile phase</i> and <i>Chromatographic system</i> :

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SOLUTION							<p>Change Prepare as directed in the Assay under <i>Trihexyphenidyl Hydrochloride</i>. to: <i>Mobile phase</i>—Prepare a mixture of acetonitrile, water, and triethylamine (920:80:0.2), adjust with phosphoric acid to a pH of 4.0, mix, filter, and degas. Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> <621>). <i>Chromatographic system</i> (see <i>Chromatography</i> <621>)—The liquid chromatograph</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>is equipped with a 210-nm detector and a 4.6-mm × 8-cm column that contains 3-μm packing L1. The flow rate is about 2 mL per minute.</p> <p>Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the column efficiency determined from the analyte peak is not less than 1300 theoretical plates, the tailing factor for the analyte peak is not more than 3.0, and the relative standard</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>deviation for replicate injections is not more than 1.0%. AND Line 1 of <i>Procedure</i>: Change Proceed as directed for <i>Procedure</i> in the Assay under <i>Trihexyphenidyl Hydrochloride</i>. to: Separately inject equal volumes (about 10 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the chromatograms, and measure the responses for the major</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SULINDAC TABLETS	IM PUR ITIES/Organic Impurities	<i>First Supplement to USP39–NF34</i>	8160	29-Jul-2016		1-Aug-2016	<i>USP41–NF36</i>	<i>First Supplement to USP40–NF35</i>	peaks. AND Line 7 of <i>Procedure:</i> Change and the other terms are as defined therein. to: C is the concentration, in mg per mL, of USP Trihexyphenidyl Hydrochloride RS in the <i>Standard preparation, r_U</i> and <i>r_S</i> are the trihexyphenidyl peak responses obtained from the <i>Assay preparation</i> and the <i>Standard preparation</i> , respectively. Line 1 of <i>System suitability/Relative</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>standard deviation:</i> Change NMT 2.0% for any peak to: NMT 2.0% for sulindac, sulindac related compound B, and sulindac related compound C AND Line 3 of <i>Analysis:</i> Change Calculate the percentage of the labeled amount of sulindac related compound A, sulindac related compound B, or sulindac related compound C in the portion of Tablets taken: to: Calculate the</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>percentage of sulindac related compound B or sulindac related compound C in the portion of Tablets taken: AND Line 8 of <i>Analysis</i>: Change r_U = peak response of sulindac related compound A, sulindac related compound B, or sulindac related compound C from the <i>Sample solution</i> to: r_U = peak response of sulindac related compound B or sulindac related compound C from the <i>Sample solution</i> AND</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									Line 12 of <i>Analysis</i> : Change r_S = peak response of sulindac related compound A, sulindac related compound B, or sulindac related compound C from the <i>Standard solution</i> to: r_S = peak response of sulindac related compound B or sulindac related compound C from the <i>Standard solution</i>
FELBAMATE ORAL SUSPENSION	PERFORMANCE TESTS/ <i>Dissolution</i> <711>	USP39–NF34	3855	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 4 of <i>System suitability</i> : Change [Note—The relative retention times

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
GRANISETRO USP Reference N HYDROCHL standards <11> ORIDE TABLETS	USP39–NF34	4155	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	for methylparaben and felbamate are about 0.5 and 1.0, respectively.] to: [Note—The relative retention times for felbamate and methylparaben are about 1.0 and 1.5, respectively.] Line 2 of USP Granisetron Related Compound B RS: Change (N-[(1R,3r,5)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1H-indazole-3-carboxamide). to: N-[(1R,3r,5S)-9-Methyl-9-az

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NAPROXEN TABLETS	ASSAY/ Proce dure/System suitabil ity/Suitability requirements	USP39–NF34	4993	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	abicyclo[3.3.1]non-3-yl]-1H-indazole-3-carboxamide. Line 1 of <i>Tailing factor</i> . Change NLT 2.0 to: NMT 2.0
SODIUM NITR OPRUSSIDE	Identification	USP39–NF34	5880	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 1 of <i>Identification C</i> : Change A solution (1 in 4) responds to the flame test for <i>Sodium</i> <191>. to: A solution (1 in 4) imparts an intense yellow color to a nonluminous flame.
BISOCTRIZOL E	IM PUR ITIES/Organic Impurities	First Supplement to USP39–NF34	8008	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Footnote b of <i>Table 2</i> : Change Phenol, 2,2-meth

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							yle nebis[6-(2H -benzotriazol-2- yl)-4-(1,1,3,3-tet ramethylbutyl)]. to: Phenol, 2,2?-m
ASSESSMENT REFERENCES OF DRUG PRODUCT LEACHABLES ASSOCIATED WITH PHARMA CEUTICAL PA CKAGING/DELI VERY SYSTEMS	USP39–NF34	1850	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	H -benzotriazol-2- yl)-4-(1,1,3,3-tet ramethylbutyl)]. Delete reference 8.
GRANISETRO N HYDROCHL ORIDE	USP Reference standards <11>	USP39–NF34 4151	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 2 of USP Granisetron Related Compound B RS: Change (N-[(1R,3r

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							,5)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1 <i>H</i> -indazole-3-carboxamide). to: (<i>N</i> [(1 <i>R</i> ,3 <i>r</i> ,5 <i>S</i>)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1 <i>H</i> -indazole-3-carboxamide). AND Line 2 of USP Granisetron Related Compound E RS: Change ((1 <i>R</i> ,3 <i>r</i> ,5 <i>S</i>)-9-Methyl-9-azabicyclo[3.3.1]non-3-amine, acetate salt). to: (1 <i>R</i> ,3 <i>r</i> ,5 <i>S</i>)-9-Methyl-9-azabicyclo[3.3.1]non-3-amine, acetate salt).

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
KETOROLAC T ADDITIONAL R ROMETHAMIN EQUIREMENT E INJECTION S/USP Reference Standards <11>	USP39–NF34	4468	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 4 of USP Ketorolac Related Compound A RS: Change 358.15 to: 358.39 AND Line 3 of USP Ketorolac Related Compound B RS: Change 227.09 to: 227.26 AND Line 3 of USP Ketorolac Related Compound C RS: Change 225.09 to: 225.24 AND Line 3 of USP Ketorolac Related Compound D:

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SIMETHICONE ASSAY/ <i>Procedure/Analysis</i>	USP39–NF34	5843	29-Jul-2016	1-Aug-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Change 211.1 to: 211.3 Line 1 of <i>Samples: Change Standard stock solution, Standard solution, Sample stock solution, and Sample solution</i> to: <i>Standard solution and Sample solution</i>
BANABA LEAF IDENTIFICATION DRY EXTRACT N	USP39–NF34	6494	29-Jul-2016	1-Aug-2016	USP41–NF36	<i>First Supplement to USP40–NF35</i>	Delete <i>Identification A. AND</i> Line 1 of <i>Identification B: Change B.</i> to: <i>A. AND</i> Line 1 of <i>Identification C: Change</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OMEGA-3-ACID ETHYL ESTERS CAPSULES	ASSAY/Content of EPAee, DHAee, and Total Omega-3-Acid Ethyl Esters/Analysis	Second Supplement to USP39–NF34	8755	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	C. to: B. Line 16 of the third equation: Change L = label claim of total omega-3-acids ethyl esters (g/Capsule) to: L = label claim of total omega-3-acids ethyl esters (mg/Capsule)
FEXOFENADINE HYDROCHLORIDE	CHEMICAL INFORMATION	USP39–NF34	3895	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 7: Change [138452-21-8]. to: [153439-40-8].
HALCINONIDE CREAM	IMPURITIES/Organic Impurities/Chromatographic system	USP39–NF34	4176	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 1 of Column: Change 1.8-µm packing L1 to: 1.7-µm packing L1
NAPROXEN TABLETS	IMPURITIES	USP39–NF34	4993	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to	Line 6 of Analysis:

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ITIES/ <i>Organic Impurities</i>						USP40–NF35	Change Result = $(r_U/r_S) \times (C_U/C_S) \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$
TRIHXYPHEN Assay IDYL HYDROCHLORIDE EXTENDED-RELEASE CAPSULES	USP39–NF34	6265	29-Jul-2016	1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 1 of <i>Mobile phase</i> and <i>Chromatographic system</i> : Change Prepare as directed in the Assay under <i>Trihexyphenidyl Hydrochloride</i> . to: <i>Mobile phase</i> —Prepare a mixture of acetonitrile, water, and triethylamine (920:80:0.2), adjust with phosphoric acid to a pH of 4.0, mix, filter, and degas. Make adjustments if necessary (see

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>System Suitability</i> under <i>Chromatography</i> <621>). <i>Chromatographic system</i> (see <i>Chromatography</i> <621>)—The liquid chromatograph is equipped with a 210-nm detector and a 4.6-mm × 8-cm column that contains 3-μm packing L1. The flow rate is about 2 mL per minute. Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the column efficiency determined from the analyte</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>peak is not less than 1300 theoretical plates, the tailing factor for the analyte peak is not more than 3.0, and the relative standard deviation for replicate injections is not more than 1.0%.</p> <p>AND</p> <p>Line 1 of <i>Procedure</i>: Change Proceed as directed for <i>Procedure</i> in the <i>Assay</i> under <i>Trihexyphenidyl Hydrochloride</i>. to: Separately inject equal volumes (about 10 µL) of the <i>Standard</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>preparation and the Assay preparation into the chromatograph, record the chromatograms, and measure the responses for the major peaks.</i></p> <p>AND</p> <p>Line 6 of <i>Procedure:</i> Change and the other terms are as defined therein. to: C is the concentration, in mg per mL, of USP Trihexyphenidyl Hydrochloride RS in the <i>Standard preparation</i>, r_U and r_S are the trihexyphenidyl peak responses</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BISOCTRIZOL E	ADDITIONAL R EQUIREMENT S/USP Reference Standards <11>	<i>First Supplement to USP39–NF34</i>	8008	29-Jul-2016		1-Aug-2016	<i>USP41–NF36</i>	<i>First Supplement to USP40–NF35</i>	obtained from the Assay preparation and the Standard preparation, respectively. Line 2 of USP Bisotrizole Resolution Mixture RS: Change A mixture of approximately 1.5% of bisotrizole isomer [phenol, 2,2-methylenebis[6-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)]] in a matrix of bisotrizole. to: A mixture of approximately 1.5% of bisotrizole isomer [phenol, 2,2?-methylene bis[6-(2H

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ORALLY INHALED AND NASAL DRUG PRODUCTS	REFERENCES	USP39–NF34	1862	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)] in a matrix of bisoctrizole. Delete reference 3.
GRANISETRO N HYDROCHLORIDE INJECTION	USP Reference standards <11>	USP39–NF34	4153	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 2 of USP Granisetron Related Compound B RS: Change (N-[(1R,3r,5)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1H-indazole-3-carboxamide). to: N-[(1R,3r,5S)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1H-indazole-3-carboxamide.
LOVASTATIN	USP Reference standards <11>	USP39–NF34	4631	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to	Line 2 of USP Lovastatin

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
						<i>USP40–NF35</i>	Related Compound A RS: Change [Dihydro-lovastatin][butanoic acid, 2-methyl-, 1,2,3,4,4a,7,8,8a-octahydro-3,7-dimethyl-8-[2(4-hydroxy-6-oxo-2H-pyran-2-yl)-ethyl]-1-naphthalenyl ester, [1S-[1?(R*), 3?,7?,8?(2S*,4S*),-8??]]]-. to: (1S,3S,4aR,7S,8S,8aS)-8-{2-[(2R,4R)-4-hydroxy-6-oxo-2H-pyran-2-yl]-ethyl]-1-naphthalenyl ester, [1S-[1?(R*), 3?,7?,8?(2S*,4S*),-8??]]]-.

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SIMVASTATIN TABLETS	IM PURITIES/Organic Impurities/Analysis	USP39–NF34	5848	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	-pyran-2-yl]ethyl }-3,7-dimethyl-1 ,2,3,4,4a,7,8,8a -octahydronapht halen-1-yl (S)-2-methylbutan oate. Line 5: Change Result = $(r_U/r_S) \times (C_S/C_U) \times (M_{r1}/M_{r2}) \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$ AND Delete the variable definitions for M_{r1} and M_{r2} .
FUMARIC ACIDS	SPECIFIC TESTS/Water Determination, Method I <921>	USP39–NF34	7309	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 1: Change 0.5% to: NMT 0.5%
NAPROXEN SODIUM TABLETS	IM PURITIES/Organic Impurities	Second Supplement to USP39–NF34	Online	29-Jul-2016		1-Aug-2016	USP41–NF36	First Supplement to USP40–NF35	Line 6 of Analysis: Change Result = $(r_U/r_S) \times (C_U/C_S) \times 100$ to: Result = (r

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BACITRACIN ZINC	IMPURITIES	USP39–NF34	2674	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	$\frac{u}{r_s} \times (C_s/C_u) \times 100$ Delete the Residue on Ignition <281> test.

Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- ...
- [Page 21](#)
- [Page 22](#)
- [Page 23](#)
- [Page 24](#)
- [Page 25](#)
- [Page 26](#)
- [Page 27](#)
- [Page 28](#)
- [Page 29](#)
- ...
- [Next page Next ›](#)
- [Last page Last »](#)