

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post	Errata Official	Target Errata	Target Online	Description
		Publication		Date	Date	Print Publication	Fix Publication	
LORAZEPAM	ADDITIONAL R	USP39–NF34	4620	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	Line 3 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INJECTION	EQUIREMENT S/USP Reference Standards <11>								Lorazepam Related Compound B RS: Change C ₁₃ H ₉ ClNO to: C ₁₃ H ₉ Cl ₂ NO
NALTREXONE HYDROCHLORIDE	Related compounds	USP39–NF34	4985	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 5: Change 10F(C/W)(r _U /r _s) to: 1000F(C/W)(r _U /r _s)
RANITIDINE INJECTION	USP Reference standards <11>	USP39–NF34	5670	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 2 of USP Ranitidine Related Compound C RS: Change N -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]sulfonyl]phenyl]-N-methyl-2-nitro-1,1-ethenediamine. to: N

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							-{2-[(5-[(Dimethylamino)methyl]-2-furanyl)meth
							<i>N</i> ?-methyl-2-nitro-1,1-ethenediamine.
TETRACYCLIN ASSAY/ E HYDROCHLORIDE CAPSULES	<i>USP39–NF34</i>	6082	27-May-2016	1-Jun-2016	<i>USP40–NF35</i>	<i>USP40–NF35</i>	Line 6 of <i>Sample solution</i> : Change dilute with <i>Diluent</i> to volume. to: dilute with <i>Solution A</i> to volume.
VINPOCETINE IM PURITIES/ <i>Organic Impurities</i>	<i>USP39–NF34</i>	6880	27-May-2016	1-Jun-2016	<i>USP40–NF35</i>	<i>USP40–NF35</i>	Footnote a of <i>Table 1</i> : Change Ethyl (12 <i>RS</i> ,13 <i>aSR</i> ,13 <i>bSR</i>)-13 <i>a</i> -ethyl-12-hydroxy-2,3,5,6,12,13,13 <i>a</i> ,13 <i>b</i> -octa

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							hydro-1 <i>H</i> -in dolo[3,2,1- <i>de</i>]pyrido[3,2,1- <i>ij</i>][1,5]naphthyridine-12-carboxylate (ethyl vincamate). to: Ethyl (12 <i>S</i> ,13 <i>aS</i> ,13 <i>bS</i>)-13 <i>a</i> -ethyl-12-hydroxy-2,3,5,6,12,13,13 <i>a</i> ,1
							<i>H</i> -in dolo[3,2,1- <i>de</i>]pyrido[3,2,1- <i>ij</i>][1,5]naphthyridine-12-carboxylate (ethyl vincamate).

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>AND</p> <p>Footnote of</p> <p><i>Table 1:</i></p> <p>Change</p> <p>Methyl</p> <p>(13aS,13bS)</p> <p>-13a-ethyl-9-methoxy-2,3,5,6,13a,13b-hexahydro-1H-in[dolo[3,2,1-de]pyrido[3,2,1-ij][1,5]naphthyridine-12-carboxylate (apovincamine). to:</p> <p>Methyl</p> <p>(13aS,13bS)</p> <p>-13a-ethyl-2,3,5,6,13a,13b-hexahydro-1H-in[dolo[3,2,1-de]</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>]py rido[3 ,2,1-<i>ij</i>][1,5]naphthyridi ne-12-carboxyla te (apovincamine). AND Footnote d of <i>Table 1</i>: Change Ethyl (12<i>RS</i>,13a <i>RS</i>,13b<i>RS</i>)-13a -ethyl-2,3,5,6,12 ,13,13a,13b- octa hydro-1<i>H</i> -in dolo[3,2,1-<i>de</i>]py rido[3 ,2,1-<i>ij</i>][1,5]naphthyridi ne-12-carboxyla te (dihydrovinpo cetine). to: Ethyl (12<i>R</i>,13a<i>S</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
REAGENTS, INDICATORS AND SOLUTIONS	REAGENTS/6. <i>General Tests for Reagents/6.2 Amino Nitrogen Test in Reagents</i>	USP39–NF34	2080	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	,13bS)-13a-ethyl-2,3,5,6,12,13,13a,13b-octa-hydro-1H-pyridine-3,2,1-de[3,2,1- <i>ij</i>][1,5]naphthyridine-12-carboxylate (dihydrovinpocetine). In the numerator of the equation: Change 2.8 to: 14 AND Add $\times f$ AND Line 10: Change where %LOD is the percentage of loss on

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HAZARDOUS DRUGS—HANDLING IN HEALTHCARE SETTINGS	5. FACILITIES ENGINEERING CONTROLS/5.3 Compounding	<i>First Supplement to USP39–NF34</i>	7721	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	drying. to: where <i>f</i> is the correction factor obtained in the standardization of 0.2 N sodium hydroxide and %LOD is the percentage of loss on drying. First bullet in second paragraph: Change • Be externally vented through high-efficiency particulate air (HEPA) filtration to: • Be externally vented
IMIQUIMOD CREAM	IMPURITIES/ <i>Organic Impurities</i>	USP39–NF34	4289	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Row 2 of Column 3 of <i>Table 2</i> : Change 1.5 to: 1.15 AND

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METFORMIN H PERFORMANC YDROCHLORI E DE EXTENDED-TESTS/ RELEASE <i>Dissolution</i> TABLETS <711>	USP39–NF34	4766	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	Row 3 of Column 3 of Table 2: Change 1.15 to: 1.5 Line 3 of Test 3: Change Medium, Apparatus 1, Apparatus 2, and Analysis: to: Medium, Apparatus 1, and Apparatus 2:
PALIPERIDON CHEMICAL E INFORMATION	USP39–NF34	5253	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	Line 5: Change (9RS)-3-[2-[4-(6-Fluoro-1,2-benzisoxazol-3-yl)piperidin-1-yl]]ethyl]-9-hydroxy-2-methyl-6,7,8,9-tetrahydro-4H-pyrido[1,2-a]pyrimidin-4-one to: (9RS

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RANITIDINE IN USP Reference Standards <11> SODIUM CHLORIDE INJECTION	USP39–NF34	5673	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	Line 2 of USP Ranitidine Related Compound C RS: Change <i>N</i> -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]sulfinyl]ethyl]- <i>N</i> -methyl-2-nitro-1,1-ethenediamine. to: <i>N</i> -{2-[[[5-[(Dimethylamino)methyl]-2-furanyl]meth

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CHONDROITIN SPECIFIC SULFATE SODIUM, SHARK	TESTS/ <i>Clarity and Color of Solution</i>	USP39–NF34 6570	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	<p><i>N</i> ?-methyl-2-nitro-1,1-ethenediamine.</p> <p>Line 2 of <i>Instrumental conditions</i>: Change (See <i>Spectrophotometry and Light-Scattering</i> <851>.) to: (See <i>Ultraviolet-Visible Spectroscopy</i> <857>.)</p>
OLEYL ALCOHOL	ASSAY/ <i>Procedure</i>	USP39–NF34 7424	27-May-2016	1-Jun-2016	USP40–NF35	USP40–NF35	<p>Line 1 of <i>Standard solution</i>: Change Prepare 1.0 mg/mL of USP Oleyl Alcohol RS in <i>Internal standard solution</i>, and</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>heat the solution in a sealed container in a 50° water bath until oleyl alcohol is dissolved. Allow the solution to cool to room temperature, and mix well.</p> <p>to:</p> <p>1.0 mg/mL of USP Oleyl Alcohol RS in <i>Internal standard solution</i></p> <p>AND</p> <p>Line 1 of <i>Sample solution</i>: Change Prepare 1.0 mg/mL of Oleyl Alcohol in <i>Internal standard solution</i>, and heat the</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DIAZEPAM INJECTION	Assay	USP39–NF34	3445	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	<p>solution in a sealed container in a 50° water bath until oleyl alcohol is dissolved. Allow the solution to cool to room temperature, and mix well.</p> <p>to:</p> <p>1.0 mg/mL of Oleyl Alcohol in <i>Internal standard solution</i></p> <p>Line 7 of <i>Procedure:</i> $50C / V(R_U / R_S)$ to: $50(C / V)(R_U / R_S)$</p>
LORAZEPAM ORAL CONCENTRATE	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP39–NF34	4621	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	<p>Line 3 of Lorazepam Related Compound B RS: Change $C_{13}H_9ClNO$ to: C</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									$^{13}\text{H}_9\text{Cl}_2\text{NO}$

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NICOTINE POLACRILEX	ADDITIONAL R EQUIREMENT S/USP Reference Standards <11>	USP39–NF34	5061	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Add USP Polacrilex Resin RS
RANITIDINE ORAL SOLUTION	USP Reference standards <11>	USP39–NF34	5671	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 2 of USP Ranitidine Related Compound C RS: Change N -[2-[[[5-[(Dimeth ylamino)methyl] -2-furanyl]methy l] su lfinyl]ethyl]-N -methyl-2-nitro- 1,1-ethenediami ne. to: N -{2-[[{5-[(Dimeth ylamino)methyl] -2-furanyl]meth
									N ?-methyl-2-nitro

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TROSPIUM CHLORIDE	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP39–NF34	6287	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	-1,1-ethenediamine. Line 3 of USP Trospium Chloride Related Compound C RS:Change (1R,3r,5S)-3-Hydroxyspiro[8-azoniabicyclo[3.2.1]octane-8,1?-pyrrolidinium] chloride. to: (1R,3r,5S)-3-Hydroxyspiro[8-azoniabicyclo[3.2.1]octane-8,1?-pyrrolidinium] chloride, or (1R,3r,5S)-3-Hydroxyspiro[bicyclo[3.2.1]octane-8,1?-pyrrolidin]-1?-ium chloride.
CETYL ALCOHOL	IM PURITIES/Limit of Related Fatty Alcohols	USP39–NF34	7239	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 1 of Sample solution: Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ALPRAZOLAM EXTENDED- RELEASE TABLETS	PERFORMANC E TESTS/ <i>Dissolution</i> <711>	USP39–NF34	2389	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	<p>1 mg/mL of Cetyl Alcohol in ethanol to: Prepare 1.0 mg/mL of Cetyl Alcohol in ethanol, and heat the solution in a sealed container in a 50° water bath until cetyl alcohol is dissolved. Allow the solution to cool to room temperature, and mix well.</p> <p>Variable definition list of second equation in <i>Test 2/Analysis</i>: Change V_S = volume of the <i>Sample solution</i> withdrawn at each time point</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>and replaced with <i>Medium</i> (mL) to: V_S = volume of the <i>Sample solution</i> withdrawn at each time point (mL) AND Variable definition list of second equation in <i>Test 3/Analysis</i>: Change V_S = volume of the <i>Sample solution</i> withdrawn at each time point and replaced with <i>Medium</i> (mL) to: V_S = volume of the <i>Sample solution</i> withdrawn at each time point</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PAROXETINE EXTENDED-RELEASE TABLETS	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>First Supplement to USP39–NF34</i>	8121	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	(mL) USP Paroxetine Related Compound B RS: Add $C_{19}H_{21}NO_3 \cdot HCl$ 347.84
LORAZEPAM	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP39–NF34	4618	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 3 of USP Lorazepam Related Compound B RS: Change $C_{13}H_9ClNO$ to: $C_{13}H_9Cl_2NO$
MYCOPHENOLATE SODIUM	ASSAY/ Procedure	USP39–NF34	4965	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 3: Change Solvent A to: Solution A AND Line 5: Change Solvent B to: Solution B
PALIPERIDONE	IMPURITIES/Organic Impurities/System suitability	USP39–NF34	5253	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 3 of Resolution: Change hydroxybenzyl to: hydroxybenzoyl

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SAMARIUM Sm 153 LEXIDRONAM INJECTION	<i>ity/Suitability requirements</i> <i>Other requirements</i>	USP39–NF34	5791	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 1: Change <i>Injections and Implanted Drug Products <1></i> ; not subject to <i>Container Content</i> . to: Meets the requirements of <i>Injections and Implanted Drug Products <1></i> ; not subject to <i>Container content</i> .
CHONDROITIN COMPOSITION SULFATE SODIUM, SHARK	<i>/Disaccharide Composition</i>	USP39–NF34	6570	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 2 of <i>Chondroitinase ABC solution</i> : Change 10.0 mL of <i>Buffer solution</i> to: 1.0 mL of <i>Buffer solution</i> AND Line 4 of <i>Analysis</i> : Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SEMISOLID DRUG PRODUCTION TESTS	IN VITRO PERFORMANCE TESTS	USP39–NF34	1869	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	and 1.0 mL to: and 0.1 mL Line 7 of <i>Application of Drug Release: Change</i> The individual amounts of drug released from <i>R</i> is plotted versus time, to: The individual amounts of drug released from <i>R</i> are plotted versus the square root of time,
SODIUM CETO STEARYL SULFATE	IMPURITIES/ <i>Limit of Sodium Chloride and Sodium Sulfate/Sodium sulfate/ Titrimetric system</i>	USP39–NF34	7518	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 1 of <i>Endpoint detection: Change Potentiometric to: Visual</i>
DICLOFENAC SODIUM EXTENDED RELEASE TABLETS	IMPURITIES	USP39–NF34	3460	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 1 of <i>Standard</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NDED-RELEASE TABLETS	ITIES/ <i>Organic Impurities</i>								<i>solution:</i> Change 0.001 mg/mL of USP Diclofenac Sodium RS in <i>Diluent</i> to: 0.001 mg/mL each of USP Diclofenac Sodium RS and USP Diclofenac Related Compound A RS in <i>Diluent</i>
LORAZEPAM TABLETS	ADDITIONAL REQUIREMENT S/ <i>USP Reference Standards RS</i> <11>	USP39–NF34	4622	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 3 of USP Lorazepam Related Compound B RS: Change C ₁₃ H ₉ ClNO to: C ₁₃ H ₉ Cl ₂ NO
OXANDROLONE TABLETS	<i>Dissolution</i> <711>/Test 3	USP39–NF34	5193	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 3 of <i>Chromatographic system:</i> Change 30-cm column to: 3-cm column
RANITIDINE	<i>USP Reference</i>	USP39–NF34	5672	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	Line 2 of USP

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TABLETS		<i>standards <11></i>							Ranitidine Related Compound C RS: Change <i>N</i> -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]sulfinyl]ethyl]- <i>N</i> -methyl-2-nitro-1,1-ethenediamine. to: <i>N</i> -{2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]sulfinyl]ethyl}- <i>N</i> -methyl-2-nitro-1,1-ethenediamine.
CHONDROITIN IM Sulfate Sodium, Shark		<i>USP39–NF34</i>	6570	27-May-2016		1-Jun-2016	<i>USP40–NF35</i>	<i>USP40–NF35</i>	Line 2 of <i>Instrumental conditions:</i> Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MYRISTYL ALCOHOL	ASSAY/ <i>Procedure</i>	USP39–NF34	7413	27-May-2016		1-Jun-2016	USP40–NF35	USP40–NF35	(See <i>Spectrophotometry and Light-Scattering <851></i> .) to: (See <i>Ultraviolet-Visible Spectroscopy <857></i> .) Line 1 of <i>Standard solution</i> : Change Prepare 1.0 mg/mL of USP Myristyl Alcohol RS in <i>Internal standard solution</i> , and heat the solution in a sealed container in a 50° water bath until myristyl alcohol is dissolved. Allow the solution to cool to room temperature,

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>and mix well. to: 1.0 mg/mL of USP Myristyl Alcohol RS in <i>Internal standard solution</i> AND Line 1 of <i>Sample solution</i>: Change Prepare 1.0 mg/mL of Myristyl Alcohol in <i>Internal standard solution</i>, and heat the solution in a sealed container in a 50° water bath until myristyl alcohol is dissolved. Allow the solution to cool to room temperature, and mix well.</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SELENOMETHI ONINE	CHEMICAL INFORMATION	USP38–NF33 6226	25-Mar-2016	1-Apr-2016	USP40–NF35	USP40–NF35	to: 1.0 mg/mL of Myristyl Alcohol in <i>Internal standard solution</i> Line 3: Change [1464-42-2] to:
PLASTIC MATERIALS OF CONSTRU CTION	TEST ME THOD S/ <i>Extr actions/</i> Table 3	USP39–NF34 493	25-Mar-2016	1-Apr-2016	USP40–NF35	USP40–NF35	[3211-76-5] Line 1 of footnote b: Change For nonplasticized polyethylene only. to: For polyethylene only.
FLUTICASONE AND SALMETEROL POWDER	ASSAY/ PROPIONATE AND SALMETEROL INHALATION POWDER <i>Procedure</i>	USP39–NF34 4020	25-Mar-2016	1-Apr-2016	USP40–NF35	USP40–NF35	Line 3 of <i>System suitability.</i> Change for salmeterol and fluticasone propionate are to: for fluticasone propionate and

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CONTAINERS-MOISTURE- PERFORMANCE TESTING	VAPOR TRANSMISSION/ Packaging System Classification for Multiple-Unit Containers and Unit-Dose Containers for Liquid Oral Dosage Forms/ Procedure	USP38-NF33	465	25-Mar-2016		1-Apr-2016	USP40-NF35	USP40-NF35	salmeterol are Line 1 of the Equation: Change $\left[\frac{W_{1i}}{W_T} - \frac{W_{14i}}{W_T} \right] \times \frac{W_{C1}}{W_{C14}} \times 365 \times \left\{ \left[\frac{100}{W_{1i}} - \frac{100}{W_T} \right] \times 14 \right\}$ to: $\left[\frac{W_{1i}}{W_T} - \frac{W_{14i}}{W_T} \right] \times \frac{W_{C1}}{W_{C14}} \times 365 \times \frac{100}{W_{1i}} - \frac{100}{W_T} \times 14$
PLASTIC MATERIALS OF CONSTRUCTION	SPECIFICATIONS/ Polyethylene Terephthalate and Polyethylene Terephthalate G/Extractable Metals	USP39-NF34	493	25-Mar-2016		1-Apr-2016	USP40-NF35	USP40-NF35	Line 1 of Titanium: Change 0.1 µg/g. to: 1 µg/g.
CANDESARTAN CILEXETIL AND HYDROCHLOROTHIAZIDE TABLETS	IMPURITIES/ Organic Impurities	USP39-NF34	2895	25-Mar-2016		1-Apr-2016	USP40-NF35	USP40-NF35	Row 3 of Column 1 of Table 6: Change Candesartan related compound A ^{b,c} to:

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MEMANTINE H IM YDROCHLORI PUR DE TABLETS ITIES/ <i>Organic Impurities</i>	<i>Revision Bulletin (Official October 01, 2015)</i>	Online	25-Mar-2016	1-Apr-2016	USP40–NF35	USP40–NF35	Candesartan cilexetil related compound A ^{b,c} Line 3 of <i>Analysis:</i> Change of USP Memantine Related Compound E RS or to: of memantine related compound E or AND In the variable definition list: Change r_U = peak response of USP Memantine Related Compound E RS or any individual degradation product from the <i>Sample solution</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RESIDUAL HOST CELL PROTEIN MEASUREMENT IN V BIOPHARMACEUTICALS	4. HCP IMMUNOASSAY METHOD VALIDATION/4.3	<i>Second Supplement to USP38–NF33 Sample Linearity/ Table 4</i>	7647	25-Mar-2016		1-Apr-2016	USP40–NF35	USP40–NF35	<p>to: r_U = peak response of memantine related compound E or any individual degradation product from the <i>Sample solution</i></p> <p><i>Product column:</i> Change 10.00 (neat), 5.00, 2.50, 1.25, 0.63, 0.31, 0.16 to: 10.00 (neat), 5.00, 2.50, 1.25, 0.625, 0.3125, 0.15625 AND <i>Sample 1/HCP ratio column:</i> Change 4.9, 5.7, 4.8, 5.9, 5.0, 5.1, <6 to: 4.90, 5.70, 4.80, 5.92, 4.96, 5.12, <6</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PLASTIC MATERIALS OF CONSTRU	TEST ME THOD	USP39–NF34	493	25-Mar-2016		1-Apr-2016	USP40–NF35	USP40–NF35	<p>AND <i>Sample 2/HCP ratio</i> column: Change 2.0, 3.3, 4.0, 5.9, 5.3, 6.1, <6 to: 2.00, 3.30, 4.00, 5.92, 5.28, 6.08, <6</p> <p>AND <i>Sample 3/HCP ratio</i> column: Change 0.3, 0.5, 0.6, 0.9, 1.4, <6, <6 to: 0.32, 0.50, 0.60, 0.88, 1.44, <6, <6</p> <p>AND <i>Sample 3/% max ratio value</i> column: Change 83% to: 61%</p> Line 3 of <i>Plasticized polyvinyl</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CTION	S/ Physicochemical I Tests/ Absorbance							<i>chloride</i> : Delete Additionally, for nonplasticized polyvinyl chloride materials only, determine the spectrum between 250 and 330 nm in the alcohol sample associated with <i>Solution S6</i> .
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER	IM PURITIES/ <i>Limit Supplement to of Methacrylic Acid and Ethyl Acrylate</i>	<i>First</i> USP39–NF34	Online	25-Mar-2016	1-Apr-2016	USP40–NF35	USP40–NF35	Line 5 of <i>Standard solution</i> : Change Mix 10.0 mL of this solution to: Mix 5.0 mL of this solution AND Line 7 of <i>Standard solution</i> : Change about 0.67 µg/mL to:

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>about 0.5 µg/mL</p> <p>Line 4 of <i>Sample solution</i>: Change 10.0 mL of this solution to: 5.0 mL of this solution</p> <p>AND</p> <p>In the variable definition list in <i>Analysis</i>: Change V_F = final volume of the <i>Sample solution</i>, 15 mL D = dilution factor for preparation of the <i>Sample solution</i>, 5 to: V_F = final volume of the <i>Sample solution</i>, 10 mL D = dilution factor for</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ARGININE HYDROLYSIS TESTS/ <i>Chloride</i> <i>Content</i>	USP38–NF33	2279	25-Mar-2016	1-Apr-2016	USP40–NF35	USP40–NF35	preparation of the <i>Sample</i> <i>solution</i> , 10 Delete the subsection <i>Blank</i> : 140 mL of water and 1 mL of dichlorofluorescein TS AND The equation in the <i>Analysis</i> : Change Result = $[(V - B) \times N \times F \times 100] / W$ to: Result = $(V \times N \times F \times 100) / W$ AND Line 10 of <i>Analysis</i> : Delete <i>B = Blank</i> titrant volume (mL)
PLASTIC MATERIALS OF CONSTRUCTION TEST METHOD S/ <i>Extractions/</i> <i>Table 3</i>	USP39–NF34	493	25-Mar-2016	1-Apr-2016	USP40–NF35	USP40–NF35	Column 4 of S3 row: Change Extractable metals: Al, Sb, As, Ba, Cd, Co, Ge, Hg, Mn, Ni, Pb, Ti, V, and

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DIPHENHYDR ASSAY/ AMINE HYDRO Procedure CHLORIDE INJECTION	USP39–NF34	3529	25-Mar-2016	1-Apr-2016	USP40–NF35	USP40–NF35	Zn to: Extractable metals: Al, As, Ba, Cd, Co, Hg, Mn, Ni, Pb, Ti, V, and Zn Line 1 of <i>System suitability solution</i> :Change USP Diphenhyd ramine Hydrochloride Related Compound A RS to: USP Diphenhyd ramine Related Compound A RS AND Line 4 of <i>System suitability</i> : Change for diphenhydra mine hydrochloride related

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									compound A and diphenhydramine hydrochloride are to: for diphenhydramine related compound A and diphenhydramine are
PLASTIC MATERIALS OF CONSTRUCTION	SPECIFICATIONS/ <i>Polymethylene/Extractable Metals</i>	USP39-NF34	493	25-Mar-2016		1-Apr-2016	USP40-NF35	USP40-NF35	Line 1 of <i>Zirconium</i> : Change 1 µg/g. to: 0.1 µg/g.
DISSOLUTION	INTERPRETATION/ <i>Immediate-Release Dosage Forms/Immediate-Release Dosage Forms Pooled Sample</i>	USP39-NF34	540	25-Mar-2016		1-Apr-2016	USP40-NF35	USP40-NF35	Row 3 of Column 1 of <i>Acceptance Table for a Pooled Sample</i> : Change S_1 to: S_2 AND Row 4 of Column 1 of <i>Acceptance Table for a</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DIGOXIN	IM PUR ITIES/Related Glyc osides/System suitability	<i>Interim Revision Announcement (Official November 01, 2015)</i>	Online	25-Mar-2016	1-Apr-2016	USP40–NF35	USP40–NF35	<p><i>Pooled Sample: Change S₁ to: S₃</i></p> <p>Line 2: Change <i>Sample: System suitability solution</i> to: <i>Samp les: System suitability solution and Standard solution</i> AND Line 2 of <i>Suitability requirements:</i> Change <i>Resolution: NLT 1.5 between the digoxin and lanatoside C peaks Relative standard deviation: NMT 2.0%,</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>determined from the digoxin peak in replicated injections to:</p> <p><i>Resolution:</i> NLT 1.5 between the digoxin and lanatoside C peaks, <i>System suitability solution</i></p> <p><i>Relative standard deviation:</i> NMT 2.0%, determined from the digoxin peak in replicated injections, <i>Standard solution</i></p>

Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- ...
- [Page 22](#)

-
- [Page 23](#)
 - [Page 24](#)
 - [Page 25](#)
 - [Page 26](#)
 - [Page 27](#)
 - [Page 28](#)
 - [Page 29](#)
 - [Page 30](#)
 - ...
 - [Next page Next ›](#)
 - [Last page Last »](#)