

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph TitleSection	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
--	------------------------------------	-----------------------------	----------------------------------	--------------------------------------	---	---	-----------------------------

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
CEFADROXIL CAPSULES	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>First Supplement to USP37–NF32</i>	6604	25-Jul-2014	1-Aug-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>	Line 2 of USP Cefadroxil Related Compound I RS: Change (6 <i>R</i> ,7 <i>R</i>)-7-[(<i>R</i>)-2-Amino-2-(4-hydroxyphenyl)acetamido]-3-methyl-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid monohydrate. to: (6 <i>R</i> ,7 <i>R</i>)-7-[(<i>R</i>)-2-Amino-2-(4-hydroxyphenyl)acetamido]-3-methyl-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-3-ene-2-carboxylic acid.
CEFUROXIME FOR INJECTION	<i>Constituted solution</i>	<i>USP37–NF32</i>	2246	25-Jul-2014	1-Aug-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>	Line 3: Change meets the requirements

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
ESCITALOPRAM ORAL SOLUTION	IMPURITIES/Organic Impurities	USP37–NF32 2580	26-Sep-2014	1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	for <i>Constituted Solutions</i> under <i>Labeling</i> under <i>Injections <1></i> . to: meets the requirements for <i>Constituted Solutions</i> under <i>Injections <1></i> . Row 6 of Column 1 of Table 3: Change Desfluorocitalopram ^f to: Desfluorocitalopram ^{f,c}
STERILE WATER FOR INHALATION	ADDITIONAL REQUIREMENTS/USP Reference Standards <11>	USP37–NF32 5174	26-Sep-2014	1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	Add: USP 1,4-Benzoquinone RS AND USP Sucrose RS
LEVOTHYROXINE SODIUM TABLETS	IMPURITIES/Organic Impurities/Procedures	USP37–NF32 3548	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	Line 1 of <i>Acceptance criteria</i> : Change NMT 2.0% of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
								liothyronine to: NMT 2.0% of liothyronine sodium
DEXCHLORPH IM ENIRAMINE MALEATE	PUR ITIES/Organic Impurities	<i>First Supplement to USP37–NF32</i>	6626	26-Sep-2014	1-Oct-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>	Line 1 of <i>Standard solution</i> : 2.2 ?g/mL of USP Dexchlorp heniramine Maleate RS in <i>Diluent</i> , to: 2.8 ?g/mL of USP Dexchlorp heniramine Maleate RS in <i>Diluent</i> ,
INSULIN ASPART	IDENTIFICATIO N/B. Physicoch emical Analytical Procedures for Insulins, Peptide Mapping <121.1 >/Chromatograp hic system	<i>First Supplement to USP37–NF32</i>	6647	25-Jul-2014	1-Aug-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>	Line 1 of <i>Column</i> : Change 4.0-mm × 25-cm; 5-µm packing L7 to: 4.6-mm × 10-cm; 3-?m packing L1
CHLORDIAZEP	Constituted	<i>USP37–NF32</i>	2290	25-Jul-2014	1-Aug-2014	<i>USP39–NF34</i>	<i>First</i>	Line 1: Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
OXIDE HYDRO <i>solution</i> CHLORIDE FOR INJECTION						<i>Supplement to USP38–NF33</i>	At the time of use, it meets the requirements for <i>Constituted Solutions</i> under <i>Labeling</i> under <i>Injections <1></i> . to: At the time of use, it meets the requirements for <i>Constituted Solutions</i> under <i>Injections <1></i> .
DIDANOSINE DPERFORMANC ELAYED- E RELEASE TESTS/ CAPSULES <i>Dissolution</i> <i><711>/Analysis</i>	<i>USP37–NF32</i>	2603	26-Sep-2014	1-Oct-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>	Line 11 of the variable definition list: Change C_S = concentration of didanosine in the <i>Standard solution</i> (mg/mL) to: C_S = concentration of USP

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	_Sort descending_	Description
									Didanosine Related Compound A RS in the <i>Standard solution</i> for the <i>Acid stage</i> or concentration of USP Didanosine RS in the <i>Standard solution</i> for the <i>Buffer stage</i> (mg/mL)
STERILE WATER FOR INJECTION	CHEMICAL INFORMATION	USP37–NF32	5175	26-Sep-2014	1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33		Add the chemical formula and molecular weight: H ₂ O 18.02
MITOTANE TABLETS	Assay	USP37–NF32	3858	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33		Line 1 of <i>Procedure</i> : Change Proceed as directed in the Assay under <i>Mitotane</i> , beginning with “Concomitantly determine the

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							absorbances of both solutions.” to: Concomitantly determine the absorbances of the Assay <i>preparation</i> and the <i>Standard preparation</i> in 1-cm cells at the wavelength of maximum absorbance at about 268 nm, with a suitable spectrophotometer, using methanol as the blank. Calculate the quantity, in mg, of $C_{14}H_{10}Cl_4$ in the portion of Tablets taken by the formula: $0.5C(A_U/A_S)$ in which C is the concentration,

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
DACARBAZINE IM FOR INJECTION	<i>Second PURITIES/Limit of 2-Azahypoxanthine Supplement to USP37–NF32</i>	Online	26-Sep-2014	1-Oct-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>	in mg/mL, of USP Mitotane RS in the <i>Standard preparation</i> , and A_U and A_S are the absorbances of the Assay <i>preparation</i> and the <i>Standard preparation</i> , respectively. Line 2 of <i>Analysis</i> : Change 2-azahypoxanthine monohydrate to: 2-azahypoxanthine
SUFENTANIL CITRATE	<i>ASSAY/Procedure/System suitability requirements</i> <i>First Supplement to USP37–NF32</i>	6701	25-Jul-2014	1-Aug-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>	Line 1 of <i>Relative standard deviation</i> : Change NMT 0.7% to: NMT 0.73%

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
CLOPIDOGREL ASSAY/ BISULFATE <i>Procedure</i>	USP37–NF32	2422	25-Jul-2014	1-Aug-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	Line 1 of System suitability solution: Change 25 µg/mL of USP Clopidogrel Bisulfate RS and 50 µg/mL of USP Clopidogrel Related Compound B RS to: 2.5 µg/mL of USP Clopidogrel Bisulfate RS and 5.0 µg/mL of USP Clopidogrel Related Compound B RS
DROSPIRENONE AND ETHINYL ESTRADIOL IM PUR ITIES/ <i>Organic Impuri</i>	USP37–NF32	2739	26-Sep-2014	1-Oct-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	Line 2 of Detector 2: Change Monitor the

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
TABLETS	<i>ties/ Chromatographi c system</i>							signal at 344 nm between 37 and 42 min. to: Monitor the signal at 344 nm for ethinyl estradiol related compound B (typically between 37 and 42 min).
STERILE WATER FOR INJECTION	ADDITIONAL REQUIREMENT <i>S/USP Reference Standards <11></i>	USP37–NF32	5175	26-Sep-2014	1-Oct-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	Add: USP 1,4-Benzo quinone RS AND USP Sucrose RS
NALTREXONE HYDROCHLORIDE	Assay	USP37–NF32	3922	25-Jul-2014	1-Aug-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	Line 7 of <i>Procedure:</i> Change (377.86/341.41) $10C(r_U/r_S)$ in which 377.86 and 341.41 are the molecular weights of naltrexone hydrochloride and naltrexone

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							Sort descending	
PHARMACEUTICAL COMPOUNDING—NON STERILE PREPARATIONS	DEFINITIONS	USP37–NF32	403	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	to: $(377.86/341.40)10C(r_U/r_S)$ in which 377.86 and 341.40 are the molecular weights of naltrexone hydrochloride and naltrexone Line 1 of <i>Beyond-Use Date (BUD)</i>: Change The date after which a compounded preparation should not to be used; to: The date after which a compounded preparation shall not be used;
TERBINAFINE HYDROCHLORIDE	IMPURITIES	First Supplement to USP37–NF32	6704	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	Footnotes b, c, and d of <i>Table 2</i>: Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							^b <i>trans</i> -Isoterbinafine or (<i>E</i>)- <i>N</i> ,6, 6-tri methyl- <i>N</i> -(naphthalen-2-ylmethyl)hept-2-en-4-yn-1-amine.
							^c <i>cis</i> -Terbinafine or (<i>Z</i>)- <i>N</i> ,6, 6-tri methyl- <i>N</i> -(naphthalen-1-ylmethyl)hept-2-en-4-yn-1-amine.
							^d 4-Methylterbinafine or (<i>E</i>)- <i>N</i> ,6, 6-tri methyl- <i>N</i> -((4-methylnaphthalen-1-yl)meth

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							yl)hept-2-en-4-yn-1-amine. to: ^b <i>trans</i> -Isoterbinafine or (2 <i>E</i>)- <i>N</i> , 6, 6-Tr imethyl- <i>N</i> -(naphthalen-2-ylmethyl)hept-2-en-4-yn-1-amine. ^c <i>cis</i> -Terbinafine or (2 <i>Z</i>)- <i>N</i> , 6, 6-Tr imethyl- <i>N</i> -(naphthalen-1-ylmethyl)hept-2-en-4-yn-1-amine. ^d 4-Methylterbinafine or (2 <i>E</i>)- <i>N</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
DOXAPRAM H ASSAY/ YDROCHLORI Procedure DE INJECTION	USP37–NF32	2708	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	, 6, 6-Tr imethyl- <i>N</i> - -((4-methylnaphthalen-1-yl)methyl)hept-2-en-4-yn-1-amine. Line 7 of Analysis: Change R_U = peak response ratio of the doxapram to the internal standard from the <i>Sample solution</i> R_S = peak response ratio of the doxapram to the internal standard from the <i>Sample solution</i> to: R_U = peak response ratio of doxapram to the internal

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
IRINOTECAN HIM YDROCHLORI PUR DE INJECTION ITIES/ <i>Organic Impurities</i>	USP37–NF32	3403	26-Sep-2014	1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	standard from the <i>Sample solution</i> R_S = peak response ratio of doxapram to the internal standard from the <i>Standard solution</i> Row 3 of Column 1 of Table 2: Change Camptothecin^b to: Camptothecin^{b,d} AND Row 5 of Column 1: Change 7-Ethylcamptothecin^c to: 7-Ethylcamptothecin^{c,d} AND Add a footnote: ^dThese process

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
STERILE WATER FOR IRRIGATION	CHEMICAL INFORMATION	USP37–NF32	5175	26-Sep-2014	1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	impurities are included in the table for identification only and are not included in the <i>Total impurities</i> . Add the chemical formula and molecular weight: H ₂ O 18.02
TICLOPIDINE HYDROCHLORIDE	IMPURITIES	USP37–NF32	4958	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	Change <i>Residue on Ignition <231></i> to: <i>Residue on Ignition <281></i>
METHODS FOR THE DETERMINATION OF PARTICULATE MATTER IN INJECTIONS AND OPHTHALMIC SOLUTIONS	LIGHT OBSCURATION PARTICLE COUNT TEST/ <i>Instrument Standardization Tests/Particle Counting Accuracy—System Suitability</i>	USP37–NF32	1301	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	Line 26 of <i>Method 1—MWHC Instruments</i> : Change <i>P_B</i> is the average particle count obtained from the suspension; to:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Sort descending	Description
TERBINAFINE HYDROCHLORIDE	ADDITIONAL REQUIREMENT	<i>First Supplement to USP37–NF32 S/USP Reference Standards <11></i>	6704	25-Jul-2014	1-Aug-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>		P_S is the average particle count obtained from the suspension; Line 2 of USP Terbinafine Related Compound A RS: Change N -Methyl-C -(naphthalen-1-yl)methanamine . to: N -Methyl-C -(naphthalen-1-yl)methanamine hydrochloride. AND Line 2 of USP Terbinafine Related Compound B RS: Change (2Z)-N , 6,

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							6-Tr imethyl- <i>N</i> -(naphthalen-1-ylmethyl)hept-2-en-4-yn-1-amine. to: (2 <i>Z</i>)- <i>N</i> , 6, 6-Tr imethyl- <i>N</i> -(naphthalen-1-ylmethyl)hept-2-en-4-yn-1-amine hydrochloride. AND Line 2 of USP Terbinafine Related Compound C: Change (2 <i>E</i>)- <i>N</i> , 6, 6-Tr imethyl- <i>N</i> -(naphthalen-2-ylmethyl)hept-2-en-4-yn-1-amin

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	_Sort descending_	Description
								e. to: (2E)-N , 6, 6-Tr imethyl-N -(naphthalen-2-ylmethyl)hept-2-en-4-yn-1-amine hydrochloride. AND Line 2 of Terbinafine Related Compound D RS: Change (2E)-N , 6, 6-Tr imethyl-N -[(4-methylnaphthalen-1-yl)methyl]hept-2-en-4-yn-1-amine. to: (2E)-N , 6,

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
DOXEPIN HYDROCHLORIDE E TESTS CAPSULES	USP37–NF32	2712	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	6-Tr imethyl-N -[(4-methylnaphthalen-1-yl)methyl]hept-2-en-4-yn-1-amine hydrochloride. Change <i>Uniformity of Dosage Units, Content Uniformity <905></i> to: <i>Uniformity of Dosage Units <905></i> : Meet the requirements The following procedure is used where the test for <i>Content Uniformity</i> is required. <i>Procedure for Content Uniformity</i> AND Delete a

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
KETOPROFEN EXTENDED- RELEASE CAPSULES	ASSAY/ <i>Proce dure/System suitabil ity/Suitability requirements</i>	USP37–NF32	3469	26-Sep-2014	1-Oct-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	subsection: <i>Acceptance criteria:</i> Meet the requirements Line 1 of <i>Tailing factor:</i> Change NLT 1.5 to: NMT 1.5
STERILE WATER FOR IRRIGATION	ADDITIONAL R EQUIREMENT S/ <i>USP Reference Standards <11></i>	USP37–NF32	5175	26-Sep-2014	1-Oct-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	Add: USP 1,4-Benzo quinone RS AND USP Sucrose RS
VINBLASTINE SULFATE	IDENTIFICATIO N/ <i>B.</i>	USP37–NF32	5150	25-Jul-2014	1-Aug-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	Line 1 of <i>Sample:</i> Change 100 mg/mL in water to: 10 mg/mL in water
ALLOPURINOL	<i>USP Reference standards <11></i>	USP37–NF32	1649	25-Jul-2014	1-Aug-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	Line 2 of USP Allopurinol Related Compound C RS: Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	_Sort descending_	Description
RISPERIDONE ORAL SOLUTION	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	Second Supplement to USP37–NF32	Online	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33		<i>N</i>-(4<i>H</i>-1,2,4-Triazol-4-yl)-1<i>H</i>-pyrazole-4-carboxamide. to: 5-(4<i>H</i>-1,2,4-Triazol-4-yl)-1<i>H</i>-pyrazole-4-carboxamide. Line 2 of USP Risperidone Related Compounds Mixture RS: Change Contains a mixture of the following four compounds: 98.9% of <i>Risperidone</i>. 0.5% of <i>Risperidone cis-N-oxide</i>: <i>cis</i>-3-[2-[4-(6-Fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]ethyl]-6,7,

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							8,9-tetrahydro-2-methy l-4 <i>H</i> -pyri do[1,2- <i>a</i>]pyr imidin- 4- <i>N</i> -oxide. 0.3% of <i>Bicyclorisperido</i> <i>ne</i> : 3-(4-Fluoro- 2-hydroxypheny l)-1-[2-(6,7,8,9-t etrahydro-2-met hyl-4 -oxo-4 <i>H</i> -pyr ido-[1,2 - <i>a</i>]pyrimidin-3-yl)e thyl]-1-aza-2-az oniabicyclo[2.2. 2]oct-2-ene iodide. 0.3% of <i>Z</i> - <i>Oxime</i> : (<i>Z</i>)-3-[2-[4-(2,4-Dif luorophenyl)(hy droxyimino)met

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							hyl]-1-piperidiny l]ethyl]-6,7,8,9-t etrahydro-2-met hyl-4<i>H</i> -pyri do[1,2-a]pyrimidin-4-one . to: Contains a mixture of the following four compounds: Risperidone. Risperidone <i>cis</i>-<i>N</i>-oxide: <i>cis</i> -3-[2-[4-(6-Fluor o-1,2-benzisoxa zol-3-yl)-1-piperi diny]ethyl]-6,7, 8,9-tetrahydro-2 -methy l-4<i>H</i> -pyri do[1,2-a]pyrimidin-4-one , <i>N</i>-oxide. Bicyclorisperido ne: 3-(4-Fluoro-

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	_Sort descending_	Description
DULOXETINE DELAYED- RELEASE CAPSULES	IDENTIFICATIO N	USP37–NF32	2743	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	.	2-hydroxyphenyl)-1-[2-(6,7,8,9-tetrahydro-2-methyl-4-oxo-4H-pyrido[1,2-a]pyrimidin-3-yl)ethyl]-2-aza-1-azoniabicyclo[2.2.2]oct-2-ene iodide. Z-Oxime: (Z)-3-[2-[4-(2,4-Difluorophenyl)(hydroxyimino)methyl]-1-piperidinylethyl]-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a]pyrimidin-4-one
									Change A. Infrared Absorption <197S>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Sort descending	Description
KETOPROFEN EXTENDED-RELEASE CAPSULES	PERFORMANCE TESTS/ <i>Uniformity of Dosage Units <905>/System suitability/Suitability requirements</i>	USP37–NF32	3469	26-Sep-2014	1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33		to: <i>A. Infrared Absorption <197F></i> Line 1 of <i>Tailing factor</i> : Change NLT 1.5 to: NMT 1.5
PURE STEAM	CHEMICAL INFORMATION	USP37–NF32	5176	26-Sep-2014	1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33		Add the chemical formula and molecular weight: H ₂ O 18.02
VITAMIN E	IDENTIFICATION <i>N/A./Sample solutions</i>	USP37–NF32	5163	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33		Lines 4 and 7 of <i>Alpha tocopheryl acetate</i> : Change dilute sulfuric acid to: diluted sulfuric acid
AMIFOSTINE	ASSAY/	USP37–NF32	1717	25-Jul-2014	1-Aug-2014	USP39–NF34	First		Line 1 of

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
	<i>Procedure/System suitability/Suitability requirements</i>						<i>Supplement to USP38–NF33</i>	<i>Column efficiency: Change NLT 100 to: NLT 1000</i>
TIZANIDINE TABLETS	ASSAY/ <i>Procedure/System suitability</i>	<i>Second Supplement to USP37–NF32</i>	Online	25-Jul-2014	1-Aug-2014	<i>USP39–NF34</i>	<i>First Supplement to USP38–NF33</i>	<i>Change Sample: Standard solution to: Samples: System suitability solution and Standard solution AND Change Resolution: NLT 4.0 between tizanidine and tizanidine related compound C; NLT 4.0 between tizanidine and tizanidine related</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							compound B <i>Tailing factor:</i> NMT 2.0 <i>Relative standard deviation:</i> NMT 2.0% to: <i>Resolution:</i> NLT 4.0 between tizanidine and tizanidine related compound C; NLT 4.0 between tizanidine and tizanidine related compound B, <i>System suitability solution</i> <i>Tailing factor:</i> NMT 2.0, <i>Standard solution</i> <i>Relative standard deviation:</i> NMT

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
ERGOTAMINE TARTRATE	Identification	USP37–NF32	2826	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	2.0%, <i>Standard solution</i> Line 4: Change value as the principal spot of <i>Standard solution A</i> . to: values as the corresponding spots of the <i>Standard preparation</i> .
OXYBUTYNIN CHLORIDE	SPECIFIC TESTS/ <i>Loss on Drying</i> <731>	USP37–NF32	4129	26-Sep-2014	1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	Line 1 of <i>Acceptance criteria</i> : Change NMT 3.0% to: NMT 3%
STERILE PURIFIED WATER	ADDITIONAL REQUIREMENTS	USP37–NF32	5176	26-Sep-2014	1-Oct-2014	USP39–NF34	First Supplement to USP38–NF33	Add a section: <i>USP Reference Standards</i> <11> USP 1,4-Benzoquinone RS USP Sucrose RS
GELATIN	SPECIFIC TESTS/ <i>Sulfur Dioxide</i> Analysis	USP37–NF32	5995	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	Line 5 of the variable definition list: Change

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
BUMETANIDE	IMPURITIES	USP37–NF32	2024	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	m = actual molarity of the <i>Titrant</i> (mol/mL) to: m = actual molarity of the <i>Titrant</i> (mol/L) Row 4 of Column 1 of <i>Table 1</i>: Change Paroxetine butyl 3-(butylamino)-4-phenoxy-5-sulfamoylbenzoate to: Butyl 3-(butylamino)-4-phenoxy-5-sulfamoylbenzoate
ROPINIROLE HYDROCHLORIDE	HIMPURITIES/Organic Impurities, Procedure 1/System suitability/Suitability requirements	Revision Bulletin (Official May 01, 2014)	Online	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	Line 1 of <i>Tailing factor</i>: Change NLT 2.0 for the ropinirole peak to: NMT 2.0 for the ropinirole peak
FLAVOXATE HYDROCHLORIDE	HIMPURITIES	USP37–NF32	2988	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to	Row 3 of Column 1 of

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
DE						USP38–NF33	<i>Impurity Table 1</i>: Change Flavoxate related compound A^{a,*} to: Flavoxate related compound A^a AND Row 4 of Column 1 of <i>Impurity Table 1</i>: Change Flavoxate related compound B^{b,*} to: Flavoxate related compound B^b AND Row 5 of Column 1 of <i>Impurity Table 1</i>: Change Flavoxate related compound C^{c,*} to:

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							Flavoxate related compound C ^c AND Delete footnote *
PSEUDOEPHE ASSAY/ DRINE HYDRO <i>Procedure</i> CHLORIDE	USP37–NF32	4481	26-Sep-2014	1-Oct-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	Line 2 of <i>System suitability solution</i> : Change 0.02 mg/mL of USP Ephedrine Sulfate RS to: 0.002 mg/mL of USP Ephedrine Sulfate RS
CELLACEFATE ASSAY/ <i>Content of Acetyl</i>	USP37–NF32	5919	26-Sep-2014	1-Oct-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	Line 12 of <i>Analysis</i> : Result = $\{[(P \times 0.5182 \times B)/(100 \times B)] \times (0.5772 \times C)\} \times 100$ to: Result = $100 \times [P \times (0.5182 \times B)/(100 \times B)] \times$

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
VITAMIN E ASSAY	ASSAY/ Procedure 4/ Chromatographic system	<i>First Supplement to USP37–NF32</i>	6338	25-Jul-2014	1-Aug-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	(0.5772 × C) Line 1 of <i>Flow rate</i> : Change 1.5 mL/min to: 1 mL/min
CEFAZOLIN INJECTION	Assay	USP37–NF32	2190	25-Jul-2014	1-Aug-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	Change <i>pH 3.6 Buffer</i> , <i>pH 7.0 Buffer</i> , <i>Mobile phase</i> , <i>Internal standard solution</i> , <i>Standard preparation</i> , and <i>Chromatographic system</i> —Prepare as directed in the Assay under <i>Cefazolin</i> . to: <i>pH 3.6 Buffer</i> —Dissolve 0.900 g of anhydrous dibasic sodium phosphate and 1.298 g of citric

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							acid monohydrate in water to make 1000 mL. <i>pH 7.0 Buffer</i> —Dissolve 5.68 g of anhydrous dibasic sodium phosphate and 3.63 g of monobasic potassium phosphate in water to make 1000 mL. <i>Mobile phase</i> —Prepare a suitable mixture of <i>pH 3.6 Buffer</i> and acetonitrile (9:1). Pass through a membrane filter having a 10-?m or finer porosity, and degas. Make adjustments if

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							necessary (see <i>System Suitability</i> under <i>Chromatography</i> <621>). <i>Internal standard solution</i> —Transfer 750 mg of salicylic acid to a 100-mL volumetric flask, dissolve in 10 mL of methanol, dilute with <i>pH 7.0 Buffer</i> to volume, and mix. <i>Standard preparation</i> —Transfer about 25 mg of USP Cefazolin RS, accurately weighed, to a 25-mL volumetric flask, dissolve in and

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							dilute with <i>pH 7.0 Buffer</i> to volume, and mix. Transfer 5.0 mL of this solution to a 100-mL volumetric flask, add 5.0 mL of <i>Internal standard solution</i>, dilute with <i>pH 7.0 Buffer</i> to volume, and mix. <i>Chromatographic system</i> (see <i>Chromatography</i> <621>)—The liquid chromatograph is equipped with a 254-nm detector and a 4.0-mm × 30-cm column that contains 10-μm packing L1. The flow

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							rate is about 2 mL per minute. Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>. The relative retention times are about 0.7 for salicylic acid and 1.0 for cefazolin; the resolution, <i>R</i>, between the analyte and internal standard peaks is not less than 4.0; the column efficiency is not less than 1500 theoretical plates; the tailing factor is not more than 1.5; and the relative

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							standard deviation for replicate injections is not more than 2.0%. AND Change <i>Proce</i> <i>dure</i>—Proceed as directed for <i>Procedure</i> in the Assay under <i>Cefazolin</i>. Calculate the quantity, in mg, of cefazolin ($C_{14}H_{14}N_8O_4S_3$) in each mL of the Injection taken by the formula: $(1000C / V)(R_U / R_S)$ in which V is the volume, in mL, of Injection taken, and the other terms are as defined

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
							therein. to: <i>Proce dure</i> —Separately inject equal volumes (about 10 ?L) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the chromatograms, and measure the responses for the major peaks. Calculate the quantity, in mg, of cefazolin ($C_{14}H_{14}N_8O_4S_3$) in each mL of Injection taken by the formula: $(1000C / V)(R_U / R_S)$ in which C is

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
BETAMETHAS ONE SODIUM PHOSPHATE IM PURITIES/ <i>Limit of Free Betamethasone</i>	USP37–NF32	1965	26-Sep-2014	1-Oct-2014	USP39–NF34	<i>First Supplement to USP38–NF33</i>	the concentration, in mg per mL, of USP Cefazolin RS, calculated on the anhydrous basis, in the <i>Standard preparation</i> ; V is the volume, in mL, of Injection taken; and R_U and R_S are the peak response ratios of cefazolin to the internal standard obtained from the Assay <i>preparation</i> and the <i>Standard preparation</i> , respectively. Line 1 of <i>Sample stock solution</i> : Change 1.0 mg/mL of

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication _Sort descending_	Description
LEFLUNOMIDE IM PUR ITIES/Organic Impurities/Procedure 2	USP37–NF32	3502	25-Jul-2014	1-Aug-2014	USP39–NF34	First Supplement to USP38–NF33	Betamethasone Sodium Phosphate in water to: 1.0 mg/mL of Betamethasone Sodium Phosphate in water, prepared as follows. Dissolve 25.0 mg of Betamethasone Sodium Phosphate in water to make 25.0 mL. Line 3 of Analysis: Change [Note—Disregard any peak with an area less than the leflunomide peak from the System suitability solution.

Monograph Title Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	_Sort descending_	Description
								to: [Note—Disregard any peak with an area less than the leflunomide peak from the <i>Sensitivity solution</i> .

Pagination

- [First page](#) [« First](#)
- [Previous page](#) [< Previous](#)
- [Page 1](#)
- [Page 2](#)
- [Page 3](#)
- [Current page 4](#)
- [Page 5](#)
- [Page 6](#)
- [Page 7](#)
- [Page 8](#)
- [Page 9](#)
- ...
- [Next page](#) [Next >](#)
- [Last page](#) [Last »](#)