ERRATA

Following is a list of errata and corrections to *USP–NF*. The page number indicates where the item is found and in which official or pending official publication of *USP–NF*. This list will be updated with the posting of errata reports on www.usp.org/ USPNF/newOfficialText. This information will appear in its corrected form in a future annual edition of *USP–NF*. An erratum consists of content erroneously published that does not accurately reflect the intended official or effective requirements as approved by the Council of Experts. USP staff is available to respond to questions regarding the accuracy of a particular requirement by calling 1-800-822-USPC.

Page	Title	Section	Description
	Inde	Section	Description
1069	Acid Stannous Chloride TS, Stronger	TEST SOLUTIONS (TS)	Line 1: Change "See Stannous Chloride, Acid, TS." to: See Stannous Chloride, Acid, Stronger, TS.
1699	Ammonium Sulfate	IMPURITIES Limit of Nitrate	Line 2 of <i>Control solution</i> : Change "ammonium nitrate" to: ammonium sulfate
1920	Polysorbate 80	SPECIFIC TESTS Fats and Fixed Oils, Acid Value (401)	Line 4 of Sample solution: Change "phenolphthalein solution" to: phenolphthalein TS
		SPECIFIC TESTS Fats and Fixed Oils, Hydroxyl Value (401)	Lines 13 and 14 of <i>Analysis</i> : Change "phenolphthalein solution" to: phenolphthalein TS
1960	Sodium Stearyl Fumarate	SPECIFIC TESTS Fats and Fixed Oils, Sapon- ification Value (401)	Line 12 of Analysis: Change "Result = $[(V_S - V_B) \times N \times F]/W$ V_S = volume of the <i>Titrant</i> consumed by the <i>Sample</i> (mL) V_B = volume of the <i>Titrant</i> consumed by the <i>Blank</i> (mL)" to: Result = $[(V_B - V_S) \times N \times F]/W$ V_B = volume of the <i>Titrant</i> consumed by the <i>Blank</i> (mL) V_S = volume of the <i>Titrant</i> consumed by the <i>Sample</i>
2539	Cefdinir Capsules	IMPURITIES Organic Impurities	(mL) Line 10 of Analysis: Change "C _U = concentration of the Sample solution (mg/mL)" to: C _U = nominal concentration of cefdinir in the Sample colution (mg/mL)
2664	Cilostazol Tablets	PERFORMANCE TESTS Dissolution (711) Test 1	Solution (mg/mL) Line 1 of Standard solution: Change "0.28 mg" to: 0.28 mg/mL Line 3 of Standard solution: Change "56 μg/mL" to: 5.6 μg/mL Line 4 of Sample solution: Change "56 μg/mL" Line 4 of Sample solution: Change "56 μg/mL"
2798	Cysteine Hydrochloride	ASSAY	to: 5.6 μg/mL Line 4 of <i>Analysis</i> : Change "Insert the stopper, and allow to stand in the dark for 20 min." to: Insert the stopper, and allow to stand in the dark for 20 min. while remaining in the ice bath

Page Number	Title	Section	Description
2994	Drospirenone	IMPURITIES	Line 1 of Relative standard deviation: Change
		Organic Impurities, Procedure 2	"NMT 2.0%" to: NMT 15.0%
3037	Enalaprilat Injection	Benzyl alcohol content (if present)	Line 2 of Standard solution: Change "Buffer solution"
			to: Mobile phase
3048	Entacapone Tablets	IDENTIFICATION A. Infrared Absorption 〈197K〉	Line 3: Change "at about 2216, 1628, 1604, 1544, 1512, 1440, 1376, 1348, 1296, 1280, and 1208 cm ⁻¹ " to: at about 1628, 1604, 1544, 1512, 1440, 1376, 1348, 1296, 1280, and 1208 cm ⁻¹
3632	Lamivudine	IMPURITIES Organic Impurities, Other Related Compounds	Columns 1–3, row 4 of <i>Table 1</i> , above <i>Salicylic acid</i> : Add "Lamivudine 1.0 —"
			Column 2, row 5 of <i>Table 1</i> for <i>Salicylic acid</i> : Change "1.0" to: 2.7
3700	Lithium Carbonate Tablets	PERFORMANCE TESTS Dissolution (711)	Before Analysis: Add "Spectrometric conditions Mode: Flame photometer Analytical Wavelength: About 671 nm [NOTE— Adjust the instrument with the surfactant solution.]"
3751	Magnesium Oxide	SPECIFIC TESTS Bulk Density and Tapped Density, Method 1 (616)	Line 1: Change "Bulk Density and Tapped Density, Method I (616):" to: Bulk Density and Tapped Density of Powders, Bulk Den- sity, Method I (616):
3926	Minocycline Hydrochloride	IMPURITIES Organic Impurities	Line 2 of Procedure: Change "Mobile phase and System suitability solution: Proceed as directed in the Assay [NOTE—Protect the Sample solutions from light, store in a refrigerator, and use within 3 h.]" to: Mobile phase, Standard solution, System suitability solu- tion, Chromatographic system, and System suitability: Proceed as directed in the Assay. [NOTE—Protect the Standard solution and the Sample solutions from light, store in a refrigerator, and use within 3 h.] Line 12 of Procedure: Delete "Chromatographic system—Proceed as directed in the Assay."
4167	Oxybutynin Chloride Extended- Release Tablets	PERFORMANCE TESTS Dissolution (711), Test 1	Line 2 of <i>Standard stock solutions</i> : Change "USP Oxybutynin RS" to: USP Oxybutynin Chloride RS
4210	Pantoprazole Sodium	USP Reference standards	Line 6 of USP Pantoprazole Related Compound D and F Mixture RS: Change "398.40" to: 397.40
4638	Simethicone Emulsion	IMPURITIES Inorganic Impurities, Heavy Metals	Line 1 of <i>Sample solution</i> : Change "1.0 g of simethicone from Emulsion" to: 1.0 g of Simethicone Emulsion
4779	Telmisartan Tablets	PERFORMANCE TESTS Dissolution (711)	Under "Result = $(A_U \times C_5 \times V \times 100)/(A_5 \times D \times L)$ ": Add " A_5 = absorbance of the Standard solution"

Page Number	Title	Section	Description
4915	Travoprost	Related compounds	Column 4, row 4 (15-epi Diastereomer ²) of Table 1: Change "0" to: 0.1
			Column 4, row 5 (5,6-trans Isomer ³) of Table 1: Change "3" to: 3.5
5020	Vinblastine Sulfate	IMPURITIES Organic Impurities	Line 1: Change "Mobile phase, System suitability solution, and System suitability: Proceed as directed in the Assay." to:
			<i>tion,</i> and <i>System suitability</i> : Proceed as directed in the <u>Assay</u> . Line 1 of <i>Injection size</i> : Change
			"200 μL" to: 200 μL (20 μL for <i>System suitability</i>)
Revision Bulletin, Offic	ial May 1, 2012		
Online	Losartan Potassium Tablets	IMPURITIES Organic Impurities	Line 2 of footnote c of Table 4: Change "Disregard peaks equal to or $ext{less} (RB 1-May-2012)$ than 0.1%."
			Disregard peaks error (RB 1-May-2012) than 0.1%.
First Supplement to US	5P35–NF30	1	
5488	Famotidine	IMPURITIES Organic Impurities	Line 10: Change "Standard solution: 0.5 μ g/mL of USP Famotidine RS in Solution A System suitability stock solution: 0.25 mg/mL of USP Famotidine Related Compound D RS in methanol System suitability solution: Transfer 1 mL of the System suitability stock solution and 0.5 mL of the Standard solution into a 100-mL volumetric flask, and dilute with Solution A to volume." to:
			Standard stock solution: 0.5 mg/mL of USP Famo- tidine RS in Solution A Standard solution: 0.5 μg/mL of USP Famotidine RS in Solution A System suitability stock solution: 0.25 mg/mL of USP Famotidine Related Compound D RS in methanol System suitability solution: Transfer 1 mL of the System suitability solution and 0.5 mL of the Standard stock solution into a 100-mL volumetric flask, and di- lute with Solution A to volume.
Second Supplement to	USP35–NF30	1	
5938	Duloxetine Hydrochloride	IDENTIFICATION A. Infrared Absorption (197K)	Line 1: Change "A. Infrared Absorption (197K) Sample solution: 5 mg/mL in methanol Acceptance criteria: Meets the requirements" to: A. Infrared Absorption (197K)
		C. Identification Tests— General, Chloride (191)	Line 1: Change "C. Identification Tests—General, Chloride (191): Meets the requirements" to: C. Identification Tests—General, Chloride (191) Sample solution: 5 mg/mL in methanol Acceptance criteria: Meets the requirements