

PF 41(5) Table of Contents

Publish date: Sep 2, 2015

PROPOSED IRA

[Proposed IRA Intro Section](#)

USP MONOGRAPHS

[Dutasteride \(1-Mar-2016\)](#)

[Methylphenidate Hydrochloride Extended-Release Tablets \(1-Mar-2016\)](#)

IN-PROCESS REVISION

[IPR Introduction](#)

GENERAL CHAPTERS

[<1> INJECTIONS AND IMPLANTED DRUG PRODUCTS \(PARENTERALS\)—PRODUCT QUALITY TESTS \(USP39-NF34 2S\)](#)

[<2> ORAL DRUG PRODUCTS—PRODUCT QUALITY TESTS \(USP39-NF34 2S\)](#)

[<3> TOPICAL AND TRANSDERMAL DRUG PRODUCTS—PRODUCT QUALITY TESTS \(USP39-NF34 2S\)](#)

[<4> MUCOSAL DRUG PRODUCTS—PRODUCT QUALITY TESTS \(USP39-NF34 2S\)](#)

[<5> INHALATION AND NASAL DRUG PRODUCTS—GENERAL INFORMATION AND PRODUCT QUALITY TESTS \(USP39-NF34 2S\)](#)

[<89.1> COLLAGENASE I \[NEW\] \(USP39-NF34 2S\)](#)

[<89.2> COLLAGENASE II \[NEW\] \(USP39-NF34 2S\)](#)

[<121.1> PHYSICOCHEMICAL ANALYTICAL PROCEDURES FOR INSULINS \(USP39-NF34 2S\)](#)

[<127> FLOW CYTOMETRIC ENUMERATION OF CD34+ CELLS \[NEW\] \(USP39-NF34 2S\)](#)

[<212> OLIGOSACCHARIDE ANALYSIS \(USP39-NF34 2S\)](#)

[<467> RESIDUAL SOLVENTS \(USP39-NF34 2S\)](#)

[<771> OPHTHALMIC PRODUCTS—QUALITY TESTS \(USP39-NF34 2S\)](#)

[<782> VIBRATIONAL CIRCULAR DICHROISM SPECTROSCOPY \[NEW\] \(USP39-NF34 2S\)](#)

[<821> RADIOACTIVITY \(USP39-NF34 2S\)](#)

[<1004> MUCOSAL DRUG PRODUCTS—PERFORMANCE TESTS \[NEW\] \(USP39-NF34 2S\)](#)

[<1015> AUTOMATED RADIOCHEMICAL SYNTHESIS APPARATUS \(USP39-NF34 2S\)](#)

[<1029> GOOD DOCUMENTATION GUIDELINES \(USP39-NF34 2S\)](#)

[<1063> SHEAR CELL METHODOLOGY FOR POWDER FLOW TESTING \[NEW\] \(USP39-NF34 2S\)](#)

[<1228.3> DEPYROGENATION BY FILTRATION \[NEW\] \(USP39-NF34 2S\)](#)

[<1228.5> ENDOTOXIN INDICATORS FOR DEPYROGENATION \[NEW\] \(USP39-NF34 2S\)](#)

[<1229.13> STERILIZATION-IN-PLACE \[NEW\] \(USP39-NF34 2S\)](#)

[<1231> WATER FOR PHARMACEUTICAL PURPOSES \(USP39-NF34 2S\)](#)

[<1239> VACCINES FOR HUMAN USE—VIRAL VACCINES \[NEW\] \(USP39-NF34 2S\)](#)

[<1602> SPACERS AND VALVED HOLDING CHAMBERS USED WITH INHALATION AEROSOLS—CHARACTERIZATION TESTS \(USP39-NF34 2S\)](#)
[<1782> VIBRATIONAL CIRCULAR DICHROISM SPECTROSCOPY—THEORY AND PRACTICE \[NEW\] \(USP39-NF34 2S\)](#)
[<1821> RADIOACTIVITY—THEORY AND PRACTICE \[NEW\] \(USP39-NF34 2S\)](#)
[<1823> POSITRON EMISSION TOMOGRAPHY DRUGS—INFORMATION \[NEW\] \(USP39-NF34 2S\)](#)
[<2040> DISINTEGRATION AND DISSOLUTION OF DIETARY SUPPLEMENTS \(USP39-NF34 2S\)](#)
[<2750> MANUFACTURING PRACTICES FOR DIETARY SUPPLEMENTS \(USP39-NF34 2S\)](#)

REAGENTS, INDICATORS, AND SOLUTIONS

Reagent Specifications

[2,2,2-Trichloroethanol \(USP39-NF34 2S\)](#)
[Acetonitrile, Chromatographic \[NEW\] \(USP39-NF34 2S\)](#)
[Ascorbic Acid \[NEW\] \(USP39-NF34 2S\)](#)
[Citric Acid \(USP39-NF34 2S\)](#)
[Citric Acid, Anhydrous \(USP39-NF34 2S\)](#)
[4-Cyanopyridine \[NEW\] \(USP39-NF34 2S\)](#)
[2-Isoniazid \[NEW\] \(USP39-NF34 2S\)](#)
[Isonicotinamide \[NEW\] \(USP39-NF34 2S\)](#)
[Methanol, Chromatographic \[NEW\] \(USP39-NF34 2S\)](#)
[L-Phenylalanine \[NEW\] \(USP39-NF34 2S\)](#)
[Polyethylene Glycol Standards with Molecular Weights of 1000, 2000, 3000, 4000, and 6000 Daltons \(g/mol\) \[NEW\] \(USP39-NF34 2S\)](#)
[Silver Sulfate \[NEW\] \(USP39-NF34 2S\)](#)

Test Solutions

[10% ASCORBIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)
[0.001 N HYDROCHLORIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)
[0.06 N HYDROCHLORIC ACID TS \(USP39-NF34 2S\)](#)
[0.36 N HYDROCHLORIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)
[2 N HYDROCHLORIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)
[3 N HYDROCHLORIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)
[6 N HYDROCHLORIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)
[0.01 N NITRIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)
[0.2 N NITRIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)
[1 N NITRIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)
[2 N NITRIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)
[10% PHOSPHORIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)
[2 N POTASSIUM HYDROXIDE TS \[NEW\] \(USP39-NF34 2S\)](#)
[20% POTASSIUM IODIDE TS \[NEW\] \(USP39-NF34 2S\)](#)
[0.2 N SODIUM HYDROXIDE TS \[NEW\] \(USP39-NF34 2S\)](#)

[5 N SODIUM HYDROXIDE TS \[NEW\] \(USP39-NF34 2S\)](#)

[0.02 N SULFURIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)

[6 N SULFURIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)

[7 N SULFURIC ACID TS \[NEW\] \(USP39-NF34 2S\)](#)

Volumetric Solutions

[0.07 N Ferrous Ammonium Sulfate VS \[NEW\] \(USP39-NF34 2S\)](#)

[0.1 N Hydrochloric Acid VS \[NEW\] \(USP39-NF34 2S\)](#)

[0.025 N Potassium Dichromate VS \[NEW\] \(USP39-NF34 2S\)](#)

Chromatographic Columns

[L90 \[NEW\] \(USP39-NF34 2S\)](#)

[L91 \[NEW\] \(USP39-NF34 2S\)](#)

REFERENCE TABLES

Container Specifications

[Containers for Dispensing Capsules and Tablets \[NEW\] \(USP39-NF34 2S\)](#)

Description and Solubility

[Description and Solubility - A](#)

[Description and Solubility - D](#)

[Description and Solubility - E](#)

[Description and Solubility - F](#)

[Description and Solubility - M](#)

[Description and Solubility - N](#)

[Description and Solubility - S](#)

[Description and Solubility - T](#)

EXCIPIENTS

USP AND NF EXCIPIENTS, LISTED BY CATEGORY (USP39-NF34 2S)

[Briefing](#)

[Introduction](#)

[Emulsifying Agent](#)

[Flavors and Fragrance](#)

USP MONOGRAPHS

[Acamprosate Calcium \[NEW\] \(USP39-NF34 2S\)](#)

[Acetaminophen Suppositories \(USP39-NF34 2S\)](#)

[Albuterol Tablets \(USP39-NF34 2S\)](#)

[Aminohippurate Sodium Injection \(USP39-NF34 2S\)](#)

[Antithrombin III Human \(USP39-NF34 2S\)](#)

[Azelastine Hydrochloride \(USP39-NF34 2S\)](#)

[Betamethasone Valerate Cream \(USP39-NF34 2S\)](#)
[Betamethasone Valerate Lotion \(USP39-NF34 2S\)](#)
[Betamethasone Valerate Ointment \(USP39-NF34 2S\)](#)
[Bismuth Subsalicylate Oral Suspension \(USP39-NF34 2S\)](#)
[Bivalirudin \[NEW\] \(USP39-NF34 2S\)](#)
[Bivalirudin for Injection \[NEW\] \(USP39-NF34 2S\)](#)
[Castor Oil \(USP39-NF34 2S\)](#)
[Chlorhexidine Gluconate Topical Gel \[NEW\] \(USP39-NF34 2S\)](#)
[Chlorothiazide Oral Suspension \(USP39-NF34 2S\)](#)
[Chlorothiazide Tablets \(USP39-NF34 2S\)](#)
[Ciprofloxacin \(USP39-NF34 2S\)](#)
[Ciprofloxacin Hydrochloride \(USP39-NF34 2S\)](#)
[Codeine Sulfate Tablets \(USP39-NF34 2S\)](#)
[Dolasetron Mesylate Injection \(USP39-NF34 2S\)](#)
[Dolasetron Mesylate Tablets \(USP39-NF34 2S\)](#)
[Doxycycline for Oral Suspension \(USP39-NF34 2S\)](#)
[Epoetin \[NEW\] \(USP39-NF34 2S\)](#)
[Exenatide \[NEW\] \(USP39-NF34 2S\)](#)
[Frovatriptan Tablets \[NEW\] \(TBD\)](#)
[Frovatriptan Succinate \[NEW\] \(TBD\)](#)
[Guaifenesin \(USP39-NF34 2S\)](#)
[Hydroxyprogesterone Caproate Injection \(USP39-NF34 2S\)](#)
[Imipramine Pamoate Capsules \(USP39-NF34 2S\)](#)
[Insulin Injection \(USP39-NF34 2S\)](#)
[Isophane Insulin Suspension \(USP39-NF34 2S\)](#)
[Insulin Zinc Suspension \(USP39-NF34 2S\)](#)
[Extended Insulin Zinc Suspension \(USP39-NF34 2S\)](#)
[Prompt Insulin Zinc Suspension \(USP39-NF34 2S\)](#)
[Levonorgestrel \(USP39-NF34 2S\)](#)
[Mannitol \(USP39-NF34 2S\)](#)
[Methylergonovine Maleate \(USP39-NF34 2S\)](#)
[Methylnaltrexone Bromide \[NEW\] \(USP39-NF34 2S\)](#)
[Metronidazole Extended-Release Tablets \[NEW\] \(USP39-NF34 2S\)](#)
[Miconazole \(USP39-NF34 2S\)](#)
[Mupirocin Calcium \(USP39-NF34 2S\)](#)
[Nebivolol Tablets \[NEW\] \(TBD\)](#)
[Nebivolol Hydrochloride \[NEW\] \(TBD\)](#)
[Niacin \(USP39-NF34 2S\)](#)
[Phenol \(USP39-NF34 2S\)](#)
[Promethazine Hydrochloride Oral Solution \(USP39-NF34 2S\)](#)

[Quetiapine Extended-Release Tablets \[NEW\] \(USP39-NF34 2S\)](#)
[Ropinirole Extended-Release Tablets \[NEW\] \(USP39-NF34 2S\)](#)
[Solifenacin Succinate \[NEW\] \(TBD\)](#)
[Sulconazole Nitrate \(USP39-NF34 2S\)](#)
[Sulfisoxazole \(USP39-NF34 2S\)](#)
[Sulfisoxazole Acetyl \(USP39-NF34 2S\)](#)
[Theophylline Oral Solution \(USP39-NF34 2S\)](#)
[Trihexyphenidyl Hydrochloride Tablets \(USP39-NF34 2S\)](#)
[Valproic Acid \(USP39-NF34 2S\)](#)
[Ziprasidone Capsules \[NEW\] \(USP39-NF34 2S\)](#)

DIETARY SUPPLEMENT MONOGRAPHS

[Ashwagandha Root \(USP39-NF34 2S\)](#)
[Powdered Ashwagandha Root \(USP39-NF34 2S\)](#)
[Powdered Ashwagandha Root Extract \(USP39-NF34 2S\)](#)
[Curcuminoids \(USP39-NF34 2S\)](#)
[Eleuthero \(USP39-NF34 2S\)](#)
[Powdered Eleuthero \(USP39-NF34 2S\)](#)
[Powdered Eleuthero Extract \(USP39-NF34 2S\)](#)
[Eleuthero Root and Rhizome Dry Extract Capsules \[NEW\] \(USP39-NF34 2S\)](#)
[Eleuthero Root and Rhizome Dry Extract Tablets \[NEW\] \(USP39-NF34 2S\)](#)
[Japanese Honeysuckle Flower \[NEW\] \(USP39-NF34 2S\)](#)
[Japanese Honeysuckle Flower Dry Extract \[NEW\] \(USP39-NF34 2S\)](#)
[Japanese Honeysuckle Flower Powder \[NEW\] \(USP39-NF34 2S\)](#)
[Olive Leaf \[NEW\] \(USP39-NF34 2S\)](#)
[Olive Leaf Dry Extract \[NEW\] \(USP39-NF34 2S\)](#)
[Olive Leaf Powder \[NEW\] \(USP39-NF34 2S\)](#)
[Red Clover Aerial Parts Isoflavone Aglycones Dry Extract \[NEW\] \(USP39-NF34 2S\)](#)
[Powdered Red Clover Extract \(USP39-NF34 2S\)](#)
[Powdered St. John's Wort Extract \(USP39-NF34 2S\)](#)
[Schizochytrium Oil \(USP39-NF34 2S\)](#)
[Turmeric \(USP39-NF34 2S\)](#)
[Powdered Turmeric \(USP39-NF34 2S\)](#)
[Powdered Turmeric Extract \(USP39-NF34 2S\)](#)

NF MONOGRAPHS

[Benzalkonium Chloride Solution \(USP39-NF34 2S\)](#)
[Calcium Propionate \(USP39-NF34 2S\)](#)
[Deoxycholic Acid \(USP39-NF34 2S\)](#)
[Desoxycholic Acid \(USP39-NF34 2S\)](#)
[Hydrogenated Castor Oil \(USP39-NF34 2S\)](#)

[Magnesium Aluminum Silicate \(USP39-NF34 2S\)](#)

[Polyoxyl 35 Castor Oil \(USP39-NF34 2S\)](#)

[Polyoxyl 40 Hydrogenated Castor Oil \(USP39-NF34 2S\)](#)

[Polyvinyl Acetate Dispersion \(USP39-NF34 2S\)](#)

[Potassium Benzoate \(USP39-NF34 2S\)](#)

[Sodium Cetostearyl Sulfate \(USP39-NF34 2S\)](#)

[Sodium Succinate \[NEW\] \(USP39-NF34 2S\)](#)

[Carnauba Wax \(USP39-NF34 2S\)](#)

STAGE 4 HARMONIZATION

[Stage 4 Harmonization](#)

GENERAL CHAPTERS

[<644> CONDUCTIVITY OF SOLUTIONS \[NEW\]](#)

STIMULI TO THE REVISION PROCESS

[STIMULI TO THE REVISION PROCESS](#)

[An Evaluation of the Indifference Zone of the USP <905> Content Uniformity Test](#)

[USP Responses to Comments on Stimuli Article Proposed New USP General Information](#)

[Chapter:Shear Cell Methodology for Powder Flow Testing <1063>](#)

[The Use of Endotoxin as an Analyte in Biopharmaceutical Product Hold Time Studies](#)