

Ophthalmic Ointment Monographs: Chloramphenicol and Polymyxin B Sulfate Ophthalmic Ointment

Type of Posting	Revision Bulletin
Posting Date	29-Jul-2016
Official Date	01-Aug-2016
Expert Committee	Chemical Medicines Monographs 1 to 6
Reason for Revision	Compliance

In accordance with the Rules and Procedures of the 2015-2020 Council of Experts, the Chemical Medicines Expert Committees 1 to 6 has revised the monographs listed below. The purpose of the revision is to replace the requirement to comply with the entire content of the USP general chapter *Ophthalmic Products—Quality Tests <771>* with a requirement to comply only with the subsection for *Particulate and Foreign Matter in Ophthalmic Products—Quality Tests <771>*, and with the section for *Container Content* for those monographs where the requirement for Minimum Fill was deleted.

- Atropine Sulfate Ophthalmic Ointment
- Bacitracin Ophthalmic Ointment
- Bacitracin Zinc and Polymyxin B Sulfate Ophthalmic Ointment
- Bland Lubricating Ophthalmic Ointment
- Chloramphenicol and Polymyxin B Sulfate Ophthalmic Ointment
- Chloramphenicol Ophthalmic Ointment
- Chlortetracycline Hydrochloride Ophthalmic Ointment
- Ciprofloxacin Ophthalmic Ointment
- Dexamethasone Sodium Phosphate Ophthalmic Ointment
- Erythromycin Ophthalmic Ointment
- Gentamicin and Prednisolone Acetate Ophthalmic Ointment
- Gentamicin Sulfate Ophthalmic Ointment
- Hydrocortisone Acetate Ophthalmic Ointment
- Idoxuridine Ophthalmic Ointment
- Neomycin and Polymyxin B Sulfates, Bacitracin Zinc, and Hydrocortisone Acetate Ophthalmic Ointment
- Neomycin and Polymyxin B Sulfates and Bacitracin Ophthalmic Ointment
- Neomycin and Polymyxin B Sulfates and Bacitracin Zinc Ophthalmic Ointment
- Neomycin and Polymyxin B Sulfates and Dexamethasone Ophthalmic Ointment
- Neomycin and Polymyxin B Sulfates Ophthalmic Ointment
- Neomycin and Polymyxin B Sulfates, Bacitracin Zinc, and Hydrocortisone Ophthalmic Ointment
- Neomycin and Polymyxin B Sulfates, Bacitracin, and Hydrocortisone Acetate Ophthalmic Ointment
- Neomycin Sulfate and Dexamethasone Sodium Phosphate Ophthalmic Ointment
- Neomycin Sulfate Ophthalmic Ointment
- Oxytetracycline Hydrochloride and Polymyxin B Sulfate Ophthalmic Ointment
- Sodium Chloride Ophthalmic Ointment
- Sulfacetamide Sodium and Prednisolone Acetate Ophthalmic Ointment
- Sulfacetamide Sodium Ophthalmic Ointment
- Tetracycline Hydrochloride Ophthalmic Ointment
- Tobramycin and Dexamethasone Ophthalmic Ointment
- Tobramycin Ophthalmic Ointment

The Revision Bulletins for the monographs listed above supersede the currently official version of these monographs. The Revision Bulletin will be incorporated in the *First Supplement to USP 40–NF 35*.

Should you have any questions, please contact Margareth R. C. Marques, M.Sc., Ph.D. (301-816-8106 or mrm@usp.org).

Chloramphenicol Ophthalmic Ointment

DEFINITION

Chloramphenicol Ophthalmic Ointment contains NLT 90.0% and NMT 130.0% of the labeled amount of chloramphenicol ($C_{11}H_{12}Cl_2N_2O_5$).

IDENTIFICATION

- **A.** The retention time of the major peak of the *Sample solution* corresponds to that of the *Standard solution*, as obtained in the *Assay*.

ASSAY

Change to read:

PROCEDURE

Mobile phase: Methanol, glacial acetic acid, and water (450:1:550)

Standard stock solution: 0.25 mg/mL of USP Chloramphenicol RS in methanol

Standard solution: 0.1 mg/mL of USP Chloramphenicol RS from the *Standard stock solution* in *Mobile phase*. Pass through a \blacktriangle suitable \blacktriangle_{USP39} filter, and use the clear filtrate.

Sample stock solution: Nominally 0.25 mg/mL of chloramphenicol prepared as follows. Transfer a portion of Ophthalmic Ointment containing nominally 25 mg of chloramphenicol to a suitable conical flask. Add 20 mL of cyclohexane, mix, and sonicate for 2 min. Add 60 mL of methanol. Filter this mixture, collecting the filtrate in a 100-mL volumetric flask. Wash the filter with methanol, collecting the washings in the volumetric flask. Dilute with methanol to volume. Transfer 50.0 mL of the resulting solution to a suitable round-bottom flask, and evaporate to dryness by rotating the flask under vacuum in a water bath at 35°. Dissolve the residue in 50.0 mL of methanol.

Sample solution: Nominally 0.1 mg/mL of chloramphenicol from the *Sample stock solution* in *Mobile phase*. Pass through a \blacktriangle suitable \blacktriangle_{USP39} filter, and use the clear filtrate.

Chromatographic system

(See *Chromatography* <621>, *System Suitability*.)

Mode: LC

Detector: UV 280 nm

Column: 4.6-mm \times 10-cm; 5- μ m packing L1

Flow rate: 1 mL/min

Injection volume: 10 μ L

System suitability

Sample: *Standard solution*

Suitability requirements \blacktriangle_{USP39}

Tailing factor: NMT 2.0

Relative standard deviation: NMT 1.0%

Analysis

Samples: *Standard solution* and *Sample solution*
Calculate the percentage of the labeled amount of chloramphenicol ($C_{11}H_{12}Cl_2N_2O_5$) in the portion of Ophthalmic Ointment taken:

$$\text{Result} = (r_U/r_S) \times (C_S/C_U) \times P \times F \times 100$$

r_U = peak height from the *Sample solution*
 r_S = peak height from the *Standard solution*
 C_S = concentration of USP Chloramphenicol RS in the *Standard solution* (mg/mL)
 C_U = nominal concentration of chloramphenicol in the *Sample solution* (mg/mL)
 P = potency of chloramphenicol in USP Chloramphenicol RS (μ g/mg)
 F = conversion factor, 0.001 mg/ μ g
Acceptance criteria: 90.0%–130.0%

SPECIFIC TESTS

- **STERILITY TESTS** <71>: Meets the requirements

Delete the following:

- \blacktriangle **MINIMUM FILL** <755>: Meets the requirements

\blacktriangle_{USP39}

Delete the following:

- \blacktriangle **METAL PARTICLES IN OPHTHALMIC OINTMENTS** <751>:

Meets the requirements

\blacktriangle_{USP39}

Change to read:

- \blacktriangle **OTHER REQUIREMENTS:** It meets the requirements \bullet for *Particulate and Foreign Matter and Container Contents* \bullet (RB 1-Aug-2016) in *Ophthalmic Products—Quality Tests* <771>, \bullet *Drug Product Quality, Universal Tests, Particulate and Foreign Matter and Container Contents*. \bullet (RB 1-Aug-2016)

\blacktriangle_{USP39}

ADDITIONAL REQUIREMENTS

- **PACKAGING AND STORAGE:** Preserve in collapsible ophthalmic ointment tubes.
- **USP REFERENCE STANDARDS** <11>
USP Chloramphenicol RS